

Spices Bibliography - 1998 (Part I)

COMPILED BY : P AZGAR SHERIFF

Indian Institute of Spices Research

Calicut - 673 012, Kerala, India.

Spices - General

- Aziz N H, Youssef Y A, El Fouly M Z & Moussa L A 1998 Contamination of some common medicinal plant samples and spices by fungi and their mycotoxins. *Botanical Bulletin of Academia Sinica* 39 (4) : 279-287.
- Bendini A, Toschi T G & Lercker G 1998 Influence of γ -irradiation and microwaves on the linear unsaturated hydrocarbon fraction in spices. *Zeitschrift für Lebensmittel-Untersuchung und-Forschung A* 207 (3) : 214-219.
- Billing J & Sherman P W 1998 Antimicrobial functions of spices: Why some like it hot. *Quarterly Review of Biology* 73 (1) : 3-49.
- Calenberg S Van, Vanhaelewyn, G, Cleemput O Van, Callens F, Mondelaers W & Huyghebaert A 1998 Comparison of the effect of x-ray and electron beam irradiation on some selected spices. *Lebensmittel-Wissenschaft und Technologie* 31 (3) : 252-258.
- Cherian Kunju N E 1998 Your spice market-Malaysia. *Spice India (Hindi)* 11 (3) : 22-24.
- Chughtal S R, Ahmad M A, Naseem K & Mohmand A S 1998 Genotoxicity testing in some spices in diploid yeast. *Pakistan Journal of Botany* 30 (1) : 33-39.
- Dansby A L 1998 Spice is nice, culinary roulette is not. *Food Technology* 52 (11) : 118.
- Ejechi B O, Souzey J A & Akpomedaye D E 1998 Microbial stability of mango juice preserved by combined application of mild heat and extracts of two tropical spices. *Journal of Food Protection* 61 (6) : 725-728.
- Gautam S, Sharma A & Thomas Y 1998 Improved bacterial turbidimetric method for detection of irradiated spices. *Journal of Agricultural and Food Chemistry* 46 (12) : 5110-5113.
- Ilcim A, Digrak M & Bagci E 1998 The investigation of antimicrobial effect of some plant extracts. *Turkish Journal of Biology* 22 (1) : 119-125.
- Jensen Jarolim E, Gajdzik L, Habert I, Kroft D, Scheiner O & Grof J 1998 Hot spice influence permeability of human intestinal epithelial monolayers. *Journal of Nutrition* 128 (3) : 577-582.

- Koshy P K & Samuel R 1998 Phytonematology of palms and major spices In : Khurana S M P (Ed.) Pathological Problems of Economic Crop Plants and their Management (pp. 309-329). Scientific Publishers, Jodhpur.
- Longvah T & Deosthale Y G 1998 Iodine content of commonly consumed foods and water from the goitre endemic north east region of India. Food Chemistry 61 (3) : 327-331.
- Ozcan M 1998 Inhibitory effects of spice extracts on the growth of *Aspergillus parasiticus* NRRL 2999 strain. Zeitschrift fur Lebensmittel-Untersuchung und-Forschung A 207 (3) : 253.
- Pank F 1998 Production of and research into medicinal plants and spice plants in the EU. Gemuse (Munchen) 34 (6) : 365-366.
- Patole A P & Agte V V 1998 Effects of various dietary constituents on insulin secretion *in vitro* by pancreas culture. Journal of Medicinal and Aromatic Plant Sciences 20 (2) : 413-416.
- Rodriguez Ramo L A, Heredia N L, Labbe R G & Garcia Alvarado J S 1998 Detection of enterotoxigenic *Clostridium perfringens* in spice used in Mexico by dot blotting using a DNA probe. Journal of Food Protection 61 (2) : 201-205.
- Schnur E 1998 Herbs and spices 3. Ernahrungs-Umschau 45 (11) : B 41.
- Woodbury J E 1998 Spices and other condiments. Journal of the AOAC International 81 (1) : 146.
- Yin M C & Cheng W S 1998 Inhibition of *Aspergillus niger* and *Aspergillus flavus* by some herbs and spices. Journal of Food Protection 61 (1) : 123-126.

Basil (*Ocimum basilicum*)

- Antonelli A, Fabbri C & Boselli E 1998 Modifications of dried basil leaf oil by gamma and microwave irradiation. Food Chemistry 63 (4) : 485-491.
- Buchi R, Bachmann M & Keller F 1998 Carbohydrate metabolism in source leaves of sweet basil, a starch- storing and stachyose-translocating labiate. Journal of Plant Physiology 153 (3-4) : 308-316.
- Gulino M L, Minuto A & Garibaldi A 1998 Improved method of bench solarization for the control of soil borne diseases in basil. Crop Protection 17 (6) : 497-503.
- Lachowicz K J, Jones G P, Briggs D R, Bienvenu F E, Wan J, Wilcock A & Coventry M J 1998 The synergic preservative effects of the essential oils of the sweet basil against acid-tolerant food microflora. Letters in Applied Microbiology 26 (3) : 209-215.
- Migheli Q, Ghignone S, Chiocchetti A, Minuto G & Garibaldi A 1998 Identification of *Fusarium oxysporum* f. sp. *basilici* using the RAPD - PCR technique. Colture Protette 27 (3) : 55-59.

- Minuto A, Gennari M, Vindrola D & Garibaldi A 1998 Basil : tolclofos methyl in the control of *Rhizoctonia solani*. Colture Protette 27 (5) : 81-84.
- Phippen W B & Simon J E 1998 Anthocyanins in basil. Journal of Agricultural and Food Chemistry 46 (5) : 1734-1739.
- Reuveni R, Dudai N & Putievski E 1998 NUFAR : A sweet basil cultivar resistant to fusarium wilt. HortScience 33 (1) : 159-160.
- Raviv M, Krasnovsky A, Medina S, Reuveni R, Freiman L & Bar A 1998 Compost as a controlling agent against fusarium wilt of sweet basil. Acta Horticulturae No. 469 : 375-383.
- Raviv M, Reuveni R & Zaidman B Z 1998 Improved medium for organic transplants. Biological Agriculture and Horticulture 16 (1) : 53-64.
- Umerie S C, Anaso H U & Anyasoro L J C 1998 Insecticidal potentials of *Ocimum basilicum* leaf-extract. Bioresource Technology 64 (3) : 237-239.
- Wan J, Wilcock A & Coventry M J 1998 The effect of essential oils of basil on the growth of *Aeromonas hydrophila* and *Pseudomonas fluorescens*. Journal of Applied Microbiology 84 (2) : 152-159.

Black cumin (*Nigella sativa*)

- AlGaby A M A 1998 Amino acid composition and biological effects of supplementing broad bean and corn proteins with *Nigella sativa* (black cumin) cake protein. NAHRUNG Food 42 (5) : 290-295.
- Takuri H R H & Dameh M A F 1998 Study of the nutritional value of black cumin seeds (*Nigella sativa* L). Journal of the Science of Food and Agriculture 76 (3) : 404-411.

Black pepper (*Piper* spp.)

- Alecio A C, Bolzani V D, Young M C M, Kato M J & Furlan M 1998 Antifungal amide from leaves of *Piper hispidum*. Journal of Natural Products 61 (5) : 637-640.
- Alexander S E & Clough G H 1998 Spunbonded row cover calcium fertilization improve quality and yield in black pepper. HortScience 33 (7) : 1150-1153.
- Bhandari S P S, Babu U V & Garg H S 1998 A lignan from *Piper chaba* stems. Phytochemistry 47 (7) : 1435-1437.
- Bindu T K, Shafi P M, Rajan P P & Sarma Y R 1998 Antifungal activity of *Uvaria narum* extracts. Allelopathy Journal 5 (1) : 67-74.
- Bizerril M X A & Raw R A 1998 Feeding behaviour of bats and the dispersal of *Piper arboreum* seeds in Brazil. Journal of Tropical Ecology 14 (1) : 109.
- Dixit B S, Johri J K & Benerji R 1998 Dichlorvos and dimethoate residues in betelvine (*Piper betle*) foliage. Indian Journal of Agricultural Sciences 68 (1) : 21-23.

Vergote N 1998 Green celery autumn cultivation. Many cultivars with a few chosen ones. Proeftuinnieuws 8 (12) : 20-21.

Chillies (*Capsicum* spp.)

Abera G & Wagary D 1998 New hot pepper varieties performing well in the western parts of Ethiopia. Capsicum and Eggplant Newsletter No. 17 : 19-21.

Abu Awwad A M 1998 Effect of mulch and irrigation water amounts on soil evaporation and transpiration. Journal of Agronomy and Crop Sciences 181 (1) : 55-59.

Ackley J A, Wilson H P & Hines T E 1998 Weed management in transplanted bell pepper with clomazone and rimsulfuron. Weed Technology 12 (3) : 458-463.

Aquirrezabal M, Mateo J, Dominguez C & Zumalacarregui J M 1998 Spanish paprika and garlic as sources of compounds of technological interest for the production of dry fermented sausages. Sciences Des Aliments 18 (4) : 409-415.

Ahmed N, Shah F A, Zargar G H & Wani S A 1998 Line x tester analysis for the study of combining ability in hot pepper. Capsicum and Eggplant Newsletter No. 17 : 38-41.

Akhilesh Singh & Singh A K 1998 Screening of chilli germplasm against *Fusarium* wilt. Crop Research (Hisar) 15 (1) : 132-133.

Alegbejo M D 1998 A leaf curl virus - like symptom on pepper at Samaru, Nigeria caused by the cold harmattan. Capsicum and Eggplant Newsletter No. 17 : 61-63.

Alegbejo M D & Urah I I 1998 Evaluation of pepper cultivars for resistance to pepper vein mottle virus in northern Nigeria. Capsicum and Eggplant Newsletter No. 17 : 50-52.

Aloni B, Karni L, Ryiski I, Cohen Y, Lee Y, Fuchs M, Moreshet S & Yao C 1998 Cuticular cracking in pepper fruit 1. Effects of night temperature and humidity. Journal of Horticultural Science and Biotechnology 73 (6) : 743-750.

Anju Thakur, Thakur P S & Jyotsna Bhardwaj 1998 Influence of seed osmoconditioning on germination potential and seedling performance of bell pepper. Seed Research 25 (1) : 25-30.

Antonious G F, Byers M E & Snyder J C 1998 Residues and fate of endosulfan on field grown pepper and tomato. Pesticide Science 54 (1) : 61-68.

Arango Y & Heise K P 1998 Localization of a tocopherol synthesis in chromoplast envelope membranes of *Capsicum annuum* L. fruits. Journal of Experimental Botany 49 (324) : 1259-1262.

Back K W, He S L, Kim K U & Shin D H 1998 Cloning and bacterial expression of sesquiterpene cyclase, a key branch point enzyme for the synthesis of sesquiterpenoid phytoalexin capsidiol in U-V challenged leaves of *Capsicum annuum*. Plant and Cell Physiology 39 (9) : 899-905.

Ballester J & de Vicente M C 1998 Determination of F-1 hybrid seed purity in pepper using PCR - based markers. Euphytica 103 (2) : 223-227.

Bashan Y 1998 *Azospirillum* plant growth promoting strains are non-pathogenic on tomato, pepper, cotton and wheat. Canadian Journal of Microbiology 44 (2) : 168-195.

Belakbir A, Ruiz J M & Romero L 1998 Yield and quality of pepper in response to bioregulators. HortScience 33 (1) : 85-88.

Belletti P, Marzachi C & Lanteri S 1998 Flow cytometric measurement of nuclear DNA content in *Capsicum*. Plant Systematics and Evolution 209 (1-2) : 85-93.

Benoit F & Ceustermans N 1998 Sweet pepper : Summer cultivation of sweet peppers in photoselection plastic greenhouses. Proeftuinnieuws 8 (10) : 37-38.

Benoit F & Ceustermans N 1998 Peppers. Further developments of root cooling in peppers. Proeftuinnieuws 8 (8) : 15-16.

Bouvier F, dHartingue A, Suire C, Backhaus R A & Camera B 1998 Dedicated roles of plastid transketolases during the early onset of isoprenoid biogenesis in pepper fruits. Plant Physiology 117 (4) : 1423-1433.

Cabrera Asencio I 1998 *Dolichothrips indicus* (Hood) (Thysanoptera: Phlaeothripidae) : A new report involving peppers and eggplants in Puerto Rico. Journal of Agriculture of the University of Puerto Rico 82 (1-2) : 111-113.

Carrajal M, Gimenez J L, Riquelme F & Alcaraz C F 1998 Antioxidant content and colour level in different varieties of red pepper effected by plant - leaf T 14 + spray and processing. Acta Alimentaria 27 (4) : 365-377.

Cartar A K & Stevens R 1998 Using ethephon and GA (3) to overcome thermoinhibition in 'Jalapeno M' pepper seed. HortScience 33 (6) : 1026-1028.

Chen C H, Lin H J & Feng T Y 1998 An amphipathic protein from sweet pepper can dissociate harpin pss-multimeric forms and intensify the harpin-pss mediated hypersensitive response. Physiological and Molecular Plant Pathology 52 (3) : 139-149.

Chung Hee Don, Choi Young Jun & Shin Sang Hoon 1998 Effect of trop dressing fertilizers on growth of pepper plug seedlings in vermiculite - based root media. Journal of the Korean Society for Horticultural Science 39 (1) : 1-7.

Collar J L & Fereres A 1998 Nonpersistent virus transmission efficiency determined by aphid probing behaviour during intercellular punctures. Environmental Entomology 27 (3) : 583-591.

Constable C P, Yip L & Ryan C A 1998 Prosystemin from potato, black nightshade and bell pepper : Primary structure and biological activity of predicted systemin polypeptides. Plant Molecular Biology 36 (1) : 55-63.

Contreras Padillia M & Yahia E M 1998 Changes in capsaicinoids during development, maturation and senescence of chile peppers and relation with

- peroxidase activity. *Journal of Agricultural and Food Chemistry* 46 (6) : 2075-2080.
- Cox G 1998 Pepper pot. *New Scientist* 157 (2127) : U2.
- De Costa W A J M & Perera M K K W 1998 Effect of bean population and row arrangement on the productivity of chilli-dwarf bean (*Capsicum annuum-Phaseolous vulgaris* L.) intercropping in Sri Lanka. *Journal of Agronomy and Crop Science* 180 (1) : 53-59.
- De Guevara R G L, Parra Lopez V, Pardo Gonzalez J E, Saus M L & Varon Castellanos R 1998 Influence of storage conditions on pigment degradation in paprikas from different greenhouse pepper cultivars. *Journal of the Science of Food and Agriculture* 78 (3) : 321-329.
- Diaz J & Merino F 1998 Wound - induced shikimate dehydrogenase and peroxidase related to lignification in pepper leaves. *Journal of Plant Physiology* 152 (1) : 51-58.
- Estrada B, Pomar F, Diaz J, Merino F & Bernal M A 1998 Effect of mineral fertilizer supplementation on fruit development and pungency in 'Padron' peppers. *Journal of Horticultural Science and Biotechnology* 73 (4) : 493-497.
- Ferrarese L, Trainotti L, Gattolin S & Casado G 1998 Secretion, purification and activity of two recombinant pepper endo-B-1, 4-glucanases expressed in the yeast *Pichia pastoris*. *FEBS Letters* 422 (1) : 23-26.
- Fernandez - Pavia S P & Liddell C M 1998 Lack of evidence for translocation of resistance factors between roots and foliage of *Capsicum annuum* infected by *Phytophthora capsici*. *Capsicum and Eggplant Newsletter No. 17* : 66-68.
- Fery R L, Duke P D & Thies J A 1998 'Carolina Wonder' and 'Charleston Belle': Southern root knot nematode resistant bell peppers. *HortScience* 33 (5) : 900-903.
- Forster H, Adaskarag J E, Kim D H & Stanghellini M E 1998 Effect of phosphite on tomato and pepper plants and on susceptibility of pepper to *Phytophthora* root and crown rot in hydroponic culture. *Plant Disease* 82 (10) : 1165.
- Fery R L & Thies J A 1998 Genetic analysis of resistance to the Southern root-knot nematode in *Capsicum chinense* Jacq. *Journal of the American Society for Horticultural Science* 123 (6) : 1008-1012.
- Frey R L & Thies J A 1998 PA-353, PA-398 and PA-426 : Southern root nematode resistant *Capsicum chinense* Jacq. germplasm lines. *HortScience* 33 (4) : 760-762.
- Garcia Perez M D, Egea C & Candela M E 1998 Defence response of pepper suspension cells to *Phytophthora capsici*. *Physiologia Plantarum* 103 (4) : 527-534.
- Gaur A, Adholeya A & Mukerji K G 1998 A comparison of VAM fungi inoculants using *Capsicum* and *Polianthes* marginal soil amended with organic matter. *Mycorrhiza* 7 (6) : 307-313

- Gersch K P, Motsenbocker C E & Lang G A 1998 Anatomical description of the fruit-receptacle detachment area in cayenne pepper. *Journal of the American Society for Horticultural Science* 123 (4) : 550-556.
- Gitaitis R D, Dowler C C & Chalfant R B 1998 Epidemiology of tomato spotted wilt in pepper and tomato in Southern Georgia. *Plant Disease* 82 (7) : 752-757.
- Gilardi P, Garcial Luque I & Serra M T 1998 Pepper mild bottle virus coat protein alone can elicit the *Capsicum* spp. L-3 gene mediated resistance. *Molecular Plant - Microbe Interactions* 11 (12) : 1253-1258.
- Gomez R, Pardo J C & Varon R 1998 Effect of different storage conditions on paprika from variety Larguillo peppers grown in the open air green house. *Rivista di Scienza dell Alimentazione* 27 (1) : 23-28.
- Gomez R, Pardo J E, Navarro F & Varon R 1998 Colour differences in paprika pepper varieties cultivated in a greenhouse and in the open air. *Journal of the Science of Food and Agriculture* 77 (2) : 268-273.
- Guan Ping, Shi Jian Ming, Wan Wen Peng & Li Shu Jiu 1998 Studies on the morphology and anatomy of feminization of the stamens in *Capsicum annuum* L. *Acta Horticulturae Sinica* 25 (2) : 154-157.
- Gudarsono Nurhayati & Suseno R 1998 Mixed infection among TMV, PVY and CMV. 1 : Yield of three hot pepper cultivars. *Capsicum and Eggplant Newsletter No. 17* : 53-56.
- Guldan S J, Martin C A & Falk C L 1998 Interseeding snap pea into stands of chile pepper reduces yield of pea more than that of chile. *HortScience* 33 (4) : 660-663.
- Guldan S J, Martin C A & Steiner R L 1998 Interseeding forage brassicas into chile : Forage productivity and effect on chile yield. *Journal of Sustainable Agriculture* 11 (2/3) : 41-49.
- Gupta C G, Lakshmi N & Srivalli T 1998 Micropropagation studies on a male sterile line of *Capsicum annuum* L. at Nagarjuna University. *Capsicum and Eggplant Newsletter No. 17* : 42-45.
- Harrison H F & Frey R L 1998 Response of leading bell pepper varieties to bentazon herbicide. *HortScience* 33 (2) : 318-321.
- Hobbs H A, Valverde R A, Black L L, Dufresne D J & Ariyaratne I 1998 Resistance of *Capsicum* spp. genotypes to pepper mottle polyvirus isolates from the western hemisphere. *Capsicum and Eggplant Newsletter No. 17* : 46-49.
- Hong J K & Hwang B K 1998 Influence of inoculum density, wetness duration, plant age, inoculation method and cultivar resistance on infection of pepper plants by *Colletotrichum coccodes*. *Plant Disease* 82 (10) : 1079-1084.
- HorneroMendez A D & MinguezMosquera M I 1998 Isolation and identification of the carotenoid capsolutein from *Capsicum annuum* as cucurbitaxanthin. *Journal of Agricultural and Food Chemistry* 46 (10) : 4087-4091.

- Howard I R & Hernandez Brenes C 1998 Antioxidant content and market quality of jalapeno pepper rings as effected by minimal processing and modified atmosphere packaging. *Journal of Food Quality* 21 (4) : 317-329.
- Hoyer L 1998 Silver thiosulphate can considerably reduce leaf and fruit abscission caused by ethylene in *Capsicum annuum* 'Janne'. *Journal of Horticultural Science and Biotechnology* 73 (1) : 29-35.
- Hwang J K, Pack K Y & Cho C H 1998 Breeding of resistant pepper lines to bacterial spot (*Xanthomonas campestris* pv. *vesicatoria*) through anther culture. *Acta Horticulturae* No. 461 : 301-307.
- Imahori Y, Zhou Y F, Ueda Y & Chachin K 1998 Ascorbate metabolism during maturation of sweet pepper fruit (in Japanese). *Journal of the Japanese Society for Horticultural Science* 67 (5) : 798-805.
- Imre C & Schnizler W 1998 Flow culture tested for growing capsicum. *TASPO Gartenbaumagazin* 7 (2) : 44-45.
- Ishikawa K, Janos T & Nunomura O 1998 Inheritance of the fruit shape at the apex and the peduncle attachment of pepper. *Capsicum and Eggplant Newsletter* No. 17 : 30-33.
- Ishikawa K, Janos T, Sakamoto S & Nunomura O 1998 The contents of capsaicinoids and their phenolic intermediates in the various tissues of the plants of *Capsicum annuum* L. *Capsicum and Eggplant Newsletter* No. 17 : 22-25.
- Ismail M R & Davis W J 1998 Root restriction affects leaf growth and stomatal response : The role of xylem sap ABA. *Scientia Horticulturae* 74 (4) : 257-268.
- Jemal F, Didierjean L, Ghirr R, Ghorbal M H & Burkard G 1998 Characterization of cadmium binding peptides from pepper. *Plant Science* 53 (2) : 143-155.
- Johnson T S, Sarada R & Ravishankar G A 1998 Capsaicin formation in p-fluorophenylalanine resistant and normal cell cultures of *Capsicum frutescens* and activity of phenylalanine ammonia lyase. *Journal of Biosciences* 23 (3) : 209-213.
- Jones J B, Stall R E & Bouzar H 1998 Diversity among xanthomonads pathogenic on pepper and tomato. *Annual Review of Phytopathology* 36 : 41-59.
- Kawagoe H 1998 Influence of temperature and relative humidity on disease occurrence of sweet pepper caused by *Cercospora capsici* in a plastic house. *Annals of Phytopathological Society of Japan* 64 (2) : 137-138.
- Kobata K, Todo T, Yazawa S, Lwai K & Watanabe T 1998 Novel capsaicinoid - like substance, capsiate and dihydrocapsiate, from the fruits of a non pungent cultivar, CH-19 Sweet, of pepper (*Capsicum annuum* L.). *Journal of Agricultural and Food Chemistry* 46 (5) : 1695-1698.
- Kousik C S & Ritchie D F 1998 Response of bell pepper cultivars to bacterial spot pathogen races that individually overcome major resistance genes. *Plant Disease* 82 (2) : 181-187.

- Lakshmanan V & Berke T G 1998 A novel seed germination test for pepper. *Capsicum and Eggplant Newsletter* No. 17 : 72-75.
- Lanteri S, Quagloitti L, Belletti P, Scordino A, Triglia A & Musumeci F 1998 Delayed luminescence and priming induced nuclear replication of unaged and controlled deteriorated pepper seeds. *Seed Science and Technology* 26 (2) : 413-425.
- Lefebvre V, Kuntz M, Camara B & Palloix A 1998 The capsanthin - capsorubin synthase gene: a candidate gene for the Y locus controlling the red fruit colour in pepper. *Plant Molecular Biology* 36 (5) : 785-791.
- Liu Jian Hua, Yang Yu Hong, Wei Lin & Zhou Ye Fang 1998 Resistance to *Phytophthora* blight in hot pepper germplasm. *Capsicum and Eggplant Newsletter* No. 17 : 64-65.
- Manoharan M & Rudraminiyappa C K 1998 Pollen - specific glutamate dehydrogenase (GDH II) is observed after microspore mitosis in *Capsicum annuum* L. *Journal of Plant Physiology* 152 (4-5) : 585-592.
- Manoharan M, Vidya C S S & Sita G L 1998 Agrobacterium mediated genetic transformation in hot chilli (*Capsicum annuum* L. var. Pusa Jwala). *Plant Science* 131 (1) : 77-85.
- Mao W, Lewis J A, Lumsden R D & Hebbar K P 1998 Biocontrol of selected soil borne diseases of tomato and pepper plants. *Crop Protection* 17 (6) : 535-543.
- Markose B L, Vahab M A, Peter K V, Rajan S & Sadhankumar P G 1998 Development of a near isogenic line of chilli for field resistance to bacterial wilt. *Bacterial Wilt Newsletter* No. 15 : 5-6.
- Marrush M, Yamaguchi M & Saltveit M E 1998 Effect of potassium nutrition during bell pepper seed development and vivipary and endogenous levels of abscisic acid (ABA). *Journal of American Oil Chemists Society* 123 (5) : 925-931.
- Masuda M & Murage E N 1998 Continuous fluorescent illumination enhances growth and fruiting of pepper. *Journal of the Japanese Society for Horticultural Science* 67 (6) : 862-866.
- Matsufuji H, Nakamura H, Chino M & Takeda M 1998 Antioxidant activity of capsanthin and the fatty acid esters in paprika. *Journal of Agricultural and Food Chemistry* 46 (9) : 3468-3473.
- Minami M, Matsushima K I & Ujihara M 1998 Quantitative analysis of capsaicinoid in chilli pepper by high performance liquid chromatography - operating condition, sampling and sample preparation. *Journal of the Faculty of Agriculture Shinshu University* 34 (2) : 97-102.
- Mitra J & Raghu K 1998 Detrimental effects of soil residues of DDT on chillies. *Fresenius Environmental Bulletin* 7 (1-2) : 8-14.
- Montasser M S, Tousignant M E & Kaper J M 1998 Viral satellite RNAs for the prevention of cucumber mosaic virus disease in field grown pepper and melon plants. *Plant Disease* 82 (12) : 1298-1304.

- Morita S & Toyota M 1998 Root system morphology of pepper and melon at harvest stage grown with drip irrigation under desert conditions in Baja California, Mexico (in Japanese). *Japanese Journal of Crop Science* 67 (3) : 353-358.
- Moury B, Selassie K G, Marchoux G, Daubeze A M & Palloix A 1998 High temperature effects on hypersensitive resistance to tomato spotted wilt tospovirus (TSWV) in pepper. *European Journal of Plant Pathology* 104 (5) : 489-499.
- Mundodi S R, Anderson J A, Maness N O, Smith M W, Martin B, Pierce M L & Mort A J 1998 Changes in methanol evolution and pectin methylesterification in resistant and susceptible pepper leaves inoculated with *Xanthomonas campestris* pv. *vesicatoria*. *Journal of the American Society for Horticultural Science* 123 (6) : 980-987.
- Munoz C I & Bailey A M 1998 A cutinase - encoding gene from *Phytophthora capsici* isoated by differential display RTPCR. *Current Science* 33 (3) : 225-230.
- Murphy J F, Blauth J R, Livingstone K D, Lackney V K & Jahn M K 1998 Genetic mapping of the purl locus in *Capsicum* spp. and evidence that distinct potyvirus resistance loci control responses that differ at the whole plant and cellular levels. *Molecular Plant Microbe Interactions* 11 (10) : 943-952.
- Oh Boung Jun, Kim Ki Deok & Kim Young Soon 1998 A microscopic characterization of the infection of green and red pepper fruits by an isolate of *Collectotrichum gloeosporioides*. *Journal of Phytopathology* 146 (5/6) : 301-303.
- O Garro L W 1998 Bacterial spot of tomato and pepper on four East Caribbean islands : Races, their abundance, distribution, aggressiveness and prospects for control. *Plant Disease* 82 (8) : 864-871.
- Oruna Concha M J, Gonzalez Castero M J, Lopez Hernandez J & Simal Lozano J 1998 Monitoring of the vitamin C content of frozen green beans and padron peppers by HPLC. *Journal of the Science of Food and Agriculture* 76 (3) : 477.
- Osuna Garcia J A & Wall M M 1998 Prestorage moisture content effects color loss of ground paprika under storage. *Journal of Food Quality* 21 (3) : 251.
- Osuna Garcia J A, Wall M M & Waddell C A 1998 Endogenous levels of tocopherols and ascorbic acid during fruit ripening of new Mexican type chile (*Capsicum annuum* L.) cultivars. *Journal of Agricultural and Food Chemistry* 46 (12) : 5093-5097.
- Paran I, Aftergoot E & Shifriss C 1998 Variation in *Capsicum annuum* revealed by RAPD and AFLP markers. *Euphytica* 99 (3) : 167-175.
- Patel J A, Shukla M R, Doshi K M, Patel B R & Patel S A 1998 Combining ability analysis for green fruit yield and yield components in chilli. *Capsicum and Eggplant Newsletter* No. 17 : 34-37.
- Plieth C, Sattelmacher B, Hansen U P & Thiel G 1998 The action potential in chara : Ca²⁺ + release from internal stores visualized by Mn²⁺ + induced quenching of fura-dextran. *Plant Journal* 13 (2) : 167-177.

- Prabha T N, Bhagyalakshmi Neelwarne & Tharanathan R N 1998 Carbohydrate changes in ripening *Capsicum annuum* in relation to textural degradation. *Zeitschrift für Lebensmittel-Untersuchung und-Forschung* 206 (2) : 121-125.
- Quattrucci M 1998 Peppers in open fields in central Italy. *Informatore Agrario* 54 (14) : 69-72.
- Rabinowicz P D, Bravo Almonacid F F, Lampasona S, Rodriguez F, Gracia O & Mentaberry A N 1998 Resistance against pepper severe mosaic polyvirus in transgenic tobacco plants. *Journal of Phytopathology* 146 (7) : 315-321.
- Riley M K & Bosland P W 1998 Commercial planting media effective in screening for *Verticillium* wilt of *Capsicum annuum*. *HortScience* 33 (2) : 285-287.
- Saleem A, Ansar M, Hamid K & Jamil F F 1998 Effect of physical parameters on the incidence of root and collar rot disease in chillies. *Pakistan Journal of Botany* 30 (1) : 39-45.
- Santonicola L & Milone M 1998 Experiments in the control of the thrips *Frankliniella occidentalis* (Perg.) on sweet pepper. *Informatore Agrario* 54 (8) : 98-100.
- Shipp J L, Binns M R, Hao X & Wang K 1998 Economic injury levels for western flower thrips (Thysanoptera : Thripidae) on greenhouse sweet pepper. *Journal of Economic Entomology* 91 (3) : 671-677.
- Silva E A, Oliveira J V, Gondim M G C Jr & Menezes D 1998 Biology of *Polyphagotarsonemus latus* (Banks) (Acari : Tarsonemidae) on sweet pepper. *Anais da Sociedade Entomologica do Brasil* 27 (2) : 223-228.
- Simonne E H, Eakes D J & Harris C E 1998 Effects of irrigation and nitrogen rates on foliar mineral composition of bell pepper. *Journal of Plant Nutrition* 21 (12) : 2545-2547.
- Taller J, Hirata Y, Yagishita N, Kita M & Ogata S 1998 Graft induced genetic changes and the inheritance of several characteristics in pepper. *Theoretical and Applied Genetics* 97 (5-6) : 705-714.
- Thies J A & Frey R L 1998 Modified expression of the N gene for southern root knot nematode resistance in pepper at high soil temperature. *Journal of the American Society for Horticultural Science* 123 (6) : 1012-1016.
- Thies J A, Mueller J D & Fary R L 1998 Use of a resistant pepper as a rotational crop to manage southern root knot nematode. *HortScience* 33 (4) : 716-719.
- Thom E, Mohlmann T, Quick W P, Camara B & Neuhaus H E 1998 Sweet pepper plastids: Enzymic equipment characterisation of the plastidic oxidative pentosephosphate pathway, and transport of phosphorylated intermediates across the envelope membrane. *Planta* 204 (2) : 226-233.
- Thomas B V, Schreiber A A & Weisskopf C P 1998 Simple method for quantitation of capsaicinoids in peppers using capillary gas chromatography. *Journal of Agricultural and Food Chemistry* 46 (7) : 2655-2663.

- Trainotti L, Ferrarese L, Poznanski E & Dalla Vecchia F 1998 Endo- β -1, 4-glucanase activity is involved in the abscission of pepper flowers. *Journal of Plant Physiology* 152 (1) : 70-78.
- Trainotti L, Ferrarese L & Casadaro G 1998 Characterization of cCel3, a member of the pepper endo- β -1, 4-glucanase multigene family. *Hereditas (Landskrona)* 128 (2) : 121-126.
- Tsuda S, Kirita M & Watanabe Y 1998 Characterization of a pepper mild mottle tobamovirus strain capable of overcoming the L-3 gene mediated resistance, distinct from the resistance - breaking Italian isolate. *Molecular Plant Microbe Interactions* 11(4) : 327.
- Vernon Carter E J 1998 Stability of *Capsicum annuum* oleoresin-in-water emulsions containing *Prosopis* and *Acacia* gums. *Journal of Texture Studies* 29 (5) : 553-569.
- Vijayalakshmi K, Kuttalam S, Chandrasekaran S & Regupathy A 1998 Dissipation of dicofol on green chillies. *Pesticide Research Journal* 10 (1) : 98-100.
- Votava E J & Bosland P W 1998 'Nu Mex Pinata' Jalapeno chile. *HortScience* 33 (2) : 350.
- Wang Lan Lan, Cheng Hong & Xu Zhen 1998 Breeding of a new F₁ hybrid of hot pepper 'Longziao No.1.' *China Vegetables No. 1* : 17-18.
- Wang Shu Bin, Pissawan C & Yang C Y 1998 Evaluation of pepper (sweet pepper) resistance to cucumber mosaic virus 15 (Thai-isolate) at seedling and maturation stages of plants. *Jiangsu Journal of Agricultural Sciences* 14 (1) : 21-26.
- Xie Bing Yan, Zhu Guo Ren, Luo Kuan & Li Zeng Dao 1998 Purification and characterisation of an elicitor secreted by *Phytophthora boehmeriae*. *Mycosystema* 17 (2) : 148-153.
- Yamada T, Imaishi H & Ohakawa H 1998 Molecular cloning and sequence analysis of catalase cDNA from green pepper seedlings elicited with arachidonic acid. *Bioscience, Biotechnology and Biochemistry* 62 (4) : 753-758.
- Yu R, Park J W, Kurata T & Erickson K L 1998 Modulation of select immune responses by dietary capsaicin. *International Journal for vitamin and Nutrition Research* 68 (2) : 114-120.
- Zancada M C, Gonzalez Ponce R & Verdugo M 1998 Competition between *Solanum nigrum* and pepper in the presence of *Meloidogyne incognita*. *Weed Research (Oxford)* 38 (1) : 47-53
- Zewdie Y, Mueller W & Bosland P W 1998 Unusual capsaicinoid profiles found in *Capsicum pubescens*. *Capsicum and Eggplant Newsletter No. 17*: 26-29.

Cinnamon (*Cinnamomum* spp.)

- Huang L C, Huang B L & Murashige T 1998 A micropropagation protocol for *Cinnamomum camphora*. *In Vitro Cellular and Developmental Biology* 34 (2) : 141-147.

- Joy P P, Thomas J, Mathew S & Ibrahim K K 1998 Growth, leaf oil yield and quality investigations in cinnamon. *Journal of Medicinal and Aromatic Plant Sciences* 20 (2) : 401-406.

Clove (*Eugenia caryophyllus*)

- Della Porta G, Taddeo R, Durso E & Reverchon E 1998 Isolation of clove bud and star anise essential oil by supercritical CO₂ extraction. *Food Science and Technology* 31(5) : 454-461.
- Keene J L, Noakes D L G, Moccia R D & Soto C G 1998 The efficiency of clove oil as an anaesthetic for rainbow trout, *Oncorhynchus mykiss* (Walbaum). *Aquaculture Research* 29 (2) : 89-103.
- Lee H S & Ahn Y J 1998 Growth inhibition effects of *Cinnamomum cassia* bark derived materials on human intestinal bacteria. *Journal of Agricultural and Food Chemistry* 46 (1) : 8-13.

Coriander (*Coriandrum sativum*)

- Ali S A, Pathak R K & Saraf R K 1998 Fungicidal seed treatment in coriander. *Advances in Plant Sciences* 11 (1) : 303-304.
- Das N 1998 Reaction of coriander varieties to root knot nematode. *Annals of Agricultural Research* 19 (1) : 94-95.
- Keshwal R L & Khatri R K 1998 Reaction of some high yielding varieties of coriander to powdery mildew. *Journal of Mycology and Plant Pathology* 28 (1) : 58-59.
- Stephen R & Jayabalan N 1998 *In vitro* flowering and seed setting formation of coriander. *Current Science* 74 (3) : 195-198.

Cumin (*Cuminum cyminum*)

- Hussein M A & Batra A 1998 *In vitro* embryogenesis of cumin hypocotyl segments. *Advances in Plant Sciences* 11 (1) : 125-127.
- Kubo I & Kinst Hori I 1998 Tyrosinase inhibitors from cumin. *Journal of Agricultural and Food Chemistry* 46 (12) : 5338-5342.
- Lodha S & Arun Kumar 1998 Harnessing solar heat to manage cumin wilt. *Indian Farming* 47 (12) : 23-24.
- Patel S M & Patel B K 1998 Inhibitory effect of different fungal bio-agents on *Fusarium oxysporum* f. sp. *cumini* causing cumin wilt. *Annals of Plant Protection Sciences* 6 (1) : 25-27.
- Patel S M & Patel B K 1998 Growth inhibition of *Fusarium oxysporum* f. sp. *cumini* by milk bacteria. *Annals of Plant Protection Sciences* 6 (1) : 97-99.
- Tawfik A A 1998 Plant regeneration in callus culture of cumin. *Acta Horticulturae No. 457* : 389-395.

Fennel (*Foeniculum vulgare*)

- Albenzio M, Corbo M R & Sinigaglia 1998 Influence of packaging on shelf-life and microbiological quality of minimally processed fennels. *Industrie Alimentari* 37 (368) : 341-346.
- Benoit F & Ceustermans N 1998 Plastic. New developments in direct covering of bulb fennel. *Proeftuinnieuws* 8 (7) : 36-37.
- Varvaro L, Santini L & Balestra G M 1998 The principal parasites of fennel crops. *Informatore Agrario* 54 (31) : 47-50.

Fenugreek (*Trigonella foenum-graecum*)

- Al-Habori M & Raman A 1998 Antidiabetic and hypocholesterolaemic effects of fenugreek. *Phytotherapy Research* 12 (4) : 233-242.
- Chaudhary G R, Sharma R K & Jain M P 1998 Fenugreek - Production technology. *Spice India (Hindi)* 11 (2) : 3-6.
- Gupta U, Rudramma, Rati E R & Joseph R 1998 Nutritional quality of lactic fermented bittergourd and fenugreek leaves. *International Journal of Food Sciences and Nutrition* 49 (2) : 101-109.
- Matheson N K & Myers D K 1998 Inhibition of germination by glucose analogues that are hexokinase substrates. *Phytochemistry* 48 (2) : 241-248.
- Ortuno A, Oncina R, Botia J M & Del Rio J A 1998 Distribution and changes of diosgenin during development of *Trigonella foenum-graecum* plants. *Food Chemistry* 63 (1) : 51-55.
- Rapisarda A, Iauk L & Ragusa S 1998 Biometric analysis of the fruits of subspecies and varieties of *Foeniculum vulgare* Mill. *Rivista Italiana EPPOS* No. 24 : 19-22.

Garlic (*Allium sativum*)

- Ambrose D C P & Sreenarayanan V V 1998 Studies on the dehydration of garlic. *Journal of Food Science and Technology* 35 (3) : 242-245.
- Ayabe M & Sumi S 1998 Establishment of a novel tissue culture method, stem disc culture, and its practical application to micropropagation of garlic. *Plant Cell Reports* 17 (10) : 773-780.
- Basallote Ureba M J, Prados Ligerero A M & Melero Vara J M 1998 Effectiveness of tebuconazole and procymidone in the control of *Stemphylium* leaf spots in garlic. *Crop Protection* 17 (6) : 491-497.
- Chen G W, Chung J G, Hsieh C L & Lin J G 1998 Effects of the garlic components diallyl sulfide and diallyl disulfide on arylamine N-acetyltransferase activity in colon tumour cells. *Food and Chemical Toxicology* 36 (9-10) : 761-771.
- Colorni A, Avtalion R, Knibb W, Berger B, Colorni B & Timan B 1998 Histopathology of sea bass (*Dicentrarchus labrax*) experimentally infected with

- Mycobacterium marinum* and treated with streptomycin and garlic extract. *Aquaculture* 160 (1-2) : 1-19.
- Conci V C, Gomez G G, Docampo D M & Conci L R 1998 Phytoplasma associated with symptoms of 'Tristeza del ago' (garlic decline) in garlic. *Journal of Phytopathology* 146 (10) : 473-479.
- De Castro A, Montano A, Sanchez A H & Rejano L 1998 Lactic acid fermentation and storage of blanched garlic. *International Journal of Food Microbiology* 39 (3) : 205-213.
- Dote D N 1998 Increase of garlic production is easy. *Spice India (Hindi)* 11 (3) : 2-5.
- Faheid S M M 1998 Application of onion and garlic flavours in spaghetti manufacture. *Deutsche Lebensmittel - Rundschau* 94 (6) : 187-192.
- Ghosh D K & Ahlawat Y S 1998 Screening garlic cultivars against mosaic disease. *Indian Journal of Agricultural Sciences* 68 (7) : 380-382.
- Haque M S, Wada T & Hattori K 1998 Novel method of rapid micropropagation using cyclic bulblet formation from root tip explants in garlic. *Breeding Science* 48 (3) : 293-301.
- Hershko V, Welsman D & Nussinovitch A 1998 Methods for studying surface topography and roughness of onion and garlic skins for coating purposes. *Journal of Food Science* 63 (2) : 317-322.
- Inagaki M, Harada Y, Yamada K, Isobe R, Higuchi R, Matsuura H & Itakura Y 1998 Isolation and structure determination of cerobrosides from garlic, the bulbs of *Allium sativum* L. *Chemical and Pharmaceutical Bulletin* 46 (7) : 1153-1156.
- Jain N K, Mudgal V D & Sahay S B 1998 Development of a machine for separating garlic cloves. *Indian Journal of Agricultural Sciences* 68 (6) : 310-313.
- Khanum F, Anilakumar K R, Sudarshanakrishnan K R & Viswanathan K R 1998 Effect of feeding fresh garlic and garlic oil on detoxifying enzymes and micronuclei formation in rats treated with azoxymethane. *International Journal for Vitamin and Nutrition Research* 68 (3) : 208.
- Katahira M, Motomura Y & Bekki E 1998 Effects of temperatures on browning the phenolic substances in preparatory drying of raw garlic bulb. *Journal of the Japanese Society for Food Science and Technology* 45 (1) : 10-15.
- Koo Bong Jin, Chang Moo Ung & Choi Yang Do 1998 Garlic in Korea. *Korean Journal of Plant Pathology* 14 (2) : 136-144.
- Krauthausen H J 1998 Leek diseases. *Gemuse (Munchen)* 34 (1) : 25-28.
- Kumar M & Berwal J S 1998 Sensitivity of food pathogens to garlic. *Journal of Applied Microbiology* 84 (2) : 213-216.

- Liu C T, Chen H W, Sheen L Y, Kung Y L, Chen P C H & Lii C K 1998 Effect of garlic oil on hepatic arachidonic acid content and immune response in rats. *Journal of Agricultural and Food Chemistry* 46 (11) : 4642-4648.
- Lot H, Chovelon V, Souche S & Delecolle B 1998 Effect of onion yellow dwarf and leak yellow stripe viruses on symptomatology and yield loss of three French garlic cultivars. *Plant Disease* 82 (12) : 1381-1386.
- Luciani G F, Cofrone E E, Curvetto N R & Conci V C 1998 Obtention of virus free plants of red garlic. *Fitopatologia* 33 (3) : 165-169.
- Maidment C, Dembny Z & King P 1998 Practical biology : Investigations into the antibacterial properties of garlic using the disc assay method. *Journal of Biological Education* 32 (3) : 162-166.
- Mueller S, Durigan J C, Banzatto D A & Kreuz C L 1998 Benefits to yield and profits of garlic and beet intercropping under three weed management epochs. *Pesquisa Agropecuaria Brasileira* 33 (8) : 1361-1375.
- Mueller S, Kreuz C L & Mondardo M 1998 Yield, quality and profit as a function of plant spacing and weight of seed-bulbils of garlic. *Agropecuaria Catarinense* 11 (1) : 52-56.
- Oi Y, Okamoto M, Nitta M, Kominato Y, Nishimura S, Ariga T & Lwai T 1998 Allin and volatile sulphur containing compounds in garlic enhance the thermogenesis by increasing horepinephrine secretion in rats. *Journal of Nutritional Biochemistry* 9 (2) : 60-67.
- Park W P, Cho S H & Lee D S 1998 Effect of minimal processing operations on the quality of garlic, green onion, soyabean sprouts and watercress. *Journal of the Science of Food and Agriculture* 77 (2) : 282.
- Pinto C M F, Moffia L A, Berger R D, Mizubuti E S G & Casali V W D 1998 Progress of white rot on garlic cultivars planted at different times. *Plant Disease* 82 (10) : 1142-1147.
- Prithiviroy B, Singh V P, Singh K P & Plank Schumacher K 1998 Field evaluation of ajoene, a constituent of garlic and neemazal, a product of neem for the control of powdery mildew of pea. *Journal of Plant Diseases and Protection* 105 (3) : 274-279.
- Qumar F, Kalhor M A & Badar Y 1998 Antihelminthic properties of some indigenous plants. *Hamdard Medieus* 41 (1) : 115-117.
- Robert U, Zel J & Ravnikar M 1998 Thermotherapy in virus elimination from garlic : Influence on shoot multiplication from meristems and bulb formation *in vitro*. *Scientia Horticulturae* 73 (4) : 193-203.
- Sata N, Matsunga S, Fusetani N, Nishikawa H, Takamura S & Saito T 1998 New antifungal and cytotoxic steroidal saponins from the bulbs of an elephant garlic mutant. *Bioscience, Biotechnology and Biochemistry* 62 (10) : 1904-1912.

- Takaichi M, Yamamoto M, Nagakubo T & Oeda K 1998 Four garlic viruses identified by reverse transcription - polymerase chain reaction and their regional distribution in Northern Japan. *Plant Disease* 82 (6) : 694-699.
- Tewari A N, Rathi K S & Singh B 1998 Integrated weed management in garlic. *Indian Journal of Agricultural Sciences* 68 (5) : 281-284.
- Uzman R, Zel J & Ravnikar M 1998 Thermotherapy in virus elimination from garlic: Influences on shoot multiplication from meristems and bulb formation *in vitro*. *Scientia Horticulturae* 73 (4) : 193-202.
- Wang H L, Kang Y Q, Zhang C J, Ma Y & Wang T K 1998 Changes in nuclear ultrastructure during callus development in tissue culture of *Allium sativum*. *Biologia Plantarum* 41 (1) : 49-57.
- Weik R, Francky A, Striedner G, Raspor P, Bayer K & Mattanovich D 1998 Recombinant expression of alliin lyase from garlic in bacteria and yeasts. *Planta Medica* 64 (4) : 387-388.
- Yoshida H, Iwata N, Katsuzaki H, Naganawa R, Ishikawa K, Fukuda H, Fujino T & Suzuki A 1998 Antimicrobial activity of a compound isolated from an oil-macerated garlic extract. *Bioscience, Biotechnology and Biochemistry* 60 (5) : 1014-1018.
- Ginger (*Zingiber officinale*)**
- Adaniya S & Shoda M 1998 Variation in pollen fertility and germinability in ginger : Short Communication. *Journal of the Japanese Society for Horticultural Science* 67 (6) : 872-875.
- Das A B, Rai S & Das P 1998 Estimation of 4 c DNA and karyotype analysis in ginger II. *Cytologia* 63 (2) : 133-139.
- Hiserodt R D, Franzblau S G & Rosen R T 1998 Isolation of 6-, 8-, and 10- gingerol from ginger rhizome by HPLC and preliminary evaluation of inhibition of *Mycobacterium avium* and *Mycobacterium tuberculosis*. *Journal of Agricultural and Food Chemistry* 46 (7) : 2504-2508.
- Manicom B Q 1998 This ginger disease is a threat to the industry. *Neltropika Bulletin* No. 229 : 8.
- Millar J G 1998 Rapid and simple isolation of zingiberene from ginger essential oil. *Journal of Natural Products* 61 (8) : 1025-1027.
- Rai S & Hussain M 1998 Comparative studies of three traditional methods of seed rhizome storage of ginger practiced in Sikkim and Darjeeling hills. *Environment and Ecology* 16 (1) : 34-36.
- Rout G R, Das P, Goel S & Raina S N 1998 Determination of genetic stability of micropropagated plants of ginger using random amplified polymorphic DNA (RAPD) markers. *Botanical Bulletin of Academia Sinica* 39 (1) : 23-29.

- Sharma S S & Gupta Y K 1998 Reversal of cisplatin induced delay in gastric emptying in rats by ginger. *Journal of Ethnopharmacology* 62 (1) : 49-55.
- Smith R M 1998 FSA Contributions II : Zingiberaceae. *Bothalia* 28 (1) : 11-15.
- Thomas J, Kumar B M, Wahid P A, Kamalam N V & Fisher R F 1998 Root competition for phosphorus between ginger and *Ailanthus triphysa* in Kerala, India. *Agroforestry Systems* 41 (3) : 293-307.
- Tsang M M C & Shintaku M 1998 Hot air treatment for control of bacterial wilt in ginger root. *Applied Engineering in Agriculture* 14 (2) : 159-163.
- Vadhera I, Tiwari S P & Dave G S 1998 Plant parasitic nematodes associated with ginger in Madhya Pradesh and denematization of infested rhizome by thermotherapy for management. *Indian Journal of Agricultural Sciences* 68 (7) : 367-371.

Mustard (*Brassica juncea*)

- Ahmad A, Abraham G, Gandotra N, Abrol Y P & Abidin M Z 1998 Interactive effect of nitrogen and sulphur on growth and yield of rape-seed-mustard genotypes. *Journal of Agronomy and Crop Science* 181 (4) : 193-201.
- Andreeva T F, Maevskaia S N & Voevudskaya S Y 1998 The relationship between photosynthesis and nitrogen assimilation in mustard plants exposed to elevated nitrate rates in nutrient solutions. *Russian Journal of Plant Physiology* 45 (6) : 702-706.
- Aulakh M S & Pasricha N S 1998 The effect of green manuring and fertilizer N application on enhancing crop productivity in mustard - rice rotation in semi and sub tropical regions. *European Journal of Agronomy* 81 (1-2) : 51-59.
- Andrahennadi R & Giliott C 1998 Resistance of *Brassica*, especially *B. juncea* (L.) Czern, genotypes to the diamond back moth *Plutella xylostella* (L.). *Crop Protection* 17 (1) : 85.
- Awasthi A K 1998 Incidence of major insect pests and a coccinellid predator at different times of sowing on Indian mustard. *Insect Environment* 3 (4) : 95-96.
- Barret P, Guerif J, Reynoird J P, Deloume R, Eber F, Renard M & Chevre A M 1998 Selection of stable *Brassica napus*-*Brassica juncea* recombinant lines resistant to blackleg (*Leptosphaeria maculans*) 2. A to and fro strategy to localize and characterize interspecific introgressions on the *B. napus* genome. *Theoretical and Applied Genetics* 96 (8) : 1097-1104.
- Begum I, Rahman T & Nath R 1998 Haematobiochemical studies on the toxic effects of expeller variety of mustard oil cake in broiler chickens. *Indian Veterinary Journal* 75 (5) : 423-426.
- Cejpek K, Urban J, Velisek J & Hrabcova H 1998 Effect of sulphite treatment on allyl isothiocyanate in mustard paste. *Food Chemistry* 62 (1) : 53-59.

- Chanda S V, Sood C R, Reddy V S & Singh Y D 1998 Influence of plant growth regulators on some enzymes of nitrogen assimilation in mustard. *Journal of Plant Nutrition* 21 (8) : 1765.
- Chaudhuri S, Ghosh S, Battacharya D K & Bandyopadhyay S 1998 Effect of mustard meal on the production of arachidonic acid by *Mortierella elongata* SC-208. *Journal of American Oil Chemists Society* 75 (8) : 1053-1057.
- Cheung W Y, Gugel R K & Landry B S 1998 Identification of RFLP markers linked to the white rust resistance gene (Acr) in mustard. *Genome* 41 (4) : 626.
- Cheung W Y, Landry B S, Raney P & Rakow GFW 1998 Molecular mapping of seed quality traits in *Brassica juncea* L. Czern. and Coss. *Acta Horticulturae* No. 459 : 139-149.
- Dat J F, Foyer C H & Scott I 1998 Changes in salicylic acid and antioxidants during induced thermotolerance in mustard seedlings. *Plant Physiology* 118 (4) : L 1455-1463.
- Dat J F, Lopez Delgado H, Foyer C H & Scott I M 1998 Parallel changes in h2oz and catalase during thermotolerance induced by salicylic acid or heat acclimation in mustard seedlings. *Plant Physiology* 116 (4) : 1351-1359.
- De Souza M P, Pilon Smits E A H, Lytle C M, Hwang S, Tai J, Honma T S U, Yeh L & Terry N 1998 Rate limiting steps in selenium assimilation and volatilization by Indian mustard. *Plant Physiology* 117 (4) : 1487-1495.
- De Haro A, Dominguez J, Garcia Ruiz R, Velasco L, del Rio M, Munoz J & Fernandez Martinez J 1998. Registration of six Ethiopian mustard germplasm lines. *Crop Science* 38 (2) : 558-559.
- East D & Knight D 1998 Sampling soil earthworm population using household detergent and mustard. *Journal of Biological Education* 32 (3) : 201-207.
- Ebbs S D & Kochian L V 1998 Phytoextraction of zinc by oat barley and Indian mustard. *Environmental Science and Technology* 32 (6) : 802-807.
- Gerber G H 1998 Suitability of *Brassica juncea* as a host plant for oviposition for *Lygus lineolaris* (Pallot de Beauvois) (Heteroptera : Miridae). *Canadian Journal of Plant Science* 78 (1) : 139-145.
- Gross J, Muller C, Vilcinskis A & Hilker M 1998 Antimicrobial activity of exocrine glandular secretions, haemolymph, and larval regurgitate of the mustard leaf beetle *Phaedon cochleariae*. *Journal of Invertebrate Pathology* 72 (3) : 296-304.
- Gupta V, Chawla H K L, Dhawan K & Mehta N 1998 Alterations in total phenols and glucosinolates in *Brassica juncea* leaves during interaction with *Alternaria brassicae*. *Cruciferae Newsletter* No. 22 : 83-84.
- Gupta S K, Kaushik C D & Yadava T P 1998 *Alternaria* leaf blight induced changes in fatty acid composition of siliquae wall and seeds of mustard. *Cruciferae Newsletter* No. 20 : 81-82.

- Jaggi R C 1998 Indian mustard yield, maturity and seed-straw ratio as effected by sulphur and phosphorus fertilization. *Indian Journal of Agronomy* 43 (1) : 129-133.
- Joshi N L, Mali P C & Saxena H 1998 Effect of nitrogen and sulphur application on yield and fatty acid composition of mustard oil. *Journal of Agronomy and Crop Science* 180 (1) : 59-64.
- Katiyar R K, Chamola R & Chopra V L 1998 Tetralocular mustard, *Brassica juncea* : New promising variability through interspecific hybridization. *Plant Breeding* 117 (4) : 398.
- Khan N A, Ansari H R & Samiullah 1998 Effect of gibberlic acid spray during ontogeny of mustard on growth, nutrient uptake and yield characteristics. *Journal of Agronomy and Crop Science* 181 (1) : 61.
- Kelly P J, Bones A & Rossiter J T 1998 Sub-cellular immunolocalization of the glucosinolate sinigrin in seedlings of *Brassica juncea*. *Planta* 206 (3) : 370-378.
- Khan B A, Abraham A & Leelamma S 1998 Influence of spices *Murraya koenigii* and *Brassica juncea* on rats fed atherogenic diet. *Journal of Food Science and Technology (Mysore)* 35 (1) : 66-69.
- Kirti P B, Prakash S, Gaikward K, Kumar V D, Bhat S R & Chopra V L 1998 Chloroplast substitution overcomes leaf chlorosis in a *Moricandia arvensis* based cytoplasmic male sterile *Brassica juncea*. *Theoretical and Applied Genetics* 97 (7) : 1179-1183.
- Liu H & Eskin N A M 1998 Interactions of native and acetylated pea starch with yellow mustard mucilage, locust bean gum and gelatin. *Food Hydrocolloids* 12 (1) : 37-43.
- Li Z, Wu J G, Liu Y, Liu H L & Heneen W K 1998 Production and cytogenetics of the intergeneric hybrids *Brassica juncea* x *Orychophragmus violaceus* and *B. carinata* x *O. violaceus*. *Theoretical and Applied Genetics* 96 (2) : 251-266.
- Lopez Argullo E, Perez Rodriguez M L, Bosch Bosh N & Barrera Vazquez C 1998 Analytical study of the mineral fraction of mustard seed and mustard sauces. *Food Chemistry* 62 (2) : 157-161.
- Miller P R, Johnston A M, Brandt S A, Mc Donald C L, Deksen D A & Waddington J 1998 Comparing the adaptation of *Sunola canola* and mustard to three soil climatic zones of the Canadian prairies. *Canadian Journal of Plant Science* 78 (4) : 565-571.
- Morgan C L, Arthur A E & Rawsthorne S 1998 Influence of testa colour and seed size on storage product composition in *Brassica juncea*. *Plant Varieties and Seeds* 11 (2) : 73-83.
- Narayan D & Bhushan L S 1998 Response of Indian mustard to different production factors in declaimed ravine land of the river Yamuna. *Indian Journal of Agricultural Sciences* 68 (7) : 352-355.

- Prabhu K V, Somers D J, Rakow G & Gugel R K 1998 Molecular markers linked to white rust resistance in mustard *Brassica juncea*. *Theoretical and Applied Genetics* 97 (5-6) : 865-871.
- Prakash S, Kirti P B & Chopra V L 1998 Development of cytoplasmic male sterility-Fertility restoration systems of variable origin in mustard. *Acta Horticulturae* No. 459 : 299-305.
- Prakash S, Kirti P B, Bhat S R, Gaikwad K, Kumar V D & Chopra V L 1998 A *Moricandia arvensis*-based cotoplasmic male sterility and fertility restoration system in *Brassica juncea*. *Theoretical and Applied Genetics* 97 (3) : 488-493.
- Rabha B K & Uprety D C 1998 Effects of elevated CO₂ and moisture stress on *Brassica juncea*. *Photosynthetica* 35 (4) : 597-603.
- Rabbani M A, Iwabuchi A, Murakami Y, Suzuki T & Ttakayangai K 1998 Genetic diversity in mustard germplasm from Pakistan as determined by RAPD's. *Euphytica* 103 (2) : 235-243.
- Rabbani M A, Iwabuchi A, Murakami Y, Suzuki T & Ttakayangai K 1998 Phenotypic variation and the relationships among mustard germplasm from Pakistan. *Euphytica* 101 (3) : 357-367.
- Rai B & Kumar H 1998 Isolation and characterization of useful mutants induced by gamma irradiation in "Kranti" Indian mustard. *Indian Journal of Agricultural Sciences* 68 (1) : 16-18.
- Rathore A L, Pal A R & Sahu K K 1998 Tillage and mulching effects on water use, root growth and yield of rainfed mustard and chickpea grown after lowland rice. *Journal of the Science of Food and Agriculture* 78 (2) : 149-162.
- Rup P J, Kaur P & Sohal S K 1998 Influence of coumarin (a secondary plant compound) on the morphology and biochemistry of the mustard aphid, *Lipaphis erysimi* (Kalt.). *Journal of Environmental Biology* 19 (3) : 251-259.
- Saroop S, Chanda S V & Singh Y D 1998 Biochemical changes associated with *Brassica juncea* seed development II. Glycosidases. *Journal of Plant Growth and Regulation* 17 (2) : 71-75.
- Schafer H J, Haagkerwar A & Rauseh T 1998 c DNA cloning and expression analysis of genes encoding GSH synthesis in roots of the heavy metal accumulor *Brassica juncea* L. : Evidence for cd-induction of a putative mitochondrial Y-glutamylcysteine synthetase isoform. *Plant Molecular Biology* 37 (1) : 87-99.
- Seema Kumari & Singh I P 1998 Dissipation of endosulfan residue in/on mustard and its efficacy against the mustard aphid, *Lipaphis erysimi* Kalt. *Pesticide Research Journal* 10 (1) : 59-63.
- Singh S, Singh K P, Sarkar A K & Singh S K 1998 Response of Indian mustard and blackgram grown in rotation to sulphur fertilization in acid soil. *Indian Journal of Agricultural Sciences* 68 (7) : 341-344.

- Singh V K & Chauhan V B 1998 Management of powdery mildew of mustard. *Annals of Plant Protection Sciences* 6 (1) : 93-94.
- Somada I, Renard M & Brun H 1998 Seedling and adult plant reactions of *Brassica napus*, *B. juncea* recombinant lines towards A-and B- group isolates of *Leptosphaeria maculans*. *Annals of Applied Biology* 132 (2) : 187-197.
- Sushil Sharma & Sutan Singh 1998 Influence of soil and water characteristics on the incidence of white rot in Indian mustard. *Cruciferae Newsletter* No. 20 : 85-86.
- Tesaki S, Tanaba S, Ono H, Fukushi E, Kawabata J & Watanabe M 1998 4-hydroxy-3-nitrophenylacetic and sinapic acids antibacterial compounds from mustard seeds. *Bioscience, Biotechnology and Biochemistry* 62 (5) : 998-1001.
- Vassil A D, Kapulnik Y, Raskin I & Salt D E 1998 The role of EDTA in lead transport and accumulation by Indian mustard. *Plant Physiology* 117 (2) : 447-453.
- Velasco L, Fernandez Martinez J M & de Haro A 1998 Increasing erucic acid content in Ethiopian mustard through mutation breeding. *Plant Breeding* 117 (1) : 85-88.
- Velasco I, Fernandez Martinez J M & Deltaro A 1998 Application of near infrared reflectance spectroscopy to estimate the bulk density of Ethiopian mustard seeds. *Journal of the Science of Food and Agriculture* 77(3) : 312-319.
- Nutmeg (*Myristica fragrans*)**
- Krishnamurthy B 1998 A best selection of nutmeg. *Spice India (Hindi)* 11 (3) : 9-11.
- Mallavarapu G R & Ramesh S 1998 Composition of essential oils of nutmeg and mace. *Journal of Medicinal and Aromatic Plant Sciences* 20 (3) : 746-749.
- Oregano (*Origanum vulgare*)**
- Chalchat J C & Pasquier B 1998 Morphological and chemical studies of *Origanum* clones : *Origanum vulgare* L. subsp. *vulgare*. *Journal of Essential Oil Research* 10 (2) : 119-125.
- Gerothanassis I P, Exarchou V, Lagouri V, Troganis A, Tsimidou M & Boskou A 1998 Methodology for identification of phenolic acids in complex phenolic mixtures by high resolution two dimensional nuclear magnetic resonance. Application to methanolic extracts of two *Oregano* species. *Journal of Agricultural and Food Chemistry* 46 (10) : 4185-4193.
- Karpouhtsis I, Pardali E, Feggou E, Kokkini S, Scouras Z G & Mavraganisipdou P 1998 Insecticidal and genotoxic activities of oregano essential oils. *Journal of Agricultural and Food Chemistry* 46 (3) : 1111-1116.
- Komali A S, Peleg M, Gerhards C & Shetty K 1998 A study of the cell wall mechanical properties in unhyperhydrated shoots of *Oregano* inoculated with *Pseudomonas* sp. by load deformation analysis. *Food Biotechnology* 12 (3) : 209-221.

- Russo M, Galletti G C, Bocchini P & Carnacini A 1998 Essential oil chemical composition of wild population of Italian oregano spice : a preliminary evaluation of their use in chemotaxonomy by cluster analysis. *Journal of Agricultural and Food Chemistry* 46 (9) : 3741-3747.
- Ueno K, Cheplick S & Shetty K 1998 Reduced hyperhydricity and enhanced growth of tissue culture-generated raspberry (*Rubus* sp.) clonal lines by *Pseudomonas* sp. isolated from oregano. *Process Biochemistry* 33 (4) : 441-447.
- Ueno K & Shetty K 1998 Prevention of hyperhydricity in oregano shoot cultures is sustained through multiple subcultures by selected polysaccharide-producing soil bacteria without re-inoculation. *Applied Microbiology and Biotechnology* 50 (1) : 119-125.
- Vokou D, Tziolas M & Bailey S E R 1998 Essential-oil-mediated interactions between oregano plants and heliidae grazers. *Journal of Chemical Ecology* 24 (7) : 1187-1203.
- Yang Rong Hui & Shetty K 1998 Stimulation of rosmarinic acid in shoot cultures of oregano clonal line in response to proline, proline analogue, and proline precursors. *Journal of Agricultural and Food Chemistry* 46 (7) : 2888-2893.
- Zheng Z X, Pinkham J L & Shetty K 1998 Identification of polymeric dye tolerant oregano clonal lines by quantifying total phenolics and peroxidase activity. *Journal of Agricultural and Food Chemistry* 46 (10) : 4441-4447.
- Parsley (*Parseleneum crispum*)**
- Appendino G, Jakupovic J & Bossio G 1998 Structural revision of the parsley sesquiterpenes crispanone and crispane. *Phytochemistry* 49 (6) : 1719-1723.
- Franke R, Fry S C & Kauss H 1998 Low molecular weight precursors for defence related cell wall hydroxycinnamoyl esters in elicited parsley suspension cultures. *Plant Cell Reports* 17 (5) : 379-384.
- Katz V A, Thuike Q U & Conrath U 1998 A benzothiadiazole prime parsley cells for augmented elicitation of defense responses. *Plant Physiology* 117 (4) : 1333-1341.
- Lers A, Jiang W B, Lomaniec E & Aharoni N 1998 Gibberlic acid and CO₂ additive effect in retarding postharvest senescence of parsley. *Journal of Food Science* 63 (1) : 66-69.
- Khadhair A H, Kawchuk L M, Taillon R C & Botar G 1998 Detection and molecular characterization of an aster yellows phytoplasma in parsley. *Canadian Journal of Plant Pathology* 20 (1) : 55-62.
- Lers A, Jiang W B, Lomaniec E & Aharoni N 1998 Proteins functionally and immunogenically related to pathogenesis related proteins are induced during parsley leaf senescence. *Physiologia Plantarum* 103 (4) : 497-503.
- Masanetz C & Grosch W 1998 Hay like off-flavour of dry parsley. *Zeitschrift fur Lebensmittel-Untersuchung und-Forschung A* 206 (2) : 114-121.

- Masanetz C & Groch W 1998 Key odorants of parsley leaves by odour-activity values. *Flavour and Fragrance Journal* 13 (2) : 115-124.
- Sharma R & Shukla Y R 1998 A unique combination of spice and vegetable-parsley. *Spice India (Hindi)* 11 (1) : 18.
- Thulke O & Conrath U 1998 Salicylic acid has a dual role in the activation of defence-related genes in parsley. *Plant Journal* 14 (1) : 35-43.
- Rosemary (*Rosmarinus officinalis*)**
- Akhtar P, Gray J I, Booren A M & Garling D L 1998 Effect of dietary components and surface application of oleoresin rosemary on lipid stability of rainbow trout (*Oncorhynchus mykiss*) muscle during refrigerated and frozen storage. *Journal of Food Lipids* 5 (1) : 43-49.
- Akhtar P, Gray J I, Booren A M & Gomaa E A 1998 The effects of dietary α -tocopherol and surface application of oleoresin rosemary on lipid oxidation and cholesterol oxide formation in cooked rainbow trout (*Oncorhynchus mykiss*) muscle. *Journal of Food Lipids* 5 (1) : 59-73.
- Basile A, Jimenez Carmona M M & Clifford A A 1998 Extraction of rosemary by superheated water. *Journal of Agricultural and Food Chemistry* 46 (12) : 5205-5210.
- Chen Z Y, Wang L Y, Chan P T, Zhang Z S, Chung H Y & Liang C 1998 Antioxidative activity of green tea catechin extract compared with that of rosemary extract. *Journal of the American Oil Chemists Society* 75 (9) : 1141-1147.
- Ferrerres F, Juan T, Perez Arquilue C, Herrera Marteache A, Gracia Viguera C & Tomas Barberan F A 1998 Evaluation of pollen as a source of kaempferol in rosemary honey. *Journal of the Science of Food and Agriculture* 77 (4) : 506-511.
- Hall C A, Cuppett S L & Dussault P 1998 Hydrogen donating mechanism of rosemariquinone, an antioxidant found in rosemary. *Journal of American Oil Chemists Society* 75 (9) : 1147-1155.
- Hidalgo P J, Uberta J L, Tena M T & Valcarcel M 1998 Determination of carnosic acid content in wild and cultivated *Rosmarinus officinalis*. *Journal of Agricultural and Food Chemistry* 46 (7) : 2624-2627.
- Komali A S & Shetty K 1998 Comparison of the growth pattern and rosmarinic acid production in rosemary shoots and genetically transformed callus cultures. *Food Biotechnology* 2 (1-2) : 27-43.
- Lopez Bote C J, Gray J I, Gomaa E A & Fiegall C J 1998 Effect of dietary administration of oil extracts from rosemary and sage on lipid oxidation in broiler meat. *British Poultry Science* 39 (2) : 235-241.
- Madsen H L, Sorensen B, Skibsted L H & Bertelsen G 1998 The antioxidative activity of summer savory (*Satureja hortensis* L.) and rosemary in dressing stored exposed to light or in darkness. *Food Chemistry* 63 (2) : 173-181.

- Mikheev A V 1998 A new form of *Lochmaea* (Coleoptera, Chrysomelidae) from bogbilberry, bilberry and wild rosemary. *Zoologicheskij Zhurnal* 77 (4) : 431-438.
- Moretti M D L, Peana A T, Passino G S, Bazzoni A & Solinas V 1998 Effects of iron on yield and composition of *Rosmarinus officinalis* L. essential oil. *Journal of Essential Oil Research* 10 (1) : 43-49.
- Mulas M, Brigaglia N & Cani M R 1998 Clone selection from spontaneous germplasm to improve *Rosmarinus officinalis* L. crop. *Acta Horticulturae* No. 457: 287-295.
- Murphy A, Kerry J P, Buekley J & Gray I 1998 The antioxidative properties of rosemary oleoresin and inhibition of off-flavours in precooked roast beef slices. *Journal of the Science of Food and Agriculture* 77 (2) : 235-244.
- Offord E, Mace K, Avanti O, Talalay P & Peifer A 1998 Mechanisms involved in the chemoprotective effect of rosemary polyphenols. In: Armado R, Anderson H, Bardoez S & Serra F (Eds.) *Polyphenols in Food*. European Commission, Directorate General, Luxembourg.
- Rezzoug S A, Baghdadi M W, Louka N, Boutekedjiret C & Allaf K 1998 Study of new extraction process: Controlled instantaneous decompression. Application to the extraction of essential oil from rosemary leaves. *Flavour and Fragrance Journal* 13 (4) : 251-259.
- Zegarska Z, Rofalowski R, Amarowicz R, Karamac M & Shahidi F 1998 Stabilization of butter with deodorized rosemary extract. *Zeitschrift fur Lebensmittel - Untersuchung und-Forschung A* 206 (2) : 99-103.
- Saffron (*Crocus sativus*)**
- Alonso G L, Salinas M R & Garijo J 1998 Method to determine the authenticity of aroma of saffron. *Journal of Food Protection* 61 (11) : 1525-1529.
- Brandizzi F & Caiola M G 1998 Flow cytometric analysis of nuclear DNA in *Crocus sativus* and allies (Iridaceae). *Plant Systematics and Evolution* 211 (3-4) : 149-155.
- Kabdal P B, Tiwari K C & Pandey G 1998 Experimental cultivation of *Crocus sativus* at Raniket. *Bulletin of Medico - Ethnobotanical Research* 16 (3-4) : 123-124.
- Saito K 1998 Effect of nicotinamide coenzymes and vitamin B2 on the UV-C light induced metabolism of carthamin in dyer's saffron florets. *Biologia* 53 (3) : 303-308.
- Saito K 1998 Effect of pyridine nucleotides on the catalytic activity of a carthamine synthesizing enzyme from dyer's saffron seedlings. *South African Journal of Botany* 64 (3) : 176-178.
- Straubinger M, Bau B, Eckstein S, Fink M & Winterhalter P 1998 Identification of novel glycosidic aroma precursors in saffron. *Journal of Agricultural and Food Chemistry* 46 (8) : 3238-3244.

Thyme (*Thymus vulgaris*)

- Charlesworth D & Laporte V 1998 The male sterility polymorphism of *Silene vulgaris* : Analysis of genetic data from two populations and comparison with *Thymus vulgaris*. *Genetics* 150 (3) : 1267-1283.
- Gigord L, Lavigna C, Shykoff J A & Atlan A 1998 No evidence for local adaptation between cytoplasmic male sterility and nuclear restorer genes in the gynodioecious species *Thymus vulgaris* L. *Heredity* 81 (2) : 156-163.
- Guillen M D & Manzanos M J 1998 Composition of the extract in dichloromethane of the aerial parts of a spanish wild growing plant *Thymus vulgaris*. *Flavour and Fragrance Journal* 13 (4) : 259-263.
- Guillen M D & Manzonas M J 1998 Study of the composition of the different parts of a Spanish *Thymus vulgaris* L. plant. *Food Chemistry* 63 (3) : 373-385.
- Kwok D & Shetty K 1998 Effects of proline and proline analogs on total phenolic and rosmarinic acid levels in shoot clones of thyme (*Thymes vulgaris* L.). *Journal of Food Biochemistry* 22 (1) : 37-53.
- Manou I, Bouillard L, Devieeschouwer M J & Barel A O 1998 Evaluation of the preservative properties of *Thymus vulgaris* essential oil in topically applied formulations under a challenge test. *Journal of Applied Microbiology* 84 (3) : 368-377.
- Reddy M V B, Angers P, Gosselin A & Arul J 1998 Characterisation and use of essential oil from *Thymus vulgaris* against *Botrytis cinerea* and *Rhizopus stolonifer* in strawberry fruits. *Phytochemistry* 47 (8) : 1515-1521.
- Wang M, Li J, Ho G S, Peng X & Ho C T 1998 Isolation and identification of antioxidative flavanoid glycosides from thyme (*Thymus vulgaris* L.) *Journal of Food Lipids* 5 (4) : 313-322.

Turmeric (*Curcuma* spp.)

- Chen Huei Wen & Huang Huei Chen 1998 Effect of curcumin (from *Curcuma longa*) on cell cycle progression and apoptosis in (rat) vascular smooth muscle cells. *British Journal of Pharmacology* 124 (6) : 1029-1040.
- Darshan S & Doreswamy R 1998 Medicinal plant patents scenario in the new era of drug development. *Indian Drugs* 35 (2) : 55-56.
- Gangopadhyay S 1998 Turmeric (*Curcuma longa*), an ecofriendly ingredient to control seed borne rice diseases. *Current Science* 75 (1) : 16-18.
- Jangde C R, Phadnaik B S & Bisen V V 1998 Anti inflammatory activity of extracts of *Curcuma aromatica* Salisb. *Indian Veterinary Journal* 75 (1) : 76-78.
- Kanadarkar S V, Sawant S S, Ingle A D, Deshpande S S & Maru G B 1998 Subchronic oral hepatotoxicity of turmeric in mice-histopathological and ultrastructural studies. *Indian Journal of Experimental Biology* 36 (7) : 675-579.

- Lynrah P G, Barua P K & Chakrabarthy B K 1998 Pattern of genetic variability in a collection of turmeric genotypes. *Indian Journal of Genetics and Plant Breeding* 58 (2) : 201-207.
- Mukhopadhyay M J, Saha A & Mukherjee A P 1998 Studies on the anticlastogenic effect of turmeric and curcumin on cyclophosphamide and mitomycin C *in vivo*. *Food and Chemical Toxicology* 36 (1) : 73.
- Nirmal S V & Yamgar V T 1998 Variability in morphological and yield characters of turmeric cultivars. *Advances in Plant Sciences* 11 (1) : 161-164.
- Rekhunde S D, Munjal S V & Patil S R 1998 Curcumin and essential oil contents of some commonly grown turmeric cultivars in Maharashtra. *Journal of Food Science and Technology (Mysore)* 35 (4) : 352-355.
- Roth G N, Chandra A & Nair M G 1998 Novel bioactivities of *Curcuma longa* constituents. *Journal of Natural Products* 61 (4) : 542-546.
- Saju K A, Venugopal M N & Mathew M J 1998 Antifungal and insect - repellent activities of essential oil of turmeric. *Current Science* 75 (7) : 660-662.
- Sane R T, Phadke M M, Hijli P S, Shah M C & Patel P H 1998 A high performance thin layer chromatography method for the simultaneous quantitative analysis of guggul and turmeric from an ayurvedic preparation. *Indian Drugs* 35 (5) : 286-290.
- Van Dau N, Ngoc Ham N, Huy Khac D, Thi Lam N, Tong Son P, Thi Tan N, Due Van D, Dhalgren S, Grabe M, Johansson R, Lindgren G & Stjernstrom N 1998 The effects of a traditional drug, turmeric and placebo on the healing of duodenal ulcer. *Phytomedicine* 5 (1) : 29-34.

Vanilla (*Vanilla* spp.)

- Asther M, Lesage Meessen L, Stentelaire C & Thibault J F 1998 Natural vanilla from fungi. *Biofutur* No. 178 : 32-35.
- Backheet E Y 1998 Micro determination of eugenol, thymol and vanillin in volatile oils and plants. *Phytochemical Analysis* 9 (3) : 134-141.
- Benitez F J, Beltran Heredia J, Gonzalez T & Real F 1998 Kinetics of the elimination of vanillin by UV radiation catalyzed with hydrogen peroxide. *Fresenius Environmental Bulletin* 7 (11-12) : 726-734.
- Lopez Malo A, Alzamora S M & Argai A 1998 Vanillin and pH synergistic effects on mold growth. *Journal of Food Science* 63 (1) : 143-147.
- Oberdieck R 1998 Vanilla-a contribution to knowledge and analysis of vanilla (*Vanilla planifolia* Andrews) (in German). *Deutsche Lebensmittel - Rundschau* 94 (2) : 53-59.
- Ramaroson Raonizafinimanana B, Gaydou E M & Bombarda I 1998 Occurrence of 5a-cholesta-7, 24-dien-3-B-01 and 23-dehydrolophenol in the bean lipids of *Vanilla madagascariensis*. *Journal of the American Oil Chemists Society* 75 (10) : 1325-1329.

- Ramarosan Raonizafinmarana B, Gaydon E M & Bombarda I 1998 4-demythsterols and triterpene alcohols from two vanilla bean species : *Vanilla fragrans* and *V. tahitensis*. *Journal of the American Oil Chemists Society* 75 (1) : 51-57.
- Sun B S, Ricardoda Silva J M & Spranger I 1998 Critical factors of vanillian assay for catechins and proanthocyanidins. *Journal of Agricultural and Food Chemistry* 46 (10) : 4267-4275.
- Thibault J F, Asther M, Ceccaldi B C, Couteau D, Delattre M, Duarte J C, Faulds C, Heldt Hansen H P, Kroon P & Lesage Messen L 1998 Fungal bioconversion of agricultural by-products to vanillin. *Food Science and Technology* 31 (5) : 530-537.
- Xue Z T & Brodelius P E 1998 Kinetin-induced caffeic acid 0-methyltransferases in cell suspension cultures of *Vanilla planifolia* Andr. and isolation of caffeic acid 0-methyl transferase cDNAs. *Plant Physiology and Biochemistry* 36 (11) : 779-789.