

Spices bibliography - 1999 (Part II)

Compiled by: P Azgar Sheriff

Indian Institute of Spices Research
Calicut - 673 012, Kerala, India.

Spices - General

- Arora D S & Kaur J 1999 Antimicrobial activity of spices. International Journal of Antimicrobial Agents 12 (3) : 257-262.
- Asai A, Nakagawa K & Miyazawa T 1999 Antioxidative effects of turmeric, rosemary and capsicum extracts on membrane phospholipid peroxidation and liver lipid metabolism in mice. Bioscience, Biotechnology and Biochemistry 63 (12) : 2118-2122.
- Balikai R A 1999 Incidence of snail, *Cryptozonia semirugata* (Beck) on some horticultural crops in northern Karnataka. Pest Management in Horticultural Ecosystems 5 (1) : 70-71.
- Barnard D R 1999 Repellency of essential oils to mosquitoes (Diptera: Culicidae). Journal of Medicinal Entomology 36 (5) : 625-629.
- Basilico M Z & Basilico J C 1999 Inhibitory effects of some spice essential oils on *Aspergillus ochraceus* NRRL 3174 growth and Ochratoxin A production. Letters in Applied Microbiology 29 (4) : 238-241.
- Bedin C, Gutkoski S B & Wiest J M 1999 Antimicrobial activity of spices. Higiene Alimentar 13; (65) : 26-29.
- Datar V V 1999 Bioefficacy of plant extracts against *Macrophomina phaseolina* (Tassi.) Goid., the incitant of charcoal-rot of sorghum. Journal of Mycology and Plant Pathology 29 (2) : 251-253.
- Dhuley J N 1999 Anti-oxidant effects of cinnamon (*Cinnamomum verum*) bark and greater cardamom (*Amomum subulatum*) seeds in rats fed on high fat diet. Indian Journal of Experimental Biology 37 (3) : 234-242.
- Gupta S C, Singh P P & Kumar A 1999 Effect of intercropping with spices on the incidence of *Leucinodes orbonalis* Guen. in brinjal and its economics. Shashpa 6 (1) : 45-48.
- Haseeb A, Shukla P K & Butool F 1999 Pathogenic potential of *Pratylenchus thornei* on some medicinal and aromatic plants. Nematologia Mediterranea 27 (1) : 35-38.
- Kalemba D 1999 Antibacterial and antifungal properties of essential oils. Postepy Mikrobiologii 38 (2) : 185-203.
- Karaca A & Kevseroglu K 1999 The research of some important agricultural characters of coriander (*Coriandrum sativum* L.) and fennel (*Foeniculum vulgare* Mill.) varieties of Turkish origin. Ondokuzmayis Universitesi, Ziraat Fakultesi Dergisi 14 (2) : 65-77.
- Karade V M & Sawant D M 1999 Effect of some plant extracts on the spore germination of *Alternaria alternata*. Plant Disease Research 14 (1) : 75-77.
- Landolt P J, Hofstetter R W & Biddick L L 1999 Plant essential oils as arrestants and repellents for neonate larvae of the codling moth (Lepidoptera: Tortricidae). Environmental Entomology 28 (6) : 954-960.
- Lim PohLean, Mohamed S & Lim P L 1999 Antioxidative and antimycotic effects of turmeric, lemon-grass, betel leaves, clove, black pepper leaves and *Garcinia atriviridis* on butter cakes. Journal of the Science of Food and Agriculture 79 (13) : 1817-1822.

- Lozanova I & Spasov Z 1999 A method for producing Bulgarian yoghurt with vegetable paste. *Zhivotnov "dni-Nauki* 36 (1) : 83-86.
- Lutomski J & Gerecki P 1999 Medicinal plants and phytotherapy in Poland. *Zeitschrift fur Phytotherapie* 20 (4) : 209-214.
- Minakshi De, De A K & Banerjee A B 1999 Antimicrobial screening of some Indian spices. *Phytotherapy Research* 13 (7) : 616-618.
- Murugan K & Jeyabalan D 1999 Effect of certain plant extracts against the mosquito, *Anopheles stephensi* Liston. *Current Science* 76 (5) : 631-633.
- Oliveira J V & Vendramin J D 1999 Repellency of essential oils and powders from plants on adults of *Zabrotes subfasciatus* (Boh.) (Coleoptera: Bruchidae) on bean seeds. *Anais da Sociedade Entomologica do Brasil* 28 (3) : 549-555.
- Prabha Purohit & Bohra A 1999 Seed mycoflora associated with some important spice seeds. *Advances in Plant Sciences* 12 (1) : 195-198.
- Raja J & Kuruchev V 1999 Fungicidal activity of plant and animal products. *Annals of Agricultural Research* 20 (1) : 113-115.
- Reiter B, Lechner M, Lorbeer E & Aichholz R 1999 Isolation and characterization of wax esters in fennel and caraway seed oils by SPE-GC. *HRC Journal of High Resolution Chromatography* 22 (9) : 514-520.
- Sindhan G S, Hooda I & Parashar R D 1999 Evaluation of plant extracts for the control of powdery mildew of pea. *Journal of Mycology and Plant Pathology* 29 (2) : 257-258.
- Sindhan G S, Hooda I & Parashar R D 1999 Effect of some plant extracts on the vegetative growth of root rot causing fungi. *Journal of Mycology and Plant Pathology* 29 (1) : 110-111.
- Singh S N, Shukla J P, Agrawal M L & Singh G P 1999 Spices intercropping with autumn planted sugarcane (*Saccharum officinarum*). *Indian Journal of Agronomy* 44 (1) : 64-67.
- Soliman K M & Ismail B R 1999 Aflatoxins contamination in spices and medicinal plants and their fate during cooking. *Bulletin of Faculty of Agriculture, Univeristy of Cairo* 50 (4) : 679-691.
- Sugawara Y, Hino Y, Kawasaki M, Hara C, Tamura K, Sugimoto N, Yamanishi Y, Miyauchi M, Masujima T & Aoki T 1999 Alteration of perceived fragrance of essential oils in relation to type of work: a simple screening test for efficacy of aroma. *Chemical Senses* 24 (4) : 415-421.
- Takacsova M, Kristianova K, Vinh N D & Nhat D M 1999 Influence of extracts from some herbs and spices on stability of rapeseed oil. *Bulletin Potravinarskeho Vyskumu* 38 (1) : 17-24.
- Vokou D & Liotiri S 1999 Stimulation of soil microbial activity by essential oils. *Chemoecology* 9 (1) : 41-45.

Allspice (*Pimenta dioica* (L.) Merr.)

- Mathew P A, Krishnamoorthy B & Rema J 1999 Seedling variants in allspice (*Pimenta dioica* (L.) Merr.). *Journal of Spices and Aromatic Crops* 1 (8) : 93-94.

Basil (*Ocimum* spp.)

- Alippi A M & Wolcan S 1999 First report of bacterial leaf spot of basil caused by *Pseudomonas viridiflava* in Argentina. *Plant Disease* 9 (83) : 876.
- Amaral J F T do, Fonseca A F A da, Martinez H E P, Pereira P R & Fontes P C R 1999 Deficiencies of macronutrients, Fe and B in sweet basil (*Ocimum* sp.) in hydroponic culture. *Revista Ceres* 46 (265) : 297-308.

- Chalchat J C, Garry R P, Sidibe L & Harama M 1999 Aromatic Plants of Mali (I): Chemical composition of essential oils of *Ocimum basilicum* L. *Journal of Essential Oil Research* 11 (3) : 375-380.
- Cubillo D, Sanabria G & Hilje L 1999 Evaluation of repellency and mortality caused by commercial insecticides and plant extracts on *Bemisia tabaci*. *Manejo Integrado de Plagas* No. 53 : 65-71.
- El-Alim S S L A, Lugasi A, Hovari J & Dworschak E 1999 Culinary herbs inhibit lipid oxidation in raw and cooked minced meat patties during storage. *Journal of the Science of Food and Agriculture* 79 (2) : 277-285.
- Holcomb G E, Valverde R A, Sim J & Nuss J 1999 First report on natural occurrence of tomato spotted wilt tospovirus in basil (*Ocimum basilicum*). *Plant Disease* 83 (10) : 966.
- Kamada T, Casali V W D, Barbosa L C A, Fortes I C P & Finger F L 1999 Phenotypic plasticity of the essential oil in basil accessions (*Ocimum basilicum* L.). *Revista Brasileira de Plantas Medicinalis* 1 (2) : 13-22.
- Koga T, Hirota N & Takumi K 1999 Bactericidal activities of essential oils of basil and sage against a range of bacteria and the effect of these essential oils on *Vibrio parahaemolyticus*. *Microbiological Research* 154 (3) : 267-273.
- Moudachirou M, Yayi E, Chalchat J C & Lartigue C 1999 Chemical features of some essential oils of *Ocimum basilicum* L. from Benin. *Journal of Essential Oil Research* 11 (6) : 770-782.
- Kashyap S & Sharma S 1999 Bioactive botanicals from basil (*Ocimum* sp.). *Journal of Scientific and Industrial Research* 58 (5) : 332-338.
- Palada M C, Crossman S M A, Kowalski J A & Collingwood C D 1999 Evaluation of organic and synthetic mulches for basil production under drip irrigation. *Journal of Herbs, Spices and Medicinal Plants* 6 (4) : 39-48.
- Putievsky E, Paton A, Lewinohn E, Ravid U, Haimovich D, Katzir I, Saadi D & Dudai N 1999 Crossability and relationship between morphological and chemical varieties of *Ocimum basilicum* L. *Journal of Herbs, Spices and Medicinal Plants* 6 (3) : 11-24.
- Riaz M, Shadab-Qamar & Chaudhary FM 1999 Volatiles of *Ocimum basilicum* (Local) at different phases of plant growth. *Pakistan Journal of Sientific and Industrial Research* 42 (6) : 332-335.
- Samresh Dwivedi, Tajuddin, Yaseen M, Kailash Singh, Naqvi A A, Singh A P, Sushil Kumar, Dwivedi S, Singh K & Kumar S 1999 Registration of a new variety 'Vikarshudha' of *Ocimum basilicum*. *Journal of Medicinal and Aromatic Plant Sciences* 21 (2) : 373-374.
- Singh N K & Sehgal C B 1999 Micropropagation of 'holy basil' (*Ocimum sanctum* Linn.) from young inflorescences of mature plants. *Plant Growth Regulation* 29 (3) : 161-166.
- Singh S & Majumdar D K 1999 Evaluation of the gastric antiulcer activity of fixed oil of *Ocimum sanctum* (holy basil). *Journal of Ethnopharmacology* 65 (1) : 13-19.
- Tansi S & Nacar S 1999 The herb yield and essential oil composition of bush basil (*Ocimum minimumum* L.) grown in Turkey. *Turkish Journal of Field Crops* 4 (2) : 71-74.
- Wang-JiHong, Dudareva N, Kish C M, Simon J E, Lewinsohn E, Pichersky E & Wang J H 1999 Plant gene register PGR 99-105. Nucleotide sequences of two cDNAs encoding caffeic acid o-methyl transferases from sweet basil. *Plant Physiology* 120 (4) : 1205.
- Zecchinelli R 1999 Varietal characterization of basil. *Scmenti Elette* 45 (6) : 37-42.

Black pepper and related spp. (*Piper* spp.)

- Arnott H J & Becker R P 1999 Scanning microscopy of black pepper (*Piper nigrum*) fruits. *Proceedings of SCANNING* 21 (2) : 113.

- Badmaev V, Majeed M & Norkus E P 1999 Piperine, an alkaloid derived from black pepper increases serum response of beta-carotene during 14-days of oral betacarotene supplementation. *Nutrition Research* 19 (3) : 381-388.
- Farley T A, McFarland L & MacClelland J 1999 Aldicarb as a cause of food poisoning—Louisiana. *Morbidity and Mortality Weekly Report* 48 (13) : 269-271.
- Korikanthimath V S & Ankegowda S J 1999 Performance of black pepper (*Piper nigrum* L., var. Panniyur-1). *Journal of Spices and Aromatic Crops* 8 (1) : 97.
- Korikanthimath V S, Ankegowda S J, Yadukumar N, Hegde R & Hosmani M M 1999 Micro-climatic and physiological characteristics of robusta coffee-cardamom, Coorg mandarin and pepper in mixed cropping system. *Indian Journal of Agronomy* 44 (2) : 289-293.
- Sivaraman K, Kandiannan K, Peter K V & Thankamani C K 1999 Agronomy of black pepper (*Piper nigrum* L.). *Journal of Spices and Aromatic Crops* 8 (1) : 18.
- Sumathykutty M A, Rao J M, Padmakumari K P & Narayanan C S 1999 Essential oil constituents of some *Piper* species. *Flavour and Fragrance Journal* 14 (5) : 279-282.

Caraway (*Carum carvi* L.)

- Ghabbour S I, Hussein A M & EL-Hennawy H K 1999 Spider populations associated with different crops in Menoufiya Governorate, Nile Delta, Egypt. *Egyptian Journal of Agricultural Research* 77 (3) : 1163-1179.
- Reiter B, Lechner M, Lorbeer E & Aichholz R 1999 Isolation and characterization of wax esters in fennel and caraway seed oils by SPE-GC. *Journal of High Resolution Chromatography* 22 (9) : 514-520.

Cardamom (*Elettaria cardamomum* Maton)

- Babu K N, Geetha S P, Minoo D, Ravindran P N & Peter K V 1999 In vitro conservation of cardamom (*Elettaria cardamomum* Maton.) germplasm. *Plant Genetic Resources Newsletter* No. 119 : 41-45.
- Bhai R S, Thomas J & Potty S N 1999 Rot diseases of cardamom. Bio-control with *Trichoderma*. *Planters' Chronicle* 95 (3) : 113-119.
- Chughtai S R, Naseem K & Mohmad A S 1999 Genotoxicity testing of various food flavours in the diploid yeast *Saccharomyces cerevisiae*. *Indian Journal of Nutrition and Dietetics* 36 (8) : 371-377.
- Korikanthimath V S 1999 Alternate farming systems in high ranges of western ghats with reference to Coorg district in Karnataka-Part 1. *Indian Coffee* 63 (5) : 10-13.
- Korikanthimath V S, Hiremath G M & Hosmani M M 1999 Generation of employment potential in coffee-cardamom based cropping systems. *Journal of Spices and Aromatic Crops* 8 (1) : 29-34.
- Korikanthimath V S, Mathew M J, Hegde R, Zachariah T J & Hosmani M M 1999 Quality attributes of cardamom grown under controlled shade as influenced by nutritional levels. *Karnataka Journal of Agricultural Sciences* 12 (1-4) : 6-9.
- Korikanthimath V S, Mulge R, Hegde R, Hosmani M M & Mulge R 1999 Correlation between yield and yield parameters in cardamom (*Elettaria cardamomum*). *Journal of Medicinal and Aromatic Plant Sciences* 21 (3) : 700-701.
- Mathew M J, Venugopal M N & Saju K A 1999 Predatory potential of green lacewing on cardamom aphid. *Insect Environment* 4 (4) : 152-153.
- Mathew M J, Venugopal M N & Saju K A 1999 First record of some entomogenous fungi on cardamom aphid, *Pentalonia nigronervosa* F. *caladii* van der Goot (Homoptera: Aphididae). *Insect Environment* 4 (4) : 147-148.
- Mathew T B, Naseema Beevi, Sudharma K, Nalinakumari, Mathew M P & Beevi N 1999 Effect of washing on persistence of residues of mancozeb in cardamom (*Elettaria cardamomum* Maton). *Journal of Spices and Aromatic Crops* 8 (1) : 73-76.

- Saju K A, Mathew M J & Venugopal M N 1999 Perspectives on the eco-friendly management of viral diseases in cardamom. *Planters' Chronicle* 95 (1) : 41-43.
- Selvakumaran S, David B V & Kumaresan D 1999 Influence of abiotic factors on population build up of cardamom whitefly *Kanakarajiella cardamomi* (David and Subramaniam) on cardamom (*Elettaria cardamomum* Maton). *Journal of Spices and Aromatic Crops* 8 (1) : 67-71.
- Srinivasan K, Siddagangaiah, Biswas A K & Krishnakumar V 1999 Mixed cropping systems in cardamom (*Elettaria cardamomum* Maton): An analysis. *Journal of Spices and Aromatic Crops* 8 (1) : 63-66.
- Thyagaraj N E & Chakravarthy A K 1999 Effect of different levels of NPK on shoot and fruit borer, *Conogethes punctiferalis* Guenee (Pyralidae: Lepidoptera) infestation on small cardamom (*Elettaria cardamomum* Maton). *Insect Environment* 4 (4) : 139-140.

Celery (*Apium graveolens* L.)

- Biczak R, Gurgul E, Karczmarczyk S & Herman B 1999 Enzyme activity and yield of stalk celery and leek under the influence of mineral fertilization. Part I. Peroxydase activity in leaf tissue. *Folia Universitatis Agriculturae Stetinensis Agricultura* No 73 : 19-27.
- Biczak R, Gurgul E, Karczmarczyk S & Herman B 1999 Enzyme activity and yield of stalk celery and leek under the influence of mineral fertilization. Part II. Catalase activity in plant leaves. *Folia Universitatis Agriculturae Stetinensis Agricultura* No 73 : 29-35.
- Biczak R, Gurgul E, Karczmarczyk S & Herman B 1999 Enzyme activity and yield of stalk celery and leek under the influence of mineral fertilization. Part III. The activity of acid phosphatase. *Folia Universitatis Agriculturae Stetinensis Agricultura* No. 73 : 37-44.
- Biczak R, Gurgul E, Karczmarczyk S & Herman B 1999 Enzyme activity and yield of stalk celery and leek under the influence of mineral fertilization. Part IV. Leek and stalk celery yield. *Folia Universitatis Agriculturae Stetinensis Agricultura* No. 73 : 45-52.
- Dellavalle G, Ciuffo M, Roggero P, Lisa V, Minuto A, Minuto G & Rapetti S 1999 Tospoviruses in *Delphinium* sp., gazania, marguerite, celery, *Tragopogon porrifolius* and *Solanum rantonnetii* in Liguria (northern Italy). *Information Fitopatologica* 49 (9) : 63-64.
- Fotisch K, Altmann F, Haustein D & Vieths S 1999 Involvement of carbohydrate epitopes in the IgE response of celery-allergic patients. *International Archives of Allergy and Immunology* 120 (1) : 30-42.
- Hagendorf Mehr B 1999 A one-off trimming of leeks and celery pays off. *TASPO Gartenbaumagazin* 8 (2) : 52-53.
- Janardan Yadav, Singh N & Narendra Kumar 1999 Nutritional values of off-season leafy vegetables grown in trenches under cold arid conditions of Leh. *Agricultural Science Digest (Karnal)* 19 (2) : 103-104.
- Jin Xin Wen & Shen Zheng Yan 1999 Changes of transpiration, seed vigor and ATP level under heat stress and their relations with heat resistance in three kinds of vegetable crops. *Journal of China Agricultural University* 4 (5) : 98-102.
- Krober H & Sauthoff W 1999 *Pythium mastophorum* on parsley and celery in Germany. *Nachrichtenblatt des Deutschen Pflanzenschutzdienstes* 51 (7) : 165-169.
- O'Neill T M, Hiltin G & Thornton C 1999 Evaluation of fungicides for control of crater spot (*Rhizoctonia solani*) in protected celery. *Tests of Agrochemicals and Cultivars* No. 20 : 12-13.
- Ozawa A, Saito T & Ikeda F 1999 Effect of host plant and temperature on reproduction of American spentine leafminer, *Liriomyza trifolii* (Burgess). *Japanese Journal of Applied Entomology and Zoology* 43 (1) : 41-48.

- Rubino P, Cantore V & Mastro M A 1999 Study of water use efficiency of some herbaceous species in an area of southern Italy. *Irrigazione e Drenaggio* 46 (2) : 39-46.
- Rumasz E, Koszanski Z & Wronkowska H 1999 Influence of saline water irrigation on celery yield. *Folia Universitatis Agriculturae Stetinensis, Agricultura* No. 73 : 207-211.
- Sanatamaria P, Elia A, Serio F, Gonnella M & Parente A 1999 Comparison between nitrate and ammonium nutrition in fennel, celery and Swiss chard. *Journal of Plant Nutrition* 2 (7) : 1091-1106.
- Santamaria P, Elia A, Serio F & Todaro E 1999 A survey of nitrate and oxalate content in fresh vegetables. *Journal of the Science of Food and Agriculture* 79 (13) : 1882-1888.
- Siomos A S & Dogras C C 1999 Nitrates in vegetables produced in Greece. *Journal of Vegetable Crop Production* 5 (2) : 3-13.
- Sipio F di & Trulli G 1999 Monitoring trace elements (cadmium, chromium, iron, lead, copper, tin and zinc) in vegetable food products. *Industrie Alimentari* 38 (379) : 254-260.
- Stanjek V, Piel J & Boland W 1999 Biosynthesis of furanocoumarins: Mevalonate-independent prenylation of umbelliferone in *Apium graveolens* (Apiaceae). *Phytochemistry* 50 (7) : 1141-1145.
- Sun Wei, Ding BaoLian, Yu GuanJun, Tao YiWei & Shi Yimin 1999 Studies on vegetable physiology and quality preservation in production of semi-processed cut vegetables (I). *Acta Agriculturae Shanghai* 15 (3) : 73-76.
- Sun Wei, Ding BaoLian, Yu GuanJun, Tao YiWei & Shi Yimin 1999 Studies on vegetable physiology and quality preservation in production of semi-processed cut vegetables (II). *Acta Agriculturae Shanghai* 15 (4) : 80-83.
- Vanparys L 1999 Green celery. Early cultivation : Imperial is far ahead. *Proeftuinnieuws* 9 (23) : 11-12.
- Vanparys L 1999 Blanched celery. Plant spacing in blanched celery: What is the best choice? *Proeftuinnieuws* 9 (2) : 13-14.
- Vanparys L 1999 Blanching celery cultivar trial for early cultivation : Autumn Gold, Stardust and AGWF100 are suitable. *Proeftuinnieuws* 9 (21) : 15-16.
- Wan YongHong, Gong Gao, Wan Y H & Gong G 1999 New cultivars registered in Hebei in 1999. *China Vegetables* No. 3 : 48-49.
- Wehner T C 1999 Vegetable cultivar descriptions for North America list 24 1999. *HortScience* 34 (5) : 763-806.
- Weintraub P G 1999 Effects of cyromazine and abamectin on the leafminer, *Liriomyza huidobrensis* and its parasitoid, *Diglyphus isaea* in celery. *Annals of Applied Biology* 135 (3) : 547-554.
- Wiebe H J 1999 High celery yields and low risk of bolting-a contradiction? *Gemuse Munchen* 35 (10) : 579-581.
- Yen Chang, Bekele I, Kalloo C & Yen C I 1999 Use patterns and residual levels of organophosphate pesticides on vegetables in Trinidad, West Indies. *Journal of AOAC International* 82 (4) : 991-995.
- Zhang Dong Xiang, Mei Ling, Zhang CongHao & Li JieFen 1999 Effect of Co²⁺ on level of ethylene released during formation of celery embryoid. *Acta Horticulturae Sinica* 26 (4) : 273-274.

Chillies (*Capsicum* spp.)

- Abdul Baki A A, Morse R D & Teasdale J R 1999 Tillage and mulch effects on yield and fruit fresh mass of bell pepper (*Capsicum annuum* L.). *Journal of Vegetable Crop Production* 5 (1) : 43-58.

- Adeyeyei E I & Otokiti M K O 1999 Proximate composition and some nutritionally valuable minerals of two varieties of *Capsicum annuum* L. (bell and cherry peppers). *Discovery and Innovation* 11 (1-2) : 75-81.
- Ahmed N, Tanki M I & Nayeema J 1999 Heterosis and combining ability studies in hot pepper (*Capsicum annuum* L.). *Applied Biological Research* 1 (1) : 11-14.
- Alegbejo M D 1999 Effect of single and mixed infection of pepper veinal mottle potyvirus and/or pepper leaf curl geminivirus on the yield of chilli and sweet peppers in northern Nigeria. *Capsicum and Eggplant Newsletter* No. 18 : 60-62.
- Alegbejo M D, Orakwue F C & Ado S G 1999 Characteristics of chilli pepper cultivars released by the Institute for Agricultural Research, Samaru, Nigeria. *Capsicum and Eggplant Newsletter* No. 18 : 21-24.
- Andreoli C & Khan A A 1999 Matriconditioning integrated with gibberellic acid to hasten seed germination and improve stand establishment of pepper (*Capsicum*) and tomato. *Pesquisa Agropecuaria Brasileira* 34 (10) : 1953-1958.
- Anju Thakur, Thakur P S, Attri S & Kanaujia S P 1999 Effect of bioregulators on fruit yield and quality of bell pepper varieties under water stress. *Annals of Agricultural Research* 20 (3) : 313-317.
- Balakrishnan K 1999 Studies on nutrients deficiency symptoms in chilli (*Capsicum annuum* L.). *Indian Journal of Plant Physiology* 4 (3) : 229-231.
- Banani Singh, Alamelu Gupta, Ashok Bhatnagar & Parihar N S 1999 Monitoring of pesticide residues in farmgate samples of chilli. *Pesticide Research Journal* 11 (2) : 207-209.
- Barai B K & Sarkar K P 1999 Effect of growth regulator on the yield improvement in chilli. *Environment and Ecology* 17 (3) : 539-542.
- Barcaccia G, Tomassini C & Falcinelli M 1999 Further cytological evidence on the androgenesis pathway in pepper (*Capsicum annuum* L.). *Journal of Genetics and Breeding* 53 (3) : 251-254.
- Basa A & Glavan Podbrscek A 1999 Tomato bell pepper and aubergine production in Slovenia. Tomato, bell pepper and aubergine in Gorica. *Sodobno Kmetijstvo* 32 (5) : 219-221.
- Bavec M & Zadavec D 1999 Integrated production of capsicum pepper and tomato-Results of experimental production in Podravje in 1998. *Sodobno Kmetijstvo* 32 (5) : 223-226.
- Bedendo I P, Davis R E & Dally E L 1999 Detection and identification of phytoplasmas in periwinkle (*Catharanthus roseus*) and pepper (*Capsicum frutescens*) by nested PCR and RFLP techniques. *Summa Phytopathologica* 25 (3) : 197-201.
- Bhale M S, Usha Bhale & Khare M N 1999 A method of testing virulence in chilli anthracnose pathogen. *Journal of Mycology and Plant Pathology* 29 (2) : 253-254.
- Bi YuPing, Shan Lei, Wang XingJun, Xu PingLi, Zhou ZhongXing & Mi JingJiu 1999 Regeneration of transgenic pepper plants resistant to TMV and CMV and its resistance identification. *Acta Agriculturae Boreali Sinica* 14 (3) : 103-108.
- Bohance B 1999 Breeding tomato, pepper and aubergine. *Sodobno Kmetijstvo* 32 (5) : 256-258.
- Boronat M, Madrid R, Egea C & Collado I 1999 Fruit colour development of red pepper cultivars. Influence of potassium deficiency. *ITEA Produccion Vegetal* 95 (2) : 125-135.
- Bosland P W 1999 Chillies : a gift from a fiery god. *HortScience* 34 (5) : 809-811.
- Breitenbach J, Kuntz M, Takaichi S & Sandmann G 1999 Catalytic properties of an expressed and purified higher plant type zeta-carotene desaturase from *Capsicum annuum*. *European Journal of Biochemistry* 265 (1) : 376-383.

- Buckenhusk H J 1999 Current requirements on paprika powder for the food industry. *Zeitschrift für Arznei und Gewürzpflanzen* 4 (3) : 111-118.
- Bustamante E 1999 Fungal blight of chillie or pepper. *Manejo Integrado de (Plagas)* No. 54 : 1-4.
- Cabrera M G & Alvarez R E 1999 Bacterial stem rot of greenhouse peppers (*Capsicum annuum*) in Argentina. *Fitopatologia* 34 (4) : 220-224.
- Campanella G & Scuderi A 1999 Sweet peppers, which market for the Sicilian product. *Culture Protette* 28 (3) : 23-30.
- Caranta C, Thabuis A & Palloix A 1999 Development of a CAPS marker for the Pvr 4 locus : a tool for pyramiding potyvirus resistance genes in pepper. *Genome* 42 (6) : 1111-1116.
- Carden L A, Penfield M P & Saxton A M 1999 Perception of heat in cheese sauces as affected by capsaicin concentration, fat level, fat mimetic and time. *Journal of Food Science* 64 (1) : 175-179.
- Caridi A, Foti F, Sinatra M C, Colacino T & Scerra V 1999 Changes in nutrient content of sweet pepper after colonization by dairy *Penicillium*. *Annali di Microbiologia ed Enzimologia* 49 (2) : 153-136.
- Carvalho C G P de, Oliveira V R, Cruz C D & Casali V W D 1999 Path analysis under multicollinearity in green pepper. *Pesquisa Agropecuaria Brasileira* 34 (4) : 603-613.
- Castellano G 1999 Chilli cultivars tolerant to white rot under natural infection levels. *FONAIAP Divulga* No. 61, 18, 38.
- Celar F 1999 Diseases of tomato, bell pepper and aubergine. *Sodobno Kmetijstvo* 32 (5) : 242-247.
- Cerkauskas R E, Brown J, Ferguson G & Khosla S 1999 First report of powdery mildew of greenhouse pepper caused by *Leveillula taurica* in Canada. *Plant Disease* 83 (8) : 781.
- Chartzoulakis K & Drosos N 1999 Growth, yield and water use of peppers grown in an unheated plastic greenhouse. *Agricultura Mediterranea* 129 (2-3) : 155-160.
- Chen XueJun, Fang Rong & Wan XinJian 1999 A preliminary report on the breeding of the early maturing hot pepper cultivar B9431. *China Vegetables* No. 1 : 37.
- Chitra T R, Prakash H S, Albrechtsen S E, Shetty H S & Mathur S B 1999 Infection of tomato and bell pepper by ToMV and TMV at different growth stages and establishment of virus in seeds. *Journal of Plant Pathology* 81 (2) : 123-126.
- Chitra T R, Prakash H S, Albrechtsen S E, Shetty H S & Mathur S B 1999 Seed transmission of mosaic viruses in tomato and bell pepper. *Tropical Science* 39 (2) : 80-84.
- Cruz L, Castaneda Hernandez G & Navarrete A 1999 Ingestion of chilli pepper (*Capsicum annuum*) reduces salicylate bioavailability after oral aspirin administration in the rat. *Canadian Journal of Physiology and Pharmacology* 77 (6) : 441-446.
- Damicone J P & Sutherland A J 1999 First report of pepper powdery mildew caused by *Leveillula taurica* in Oklahoma. *Plant Disease* 83 (11) : 1072.
- Deighton N, Muckenschnabel I, Goodman B A & Williamson 1999 Lipid peroxidation and the oxidative burst associated with infection of *Capsicum annuum* by *Botrytis cinerea*. *Plant Journal* 20 (4) : 485-492.
- Devi D S & Arumugam R 1999 Genetics of yield components in F1 generation of chillies (*Capsicum annuum* L.). *Crop Research (Hisar)* 18 (1) : 108-111.
- Devi D S & Arumugam R 1999 Genetic variability in F2 generation of chilli (*Capsicum annuum* L.). *Crop Research (Hisar)* 18 (1) : 112-114.
- Devi R K T & Singh N I 1999 Occurrence of anthracnose (*Colletotrichum gloeosporioides* Penz.) on chilli seedlings - a new report. *Plant Disease Research* 14 (1) : 78.

- Dhawan P & Rishi N 1999 Eco-friendly management of viral diseases of chilli by non-host barrier trap crops. *Capsicum and Eggplant Newsletter* No. 18:52-55.
- Diaz L, Vilorio de Z A & Arteaga de RL 1999 Vegetative growth of bell pepper in relation to plant density and age. *Bioagro* 11 (2) : 69-73.
- Dwivedi N K & Bhandari D C 1999 Collecting *Capsicum annuum* L. germplasm in Rajasthan, India. *Plant Genetic Resources Newsletter* No. 119 : 56-58.
- Egea C, Dickinson M J, Candela M & Candela M E 1999 Beta 1, 3 Glucanase isoenzymes and genes in resistant and susceptible pepper (*Capsicum annuum*) cultivars infected with *Phytophthora capsici*. *Physiologia Plantarum* 107 (3) : 312-318.
- Engelen J 1999 Pepper. Pepper cultivars : what does the consumer think? *Proeftuinnieuws* 9 (17) : 36-37.
- Essien J P, Odoemena C S & Essien E P 1999 Effect of traditional preservation on seedborne pathogens and seed viability of capsicum, okra and tomato. *Tropical Science* 39 (4) : 238-243.
- Estrada B, Diaz J, Merino F & Bernal M A 1999 The effect of seasonal changes on the pungency level of Padron pepper fruits. *Capsicum and Eggplant Newsletter* No. 18 : 28-31.
- Fallik E, Grinberg S, Alkalai S, Yekutieli O, Wiseblum A, Regev R, Beres H & Bar Lev E 1999 A unique rapid hot water treatment to improve storage quality of sweet pepper. *Postharvest Biology and Technology* 15 (1) : 25-32.
- Fan YanQin, Liu Yun & Guo Jing Yin 1999 'Jiyan No.4' a sweet pepper F1 hybrid produced by male sterility. *China Vegetables* No. 5 : 26-27.
- Fernandes H S, Nedel J L & Galli 1999 Use of seed vigor tests for detection of intracultivar variability in sweet pepper. *Pesquisa Agropecuaria Brasileira* 34 (9) : 1699-1703.
- Giridhar P & Reddy S M 1999 Mycoflora in relation to mycotoxins incidence in red pepper. *Advances in Plant Sciences* 12 (1) : 85-88.
- Gomboc S 1999 Pests of tomatoes, bell peppers and aubergines. *Sodobno Kmetijstvo* 32 (5) : 248-251.
- Gonzales Ponce R & Salas M L 1999 Differential utilization of nitrates by solanaceous species, crops (tomato and pepper) and weeds (black nightshade and thorn apple). *Journal of Horticultural Science and Biotechnology* 74 (2) : 254-258.
- Gonzalez Zamora J E & Gallardo J M 1999 Development and reproduction of *Bemisia tabaci* (Gennadius) (Homoptera : Aleyrodidae) on sweet pepper at three temperatures. *Boletin de Sanidad Vegetal (Plagas)* 25 (1) : 3-11.
- Gore J P & O' Garro L W 1999 *Xanthomonas campestris* pv. *vesicatoria* from bell pepper and tomato in Barbados undergoes changes in race structure, virulence and sensitivity to chemical control agents. *Journal of Phytopathology* 147 (7-8) : 397-402.
- Guerini M N & Murphy J F 1999 Resistance of *Capsicum annuum* 'Avelar' to pepper mottle potyvirus and alleviation of this resistance by co-infection with cucumber mosaic cucumovirus are associated with virus movement. *Journal of General Virology* 80 (10) : 2785-2792.
- Gutierrez C 1999 Evaluation of maize chilli intercrop for the management of *Anthonomus eugenii* in Nicaragua. *Manejo Integrado de Plagas* No. 54 : 73-77.
- Gutierrez L, Lacasa A, Sanchez J A & Contreras J 1999 Oviposition distribution of *Frankliniella occidentalis* (Pergande) (Thys : Thripidae) in sweet pepper plants. *Boletin de Sanidad Vegetal (Plagas)* 25 (1) : 31-39.
- Hirota O, Villavicencio E, Chikushi J, Takeuchi S & Nakano Y 1999 Effect of saline water irrigation at fruit maturity stage on transpiration rate and growth in sweet pepper (*Capsicum annuum*). *Journal of the Faculty of Agriculture, Kyushu University* 44 (1-2) : 39-47.

- Hristova D & Maneva S 1999 Effect of cucumber mosaic virus and broad bean wilt virus on pepper growth. Archives of Phytopathology and Plant Protection 32 (4) : 279-290.
- Hu ShiYou & Zhu Duan Wei 1999 Effects of a new type of mixed organic manure on the yield, quality and enzyme activity of chilli and tomato. Journal of Huazhong Agricultural University 18 (2) : 139-142.
- Huang FengLian, Liu ShouMing, Zeng DuangXiang, Luo HeRong & Xie BingYan 1999 Screening of *Phytophthora* blight resistance in Xiangyan capsicum varieties and its resistance mechanism. Journal of Hunan Agricultural University 25 (4) : 303-307.
- Jaren Galan M, Minguez & Mosquera M I 1999 Quantitative and qualitative changes associated with heat treatments in the carotenoid content of paprika oleoresins. Journal of Agricultural and Food Chemistry 47 (10) : 4379-4383.
- Jeyalakshmi C, Seetharaman K & Ebenezer E G 1999 Qualitative losses of chilli fruits due to infection by *Colletotrichum capsici* (Syd.) Butler and Bisby. Capsicum and Eggplant Newsletter No. 18 : 80-82.
- Joseph J & Savithri H S 1999 Determination of 3' - terminal nucleotide sequence of pepper vein banding virus RNA and expression of its coat protein in *Escherichia coli*. Archives of Virology 144 (9) : 1679-1687.
- Jung M Y, Bock J Y, Baik S O & Lee T K 1999 Effects of roasting on pyrazine contents and oxidative stability of red pepper seed oil prior to its extraction. Journal of Agricultural and Food Chemistry 47 (4) : 1700-1704.
- Kadlicsko S & Kovacs J 1999 Data on the resistance of pepper and bean cultivars to *Macrophomina phaseolina*. Acta Phytopathologica et Entomologica Hungarica 34 (3) : 219-224.
- Kadlicsko S, Kovacs J, Fischl G & Pinter C 1999 Examination of pepper and bean cultivars resistance to *Macrophomina phaseolina* pathogen fungus. Proceedings, 51st International Symposium on Crop Protection, Gent, Belgium, 4 May 1999. Part II 64 (3b) : 501-507.
- Kaul R K 1999 Establishment of callus induced root cultures of *Capsicum frutescens* and their response to *Meloidogyne incognita*. International Journal of Nematology 9 (1) : 95-98.
- Khan M R & Ghadirpour M H 1999 Effects of field application of fly ash on the growth and yield of chilli, eggplant and tomato in the presence and absence of root knot nematode. Zeitschrift für Pflanzenkrankheiten und Pflanzenschutz 106 (6) : 624-632.
- Khodke S W & Gahukar K B 1999 Amino acid spectra of rotted chilli fruits of cv. CA-960. PKV Research Journal 23 (1) : 56-57.
- Kim DalSoo, Park HyunCheol, Chun Samjae, Yu SeungHun, Choi KyongJu, Oh JeungHaing, Shin KwangHoon, Koh YoungJin, Kim ByungSup, Hahm YoungII & Chung BongKoo 1999 Field performance of a new fungicide ethaboxam against cucumber downy mildew, potato late blight and pepper *Phytophthora* blight in Korea. Plant Pathology Journal 15 (1) : 48-52.
- Kim HyunSuk, Jang KilSu, Choi DongJin, Pae DoHam, Cho JeoungLai & Kim Tak 1999 Effect of different mulching materials on the growth and yield of red pepper (*Capsicum annuum* L.) in early maturation culture under row cover. Journal of the Korean Society for Horticultural Science 40 (6) : 662-664.
- Kim HyunSuk, Pae DoHam, Choi DongJin, Jang KilSu, Cho JeoungLai & Kim Tak 1999 Growth, yield and quality of tunnel cultured red pepper (*Capsicum annuum* L.) as affected by plant spatial arrangement. Journal of the Korean Society for Horticultural Science 40 (6) : 657-661.
- Konate G & Traore O 1999 Characterization and distribution of pepper veinal mottle virus in West Africa. Cahiers Agricultures 8 (2) : 132-134.

- Krishnamurthy R, Malve M K & Shinde B M 1999 Evaluation of capsaicin content in red and green chillies. Journal of Scientific and Industrial Research 58 (8) : 629-630.
- Kulat S S 1999 Outbreak of aphids, *Aphis gossypii* Glover (Hemiptera:Aphididae) on chillies in Maharashtra. Insect Environment 5 (3) : 119.
- Kumar R, Rai N & Lakpale N 1999 Field reaction of some chilli genotypes for leaf curl virus in Chattisgarh region of India. Orissa Journal of Horticulture 27 (1) : 100-102.
- Lapage E & Hellemans F 1999 Sweet peppers. Yellow and red sweet peppers: Evaluation of cultivars. Proeftuinnieuws 9 (23) : 23-26.
- Lapage E & Hellemans F 1999 Sweet peppers. Preliminary results 1999: Current situation. Proeftuinnieuws 9 (17) : 5.
- Lee JungYeop, Kim BeomSeok, Lim SongWon, Lee ByungKook, Kim ChoongHoe & Kwang ByungKook 1999 Field control of *Phytophthora* blight of pepper plants with antagonistic rhizobacteria and DL-beta amino-n-butyric acid. Plant Pathology Journal 15 (4) : 217-222.
- Legesse G, Zelleke A & Bejiga G 1999 Character association and path analysis of yield and its components in hot pepper (*Capsicum annum* L.). Acta Agronomica Hungarica 47 (4) : 391-396.
- Lei H, Lenteren J C van & Tjallingii W F 1999 Analysis of resistance in tomato and sweet pepper against the greenhouse whitefly using electrically monitored and visually observed probing and feeding behaviour. Entomologia Experimentalis et Applicata 92 (3) : 299-309.
- Li SuPing, Fang NaiWu & Hu ShuanHong 1999 New sweet pepper F1 hybrids-Beixing No. 3 and Beixing No. 7. China Vegetables No. 4 : 26-28.
- Liu JinBing, Zhao HuaLun & Sun JieBo 1999 Studies on selection of restorer lines of cytoplasmic male sterility in hot (sweet) pepper. China Vegetables No. 6, 28.
- Loboda B P & Chuprikova O A 1999 An agroecological evaluation of growing media made from rock containing zeolites, with regard to greenhouse cultivation of sweet peppers. Agrokhimiya No. 2 : 67-72.
- Madrid R, Navarro F, Collados I, & Egea C 1999 Development of colour in red pepper fruits in soilless culture. Journal of Horticultural Science and Biotechnology 74 (2) : 175-180.
- Maneesha Aluru, Curry J O'Connell M A & Aluru M 1999 Plant gene register PGR 99-070. Nucleotide sequence of a defensin or gamma-thionin like gene (accession no. AF128239) from Habanero chile. Plant Physiology 120 (2) : 633.
- Manirakiza P, Covaci A & Schepens P 1999 Solid phase extraction and gas chromatography with mass spectrometric determination of capsaicin and some of its analogues from chili peppers (*Capsicum* spp.). Journal of AOAC International 82 (6) : 1399-1405.
- Marque J M, Souza N L de & Kobori R F 1999 Identification of mating types of isolates of *Phytophthora capsici* obtained from sweet pepper (*Capsicum annuum*) and squash (*Cucurbita moschata*). Summa Phytopathologica 25 (3) : 269-271.
- Marshall D E & Brook R C 1999 Reducing bell pepper bruising during postharvest handling. Hort Technology 9 (2) : 254-258.
- Milevoj L 1999 Biological control in aubergine, bell pepper and tomato. Sodobno Kmetijstvo 32 (5) : 252-255.
- Mtambo M M A, Mushi E J, Kinabo L D B, Maeda Machang'u A, Mwamengele G L M, Yongolo M G S & Temu R P C 1999 Evaluation of the efficacy of the crude extracts of *Capsicum frutescens*, citrus lemon and *Opuntia vulgaris* against Newcastle disease in domestic fowl in Tanzania. Journal of Ethnopharmacology 68 (1-3) : 55-61.

- Nakamura Y, Suganuma E, Matsuo T, Okamoto S, Sato K & Ohtsuki K 1999 2, 4-nonadienal and benzaldehyde bioantimutagens in fushimi sweet pepper (Fushimi-Togarashi). *Journal of Agricultural and Food Chemistry* 47 (2) : 544-549.
- Nawalagatti C M, Chetti M B & Hiremath S M 1999 Evaluation of chilli (*Capsicum annuum* L.) genotypes for quality parameters. *Crop Research (Hisar)* 18 (2) : 218-221.
- Nayeema Jabeen, Ahmed N & Tanki M I 1999 Genetic variability in hot pepper (*Capsicum annuum* L.). *Applied Biological Research* 1 (1) : 87-89.
- Ngo H & Bright J 1999 Gross margin for capsicum in the Katherine region (Northern Territory, Australia). *Agnote Darwin No.* 777 : 6.
- Nikolov N 1999 Effect of nitrogen fertilization of peppers on the development of *Agrotis exclamationis* and *Amathes nigrum* (Lepidoptera : Noctuidae). *Rasteniye dni Nauki* 36 (7) : 405-407.
- Nikolov N & Stoyanova I 1999 Some phenological features of European corn borer, *Ostrinia nubilalis* Hb., in fields of pepper, *Capsicum annuum*. *Rasteniye dni Nauki* 36 (7) : 408-412.
- Ogorelec A 1999 Capsicum pepper production in Dolenjska and Bela Krajina. *Sodobno Kmetijstvo* 32 (5) : 222-223.
- Oliveira V R, Casali V W D, Pereira P R G, Cruz C D & Pires N de M 1999 Genotype tolerance of sweet pepper to low phosphorus content in soil. *Bragantia* 58 (1) : 125-139.
- Olsen J K, Schaefer J T, Edwards D G, Hunter M N, Galea V J & Muller L M 1999 Effects of a network of mycorrhizae on capsicum (*Capsicum annuum* L.) grown in the field with five rates of applied phosphorus. *Australian Journal of Agricultural Research* 50 (2) : 239-252.
- Osvald J, Petrovic N, Demsar J, Kodric V, Zveplan J & Pustovrh D 1999 Hydroponically and soil grown tomato, bell pepper and aubergine. *Sodobno Kmetijstvo* 32 (5) : 236-240.
- Ou B J, Kim K D & Kim Y S 1999 Effect of cuticular wax layers of green and red pepper fruits on infection by *Colletotrichum gloeosporioides*. *Journal of Phytopathology* 147 (9) : 547-552.
- Park SeonHee, Bae DongWon, Lee JoonTaek, Chung Sungok & Kim HeeKyu 1999 Integration of biological and chemical methods for the control of pepper grey mould rot under commercial greenhouse conditions. *Plant Pathology Journal* 15 (3) : 162-167.
- Park SeonHee, Lee JoonTaek, Chung Sungok & Kim HeeKyu 1999 Forecasting the pepper grey mould rot to predict the initial infection by *Botrytis cinerea* in greenhouse conditions. *Plant Pathology Journal* 15 (3) : 158-161.
- Park WonMok, Lee GungPyo, Ryu KiHyun & Park Kuen Woo 1999 Transmission of tobacco mosaic virus in recirculating hydroponic system. *Scientia Horticultureae* 79 (3-4) : 217-226.
- Peixoto J R, Maluf W R & Campos V P 1999 Evaluation of lines, F1 hybrids and cultivars of sweet pepper for resistance to *Meloidogyne* spp. *Pesquisa Agropecuaria Brasileira* 34 (12) : 2259-2265.
- Peixoto J R, Ramos R de S, Faria Junior B, Silva C M da & Angelis B de 1999 Genotypic evaluation of sweet pepper in the winter season in Araguari, MG, Brazil. *Pesquisa Agropecuaria Brasileira* 34 (10) : 1865-1869.
- Pernezny K, Collins J, Stall R E, Shuler K & Datnoff L E 1999 A serious outbreak of race 6 of *Xanthomonas campestris* pv. *vesicatoria* on pepper in Southern Florida. *Plant Disease* 83 (1) : 79.
- Pflieger S, Lefebvre V, Caranta C, Blattes A, Goffinet B & Paloix A 1999 Disease resistance gene analogs as candidates for QTLs involved in pepper pathogen interactions. *Genome* 42 (6) : 1100-1110.
- Phulari S S & Dixit G B 1999 Cytogenetical studies in Capsicum. II- Meiotic studies in parental varieties and crosses of *Capsicum*. *Advances in Plant Sciences* 12 (2) : 325-332.

- Pinaki Acharyya 1999 Screening of chilli germplasm against strains of cucumber mosaic virus. *Environment and Ecology* 17 (2) : 484-487.
- Pornprom T & Pyon JongYeong 1999 Primisulfuron tolerant pepper : a biochemical basis of tolerance. *Kasetsart Journal Natural Sciences* 33 (2) : 178-184.
- Pundir J P S & Porwal R 1999 Effect of spacings and fertilizers on growth, yield and physical fruit quality of chilli (*Capsicum annuum* L.) cultivars. *Journal of Spices and Aromatic Crops* 8 (1) : 23-27.
- Qu XiangYong 1999 Effects of marigold petal and paprika extract on colour of eggs. *Chinese Journal of Animal Science* 35 (2) : 29-31.
- Rasulov A T 1999 Promising sweet pepper hybrids for growing on rockwool. *Kartofel' i Ovoshchi* No. 6, 23.
- Reina J, Morilla G & Bejarano E R 1999 First report of *Capsicum annuum* plants infected by tomato yellow leaf curl virus. *Plant Disease* 83 (12) : 1176.
- Rethinaraja R & Narayanasamy P 1999 Kaandhari chilli *Capsicum frutescens* L. : a potential pesticidal plant. *Insect Environment* 5 (3) : 116-117.
- Richter C, Heiligtag B, Nagieb M & Mukhallalati U 1999 The effects of salinity on growth and ion content of chickpea (*Cicer arietinum* L.), eggfruit (*Solanum melongena* L.) and red pepper (*Capsicum annuum* L.) varieties. *Tropenlandwirt* 100 (1) : 3-16.
- Roggero P, Melani V, Ciuffo M, Tavella L, Tedeschi R & Stravate V M 1999 Two field isolates of tomato spotted wilt tospovirus overcome the hypersensitive response of a pepper (*Capsicum annuum*) hybrid with resistance introgressed from *C. chinense* P1152225. *Plant Disease* 83 (10) : 965.
- Russo V M 1999 Rate of NPK and yield of red and green fruit of pungent and non pungent peppers. *Journal of Vegetable Crop Production* 5 (2) : 59-66.
- Sahin F, Kotan R, Gergon E & Miller S A 1999 First observation of *Xanthomonas campestris* pv. *vesicatoria* race T2P7 isolated from pepper in the Philippines. *Plant Disease* 83 (6) : 590.
- Sainato C, Landini A, Landini M, Mascarini L & Bottini L 1999 Heating requirements of greenhouse grown tomato and pepper in different areas of the Pampa Humeda, Argentina. *Agricultura Tecnica Santiago* 59 (1) : 55-66.
- Sampaio T G, Sampaio N V & Duran J M 1999 Respiratory activity during germination of osmotically preconditioned and coated pepper (*Capsicum annuum* L.) seeds. *Revista Cientifica Rural* 4 (1) : 1-7.
- Schuelter A R, Casali V W D & Finger F L 1999 Inheritance of malate dehydrogenase in wild pepper. *Bragantia* 58 (1) : 1-6.
- Scivittaro W B, de Melo A M T A, Tavares M, Azevedo Filho J A de, Carvalho C R L & Ramos M T B 1999 Characteristics of sweet pepper hybrids obtained under protected cultivation. *Horticultura Brasileira* 17 (2) : 147-150.
- Shantha T 1999 Critical evaluation of methods available for the estimation of aflatoxin B1 in chilli powder. *Journal of Food Science and Technology, Mysore* 36 (2) : 163-165.
- Sharma D P 1999 Productivity of some vegetable crops as intercrop with mango plantation. *Advances in Horticulture and Forestry* 6 : 31-33.
- Sharma D P 1999 Effect of intercropping and cultural practices on yield and economics of newly planted mango. *Advances in Plant Science* 12 (2) : 337-340.
- Sharma N, Kohli U K & Sinha B N 1999 Effect of NAA on bell pepper. *Journal of Hill Research* 12 (1) : 74-76.

- Sharma Y K & Thakore B B L 1999 Control of die back of chillies with iprobenfos and its residues. *Journal of Mycology and Plant Pathology* 29 (3) : 294-298.
- Shih Y C, Tsao S J, Tseng M C & Chen C C 1999 Effect of seedling age on dry matter and nitrogen content of transplanted chili pepper 'Everflavor' (*Capsicum annuum* L.). *Journal of the Chinese Society for Horticultural Science* 45 (3) : 263-272.
- Silva M A G da, Boaretto A E, Melo A M T de, Fernandes H M G & Scivittaro W B 1999 Yield and quality of sweet pepper fruits grown in protected cultivation in relation to nitrogen and potassium applied as side dressings. *Scientia Agricola* 56 (4Supl.) : 1199-1207.
- Singh D K, Gulshan Lan, Jain S K & Lal G 1999 Evaluation of chilli cultivars during spring-summer season in Himalayan foots of Uttar Pradesh. *Scientific Horticulture* 6 : 117-120.
- Singh S S & Sharma R K 1999 Control trial on chilli mosaic virus after inhibiting their infectivity by leaf juices of some angiospermic plants. *Journal of Living World* 6 (2) : 18-21.
- Singh S S & Singh C A K 1999 Vector virus relationship of chilli mosaic virus with *Myzus persicae* Shulz in chilli. *Journal of Living World* 6 (2) : 22-30.
- Smith R F, Koike S T, Davis M, Subbarao K & Laemmlen F 1999 Several fungicides control powdery mildew in peppers. *California Agriculture* 53 (6) : 40-43.
- Soler S, Diez M J, Rosello S & Nuez F 1999 Movement and distribution of tomato spotted wilt virus resistant and susceptible accessions of *Capsicum* spp. *Canadian Journal of Plant Pathology* 21 (4) : 317-325.
- Sterner R T, Hollenbeck K A & Shumake S A 1999 Capsicum laden soils decrease contact time by northern pocket gophers. *Physiology and Behavior* 67 (3) : 455-458.
- Sudha T, Nanjappa H V, Shashikant & Udikeri S 1999 Soil solarization for weed control in chilli and capsicum nursery. *Crop Research (Hisar)* 17 (3) : 356-362.
- Suganuma H, Hirano T & Inakuma T 1999 Amelioratory effect of dietary ingestion with red bell pepper on learning impairment in senescence accelerated mice. *Journal of Nutritional Science and Vitaminology* 45 (1) : 143-149.
- Sui XiaoLei, Jiang JianZhen, Wang ZhiYuan & Zhu YuJie 1999 Effect of low light intensity on photosynthetic characteristics of different sweet pepper cultivars. *Acta Horticulturae Sinica* 26 (5) : 314-318.
- Sulinam M E, Bardin M, Daubeze A M, Mohamed Y F & Nicot P 1999 Agressiveness of *Leveillula taurica* on pepper. *Capsicum and Eggplant Newsletter* No. 18, 83-86.
- Sun FuZai, Du ZhiQiang, Jiao ZhiLiang, Zhao TingChang & ChengBoYing 1999 Pathogen and race identification of bacterial spot of pepper and tomato. *Acta Phytopathologica Sinica* 29 (3) : 265-269.
- Sun XiaoYong & Wang ZhiYuan 1999 Cytological studies on microsporogenesis of nuclear male sterility of pepper (*Capsicum annuum* L.). *Journal of China Agricultural University* 4 : 26-29.
- Tadesse T, Nichols M A & Fisher K J 1999 Nutrient conductivity effects on sweet pepper plants grown using a nutrient film technique. 1. Yield and fruit quality. *New Zealand Journal of Crop and Horticultural Science* 27 (3) : 229-237.
- Tadesse T, Nichols M A & Fisher K J 1999 Nutrient conductivity effects on sweet pepper plants grown using a nutrient film technique. 2. Blossom end rot and fruit mineral status. *New Zealand Journal of Crop and Horticultural Science* 27 (3) : 239-247.
- Tai T, Dahlbeck D, Stall R E, Peleman J & Staskawics B J 1999 High resolution genetic and physical mapping of the region containing the Bs2 resistance gene of pepper. *Theoretical and Applied Genetics* 99 (7-8) : 1201-1206.

- Tai T H, Dahlbeck D, Clark E T, Gajiwala P, Pasion R, Whalen M C, Stall R E & Staskawicz B J 1999 Expression of the Bs2 pepper gene confers resistance to bacterial spot disease in tomato. *Proceedings of the National Academy of Science of the United States of America* 96 (24) : 14153-14158.
- Takeuchi S, Hikichi Y, Kawada Y & Okuno T 1999 Direct immunostaining assay, a new simplified technique for detection of tobamoviruses from seeds of green pepper (*Capsicum annuum* L.). *Annals of the Phytopathological Society of Japan* 65 (2) : 189-191.
- Tavares M, Melo A M T de & Scivittaro W B 1999 Direct and indirect effects and canonical correlations of agronomic traits on sweet pepper yield. *Bragantia* 58 (1) : 41-47.
- Tewksbury J J, Nabhan G P, Norman D, Suzan H, Tuxill J & Donovan J 1999 In situ conservation of wild chiles and their biotic associates. *Conservation Biology* 13 (1) : 98-107.
- Thakur P S, Thakur A & Kanaujia S P 1999 Growth and water relations in bell pepper (*Capsicum annuum*) varieties under water stress. *Annals of Agricultural Research* 20 (3) : 331-334.
- Todorova V, Pevicharova G & Todorov Y 1999 Total pigment content in red pepper cultivars for grinding. *Capsicum and Eggplant Newsletter* No. 18 : 25-27.
- Tzortzakakis E A, Blok V C, Phillips M S & Trudgill D L 1999 Variation in root-knot nematode (*Meloidogyne* spp.) in Crete in relation to control with resistant tomato and pepper. *Nematology* 1 (5) : 499-506.
- Ukey S P, Naitam N R & Patil M J 1999 Determination of economic threshold level of mites on chilli crop. *Journal of Soils and Crops* 9 (2) : 268-270.
- Usha Bhale, Bhale M S & Khare M N 1999 Efficacy of methods in detection of *Alternaria alternata* on chilli seeds. *Journal of Mycology and Plant Pathology* 29 (1) : 125-126.
- Velesco Velasco V A, Alcantar Gonzalez G, Sanchez Garcia P, Zavaleta Mejia E, Cardenas Sorian E, Rodriguez Montessoro & Martinez Garz A 1999 Concentration and distribution of tobacco etch virus in jalapeno chili pepper (*Capsicum annuum* L.) with three levels of fertilization. *Fitopatologia* 34 (3) : 133-139.
- Velasquez Valle R & Valle Garcia P 1999 First report of powdery mildew of pepper in North Central Mexico. *Plant Disease* 83 (3) : 302.
- Verma S K, Pant K C, Muneem K C & Arya R R 1999 Evaluation and utilization of chillies (*Capsicum* sp.) germplasm in U P hills. *Scientific Horticulture* 6 : 111-115.
- Vicentini N M, Castro T M R de & Cereda M P 1999 Influence of cassava starch films on the postharvest quality of red peppers (*Capsicum annuum* L.). *Ciencia e Tecnologia de Alimentos* 19 (1) : 127-130.
- Vicentini N M, Cereda M P & Camara F L de A 1999 Cassava starch coating, weight loss and colour alteration of red pepper. *Scientia Agricola* 56 (3) : 713-716.
- Vidic I 1999 Pepper production. *Sodobno Kmetijstvo* 32 (5) : 232-234.
- Walid Qawasmi, Mohammad M J, Husam Najim & Remon Qubursi 1999 Response of bell pepper grown inside plastic houses to nitrogen fertigation. *Communications in Soil Science and Plant Analysis* 30 (17-18) : 2499-2509.
- Wang HePing, Gurusinghe P de A & Falk B W 1999 Systemic insecticides and plant age affect beet curly top virus transmission to selected host plants. *Plant Disease* 83 (4) : 351-355.
- Weathers R M, Beckholt D A, Lavella A L & Danielson N D 1999 Comparison of acetals as in situ modifiers for the supercritical fluid extraction of beta-carotene from paprika with carbon dioxide. *Journal of Liquid Chromatography and Related Technologies* 22 (2) : 241-252.
- Wu CaiJun, Fan ShuYing & Luo GanFen, 1999 A study on maintaining and improving the vigour of pepper seeds. *Acta Agriculturae Universitatis Jiangxiensis* 21 (4) : 505-508.

- Xie Bing, Wang ZhiYuan & Jiang JianZhen 1999 Biochemical characteristics of the stages of microsporogenesis of genic male sterile pepper. *Journal of China Agricultural University* 4 (5) : 103-106.
- Xie JinHui, Cardenas E S, Sammis T W, Wall M M, Lindsey D L, Murray L W & Xie J H 1999 Effects of irrigation method on chile pepper yield and *Phytophthora* root rot incidence. *Agricultural Water Management* 42 (2) : 127-142.
- Yadav B D & Mathur B N 1999 Assessment of yield losses due to root knot nematode, *Meloidogyne incognita* in green chillies in India. *Annals of Plant Protection Sciences* 7 (1) : 71-74.
- Yoshioka M, St Pierre S, Drapeau V, Dionne I, Doucet E, Suzuki M & Tremblay A 1999 Effects of red pepper on appetite and energy intake. *British Journal of Nutrition* 82 (2) : 115-123.
- Zhang Min, Li ChunLi & Ding XiaoLin 1999 Effects of drying conditions on selenium contents in some selenium enriched vegetables. *International Agricultural Engineering Journal* 8 (4) : 197-211.
- Zhang Z B 1999 Effect of different pruning methods on biomass production and distribution and yield fluctuation of greenhouse sweet pepper. *China Vegetables* No. 6 : 14-18.
- Znidarcic D & Osvald J 1999 The influence of plant density and covering on yield of bell peppers (*Capsicum annuum* L.). *Zbornik Biotehniske Fakultete Univerze v Ljubljani Kmetijstvo* No. 73 : 59-64.
- Zou XueXiao, Zhou QunChu & Dai XiongZe 1999 'Xiangganjiao No. 1, (Xiangjia No. 3) a new chilli cultivar for drying. *China Vegetables* No. 5 : 24-26.

Cinnamon (*Cinnamomum* spp.)

- Benito V de, Alzaga R & de Benito V 1999 Occupational allergic contact dermatitis from cassia (Chinese cinnamon) as a flavouring agent in coffee. *Contact Dermatitis* 40 (3) : 165.
- Fu ChuenHsu & Chang TunTschu 1999 Anthracnose of cinnamon. *Taiwan Journal of Forest Science* 14 (4) : 513-515.
- Mancini D A P, Dias A L F, Pinto J R & Mancini Filho J 1999 Antioxidant aqueous extract from cinnamon (*Cinnamomum zeylanicum* Blume) as inhibitors of influenza virus. *Revista Brasileira de Ciencias Farmaceuticas* 35 (1) : 155-160.
- Mina Tabak, Armon R & Ishak Neem 1999 Cinnamon extracts' inhibitory effect on *Helicobacter pylori*. *Journal of Ethnopharmacology* 67 (3) : 269-277.
- Onderoglu S, Sozer S, Erbil K M, Ortac R & Lermioglu F 1999 The evaluation of long term effects of cinnamon bark and olive leaf on toxicity induced by streptozotocin administration to rats. *Journal of Pharmacy and Pharmacology* 51 (11) : 1305-1312.

Clove (*Syzgium aromaticum*) (L.) Merr. et Perry)

- Rovio S, Hartonen K, Holm Y, Hiltunen R & Riekkola M L 1999 Extraction of clove using pressurized hot water. *Flavour and Fragrance Journal* 14 (6) : 399-404.
- Sanchez Perez J & Garcia Diez A 1999 Occupational allergic contact dermatitis from eugenol, oil of cinnamon and oil of cloves in a physiotherapist. *Contact Dermatitis* 41 (6) : 346-347.

Coriander (*Coriandrum sativum* L.)

- Ali S A, Saraf R K & Pathak R K 1999 Efficacy of fungicides in controlling powdery mildew of coriander (*Coriandrum sativum* L.). *Journal of Soils and Crops* 9 (2) : 266-267.
- Desai V R, Sabale R N & Raundal P U 1999 Integrated nitrogen management in wheat coriander cropping system. *Journal of Maharashtra Agricultural Universities* 24 (3) : 273-275.

- Gil A, Fuente E de la, Lenardis A' Lorenzo S, Marengo J & de la Fuente E 1999 Coriander (*Coriandrum sativum* L.) yield response to plant populations. *Journal of Herbs, Spices and Medicinal Plants* 6 (3) : 63-73.
- Gomez E, Labarca J, Guerrero M, Marin M & Bracho B 1999 Postharvest performance of coriander (*Coriandrum sativum* L.) under refrigeration. *Revista de la Facultad de Agronomia, Universidad del Zulia* 16 (Suppl) : 146-150.
- Kalra A, Patra N K, Singh H P, Singh H B, Mengi N, Naqvi A A, Sushil Kumar & Kumar S 1999 Evaluation of coriander (*Coriandrum sativum*) collection for essential oil. *Indian Journal of Agricultural sciences* 69 (9) : 657-659.
- Lakra B S 1999 Assessment of losses due to stem gall in coriander. *Plant Disease Research* 14 (1) : 85-87.
- Lima M F, Avila AC de, Wanderley L J da G Jr., Nagata T & Gama L J W da 1999 Coriander : a new natural host of groundnut ring spot virus in Brazil. *Plant Disease* 83 (9) : 878.
- Madia M, Gaetan S & Reyna S 1999 Wilt and crown rot of coriander caused by a complex of *Fusarium* species in Argentina. *Fitopatologia* 34 (3) : 155-159.
- Morales Payan J P, Santos B M, Stall W M & Bewick T A 1999 Influence of nitrogen fertilization on the competitive interactions of cilantro (*Coriandrum sativum*) and purple nutsedge (*Cyperus rotundus*). *Journal of Herbs, Spices and Medicinal Plants* 6 (4) : 59-66.
- Paschenko L P, Argunov M N & Tareyeva I M 1999 Toxicological evaluation of new product from coriander cake. *Voprosy Pitaniya* No. 4 : 45-48.
- Pino J A & Borges P 1999 Volatile components of spices. VII. Coriander. *Alimentaria* No. 301 : 75-78.
- Rohricht C, Manicke S & Kohler A 1999 Effect of soil and fertilizer on coriander (*Coriandrum sativum* L.). *Zeitschrift fur Arznei and Gewurzpflanzen* 4 (2) : 75-78.
- Sengupta K & Datta A K 1999 Mutagenic effectiveness and efficiency of gamma rays and EMS in coriander (*Coriandrum sativum* L.). *Journal of Hill Research* 12 (2) : 119-121.
- Subramanya S, Ramakumar M V, Babu C K & Ranganna B 1999 Microwave disinfestations of coriander grains. *Current Research, University of Agricultural Sciences Bangalore* 28 (1-2) : 18-20.
- Weber N, Kiewitt I & Mukherjee K D 1999 Modulation of brain lipids of rats by various dietary oils : sunflower, high-oleic sunflower, olive, rapeseed or coriander oil. *Nutrition Research* 19 (7) : 997-1007.
- Yadav R K 1999 Variability in a collection of coriander (*Coriandrum sativum* L.) germplasm. *Journal of Spices and Aromatic Crops* 8 (1) : 99.

Curry leaf (*Murraya koenigii* L.)

- Mallavarapu G R, Ramesh S, Syamasundar K V & Chandrasekhara R S 1999 Composition of Indian curry leaf oil. *Journal of Essential Oil Research* 11 (2) : 176-178.
- Mathew K M, Rao Y S, Kumar K P, Sallykutty J, Lakshmanan R & Madhusoodanan K J 1999 Micropropagation of curry leaf (*Murraya koenigii* L.). *Journal of Spices and Aromatic Crops* 8 (1) : 77-79.

Fennel (*Foeniculum vulgare* Miller)

- Bellomaria B, Valentini G & Arnold N 1999 The essential oil of *Foeniculum vulgare* Mill. ssp. *vulgare*. *Rivista Italiana EPPOS* No. 27 : 43-49.
- Benoit F & Ceustermans N 1999 Spring cultivation of fennel under plastic tunnels and direct cover. *Proeftuinnieuws* 9 (3) : 45.

- El Kassas H I 1999 Lead, cadmium and nickel released from different fertilizers and their implication on fennel plants grown in sandy soils. *Egyptian Journal of Soil Science* 39 (3) : 337-349.
- Haddad C R B & Mazzafera P 1999 Sodium chloride induced leaf senescence in *Hydrocotyle bonariensis* Lam. and *Foeniculum vulgare* L. *Brazilian Archives of Biology and Technology* 42 (2) : 161-167.
- Khan M M A, Azam Z M & Samiullah 1999 Changes in the essential oil constituents of fennel (*Foeniculum vulgare*) as influenced by soil and foliar levels of N and P. *Canadian Journal of Plant Science* 79 (4) : 587-591.
- Kiefl B & Franz G 1999 Investigation of the stability of sage leaves and fennel fruits. *Pharmazie* 54 (5) : 385-394.
- Miraldi E 1999 Comparison of the essential oils from ten *Foeniculum vulgare* Miller samples of fruits of different origin. *Flavour and Fragrance Journal* 14 (6) : 379-382.
- Rooster L de, Spiessens K & de Rooster L 1999 Florence fennel. Cultivar trials 1999 : Goal and Match are the best. *Proeftuinnieuws* 9 (23) : 10.
- Santamaria P, Elia A, Serio F, Gonnella M & Parente A 1999 Comparison between nitrate and ammonium nutrition in fennel, celery, and Swiss chard. *Journal of Plant Nutrition* 22 (7) : 1091-1106.
- Vanparys L 1999 Spring cultivation of fennel. Match, Argo and Zefa Fino are good. *Proeftuinnieuws* 9 (1) : 29-30.
- Vanparys L 1999 Fennel. Summer cultivation of fennel : Atos, Heracles, Goal and Match are the leaders! *Proeftuinnieuws* 9 (5) : 21-22.
- Vanparys L 1999 Fennel. Spring cultivation of fennel : Match is the best! *Proeftuinnieuws* 9 (13) : 13-14.
- Vanparys L 1999 Fennel. Summer cultivation : Goal, Rondo and Match have good results! *Proeftuinnieuws* 9 (18) : 29-30.
- Vanparys L 1999 Cultivar trial with fennel for early cultivation. Mededeling Provinciaal Onderzoek en Voorlichtingscentrum voor Land en Tuinbouw, Beitem Roeselare No. 405, 4 pp.
- Zhu M, Wong P Y K & Li R C 1999 Effect of oral administration of fennel (*Foeniculum vulgare*) on ciprofloxacin absorption and disposition in the rat. *Journal of Pharmacy and Pharmacology* 51 (12) : 1391-1396.

Fenugreek (*Trigonella foenum - graecum* L.)

- Abdelgani M E, Elsheikh E A E & Mukhtar N O 1999 The effect of *Rhizobium* inoculation and chemical fertilization on seed quality of fenugreek. *Food Chemistry* 64 (3) : 289-293.
- Al Khaldi S F, Martin S A & Prakash L 1999 Fermentation of fenugreek fiber, psyllium husk, and wheat bran by bacteriodes ovatus V975. *Current Microbiology* 39 (4) : 231-232.
- Al Shaikh M A, Al Mufarrej S I & Mogawer H H 1999 Effect of fenugreek seeds (*Trigonella foenum-graecum* L.) on lactational performance of dairy goat. *Journal of Applied Research* 16 (2) : 177-183.
- Chaudhary G R 1999 Response of fenugreek (*Trigonella foenum-graecum* L.) to seed rate and fertilizer application. *Indian Journal of Agronomy* 44 (2) : 427-429.
- Chaudhary G R 1999 Response of fenugreek (*Trigonella foenum-graecum* L.) to N, P and *Rhizobium* inoculation. *Indian Journal of Agronomy* 44 (2) : 424-426.
- El Nor S A H A 1999 Influence of fenugreek seeds as a galactagogue on milk yield, milk composition and different blood biochemical of lactating buffaloes during midlactation. *Egyptian Journal of Dairy Science* 27 (2) : 231-238.

- El Tayeb M A, Ahmed A M, Ismail A M & Hamed S T 1999 Response of seeds of *Cicer arietinum*, *Lens culinaris* and *Trigonella foenum-graecum* to the interactive effect of salinity and thiamine or ascorbic acid. *Acta Agronomica Hungarica* 47 (3) : 265-275.
- Giridhar P & Reddy S M 1999 Studies on mycotoxigenic fungi associated with fenugreek. *Advances in Plant Sciences* 12 (1) : 249-254.
- Kumari B D R, Settu A & Ramadhas T K A 1999 Studies on some morpho-physiological characters in fenugreek (*Trigonella foenum-graecum* L.) to moisture stress. *Advances in Plant Sciences* 12 (1) : 171-176.
- Makai S, Balatincz J & Pocza V 1999 Examinations on biology of germination of the fenugreek (*Trigonella foenum-graecum* L.). *Acta Agronomica Ovariensis* 41 (1) : 27-36.
- Mathur V L, Ladu Lal & Lal L 1999 Association analysis under saline conditions in fenugreek (*Trigonella foenum-graecum* L.). *Indian Journal of Agricultural Research* 33 (4) : 227-232.
- McCormick K M & Hollaway G J 1999 First report of bacterial blight in fenugreek (*Trigonella foenum-graecum* L.) caused by *Pseudomonas syringae* pv *syringae*. *Australasian Plant Pathology* 28 (4) : 338.
- Ortuno A, Oncina R, Botia J M & Rio J A del 1999 Regulation of the diosgenin expression in *Trigonella foenum-graecum* plants by different plant growth regulators. *Food Chemistry* 65 (2) : 227-232.
- Pandita V K, Nagarajan S & Sharma D 1999 Reducing hard seededness in fenugreek by scarification technique. *Seed Science and Technology* 27 (2) : 627-631.
- Santosh T R, Sreekala M & Lalitha K 1999 Oxidative stress during selenium deficiency in seedlings of *Trigonella foenum-graecum* and mitigation by mimosine. Part II. Glutathione metabolism. *Biological Trace Element Research* 70 (3) : 209-222.
- Sheoran R S, Pannu R K & Sharma H C 1999 Influence of sowing time and phosphorus fertilization on yield attributes and yield of fenugreek (*Trigonella foenum - graecum* L.) genotypes. *Indian Journal of Arecanut, Spices and Medicinal Plants* 1 (1) : 15-18.
- Sheoran R S, Sharma H C, Ram Niwas & Pannu R K 1999 Thermal efficiency of fenugreek (*Trigonella foenum-graecum*) genotypes under different sowing environments and phosphorus levels. *Indian of Agricultural Sciences* 69 (12) : 830-832.
- Som Prakash & Saharan G S 1999 Sources of resistance to downy and powdery mildews of fenugreek. *Journal of Mycology and Plant Pathology* 29 (3) : 383-384.
- Sreekala M, Santosh T R & Lalitha K 1999 Oxidative stress during selenium deficiency in seedlings of *Trigonella foenum-graecum* and mitigation by mimosine. Part I. Hydroperoxide metabolism. *Biological Trace Element Research* 70 (3) : 193-207.

Garcinia (*Garcinia* spp.)

- Nasu Y 1999 A new species of *Heleanna* (Lepidoptera : Tortricidae) injurious to *Garcinia subelliptica* (Guttiferae) in the Ryukyus, Japan. *Applied Entomology and Zoology* 34 (1) : 105-111.
- Turner I M & Stevens P F 1999 The transfer of *Tripetalum cymosum* K. Schum. (Guttiferae) to *Garcinia*. *Gardens Bulletin (Singapore)* 51 (2) : 175-177.

Garlic (*Allium sativum* L.)

- Abu Awwad A M 1999 Using drainage water in irrigation and its effect on garlic production. *Dirasat Agricultural Sciences* 26 (2) : 257-267.
- Auger J, Cadoux F & Thibout E 1999 *Allium* spp. thiosulfinates as substitute fumigants for methyl bromide. *Pesticide Science* 55 (2) : 200-202.
- Baba M, Takasuka N, Onozuka M, Masuda M, Murakoshi M, Sugimoto H, Satomi Y, Tokuda H, Okuyama T & Nishino H 1999 Antitumor promoting activity of diallyl pentasulfide; a constituent of garlic. *Journal of Traditional Medicines* 16 (3) : 102-107.

- Basallote Ureba M J, Prados Ligeró A M & Melero Vara J M 1999 Aetiology of leaf spot of garlic and onion caused by *Stemphylium vesicarium* in Spain. *Plant Pathology* 48 (1) : 139-145.
- Becker W F 1999 The effect of abamectin on garlic infected by *Ditylenchus dipsaci*. *Nematologia Brasileira* 23 (2) : 1-8.
- Bianchin I, Gomes A, Dias Feijo G L & Camargos Vaz E 1999 Effectiveness of garlic (*Allium sativum* L.) powder in the control of cattle parasites. *Boletim de Pesquisa EMPRAPA Gado de Corte* No. 8, 30 pp.
- Bottcher H 1999 Influence of harvest date on the postharvest responses of *Allium* vegetable species. *Gartenbauwissenschaft* 64 (5) : 220-226.
- Budai C, Kiss F & Regos A 1999 Plant protection of garlic. *Novenyvedelem* 35 (4) : 153-158.
- Camargo Filho W P de, Mazzei A R & Alves H S 1999 Competition from China and Argentina on the Brazilian markets for garlic. *Informacoes Economicas Instituto de Economia Agricola* 29 (10) : 63-70.
- Chang WooSeok, Kim HongTae, Jin TaeWon, Chang HyeSook, Chang InHo, Chang KwangHo, Kim YoungHong, Yamato O, Maede Y & Lee KeunWoo 1999 Garlic induced hematologic effects in small dogs. *Korean Journal of Veterinary Clinical Medicine* 16 (2) : 276-280.
- Chung JingGung 1999 Effects of garlic components diallyl sulfide and diallyl disulfide on arylamine N-acetyltransferase activity in human bladder tumor cells. *Drug and Chemical Toxicology* 22 (2) : 343-358.
- Conci V C, Helguera M & Nome S F 1999 Serological and biological comparison of onion yellow dwarf virus from onion and garlic in Argentina. *Brasileira* 24 (1) : 73-75.
- D' Anna F, Vetrano F, Palazzolo E & Panno M 1999 Garlic in Sicily : Effects of planting date and harvesting date on essential oil content. *Colture Protette* 28 (10) : 63-69.
- Daniels J 1999 Occurrence of viruses in garlic in the state of Rio Grande do Sul, Brazil. *Fitopatologia Brasileira* 24 (1) : 91.
- Dotless I, Nam R & Somer G 1999 Determination of selenium in garlic by cathodic stripping voltammetry. *Food Chemistry* 66 (3) : 381-385.
- Doucet M E 1999 Soil nematodes reported in association with garlic in Argentina. *Nematologia Mediterranea* 27 (2) : 215-219.
- Fatani A E, Al Bowait Me & Homeida A G M 1999 Efficacy of garlic (*Allium sativum*) against *Cryptosporidium baileyi* infection in broiler chicks. *Journal of Parasitology and Applied Animal Biology* 8 (2) : 123-131.
- Fonseca H S, Jaehn A & Silva M de FA 1999 Association of *Ditylenchus dipsaci* with weeds harvested after the garlic crop. *Nematologia Brasileira* 23 (2) : 100-102.
- Ghobashi A A, El Aweel M A T 1999 Productivity of local onion and garlic cultivars grown in monoculture and in association with faba bean and chick pea in Oman. *Assiut Journal of Agricultural Sciences* 30 (3) : 47-64.
- Guldekar D D, Wangikar P D & Potdukhe S R 1999 Effect of *Aspergillus niger* on stored garlic. *PKV Research Journal* 23 (1) : 58-59.
- Guo HongYun & Fan ZhiCheng 1999 Effect of soil water stress on photosynthesis of *Allium sativum* L. *Acta Horticulturae Sinica* 26 (6) : 404-405.
- Hong GyungHoon, Jang HyunSae & Kim YoungBae 1999 Effect of processing treatments on change in quantity of the functional components in garlic, *Allium sativum* L. *Journal of the Korean Society for Horticultural Science* 40 (1) : 23-25.

- Hong GyungHoon, Jang HyunSae & Kim YoungBae 1999 Composition and change of flavor compounds in garlic cloves (*Allium sativum* L.) by processing treatments. *Journal of the Korean Society for Horticultural Science* 40 (1) : 19-22.
- Horie T, Matsumoto H, Kasagi M, Sugiyama A, Kikuchi M, Karasawa C, Awazu S, Itakura Y & Fuwa T 1999 Protective effect of aged garlic extract on the small intestinal damage of rats induced by methotrexate administration. *Planta Medica* 65 (6) : 545-548.
- Ide N, Iau B H S, Ryu K, Matsuura H & Itakura Y 1999 Antioxidant effects of fructosyl arginine, a maillard reaction product in aged garlic extract. *Journal of Nutritional Biochemistry* 10 (6) : 372-376.
- Islam Khan & Muslim Ali 1999 Altered expression of the Na⁺/H⁺ exchanger isoform-3 in experimental colitis: effect of garlic. *Molecular and Cellular Biochemistry* 200 (1-2) : 77-84.
- Kana Talukder & Sumitra Sen 1999 In situ cytophotometric estimation of nuclear DNA in different cultivars of *Allium* species. *Cytobios* 99 (390) : 57-65.
- Katahira M & Bekki E 1999 Dehumidified drying of raw garlic bulb in a closed air recirculation system. *Journal of the Japanese Society of Agricultural Machinery* 61 (2) : 171-180.
- Keskin E, Durgun Z & Col R 1999 Some electrocardiographic parameters in experimentally induced hypercholesterolaemic rabbits receiving aspirin and garlic. *Veteriner Bilimleri Dergisi* 15 (1) : 103-110.
- Kim SeonKyu & Kim SeungHeul 1999 Effects of garlic-and onion-based formulae and Merit Blue on budbreak and maturity of 'Daebong' grapes (*Vitis labruscana* B.) in forcing culture. *Korean Journal of Horticultural Science and Technology* 17 (2) : 123-126.
- Kunwar I K, Reddy P J M & Manoharachary C 1999 Occurrence and distribution of AMF associated with garlic rhizosphere soil. *Mycorrhiza News* 11(2) : 4-6.
- Kyo E, Uda N, Ushijima M, Kasuga S & Itakura Y 1999 Prevention of psychological stress-induced immune suppression by aged garlic extract. *Phytomedicine* 6 (5) : 325-330.
- Lawson L D 1999 Dietary diseases and treatment with allicin (*Allium*?) and other garlic products. *Acta Nutrimenta Sinica* 21 (3) : 366-368.
- Lee KeunWoo & Jang KwangHo 1999 Hematological changes in dogs administered excessive garlic extracts. *Korean Journal of Veterinary Clinical Medicine* 16 (2) : 289-292.
- Lezcano A P, Talavera S P, Torres I C, Perez Y M & Cervantes M L 1999 Contribution to the knowledge of biodiversity of garlic *Allium sativum* L. in Cuba. *Alimentaria* No. 300, 107-111.
- Li ZhiYong, Luo HuanLiang & Guo Yong 1999 Optimization of callus induction of garlic. *Journal of South China Agricultural University* 20 (4) : 54-58.
- Maidment D C J, Dembny Z & Harding C 1999 A study into the antibiotic effect of garlic *Allium sativum* on *Escherichia coli* and *Staphylococcus albus*. *Nutrition and Food Science* No. 4-5, 170-172.
- Makowska Z, Keller J & Engelmann F 1999 Cryopreservation of spices isolated from garlic (*Allium sativum* L.) bulbils and cloves. *Cryo Letters* 20 (3) : 175-182.
- Matus I, Gonzales M I & Pozo A del 1999 Evaluation of phenotypic variation in a Chilean collection of garlic (*Allium sativum* L.) clones using multivariate analysis. *Plant Genetic Resources Newsletter* No. 117, 31-36.
- Menezes Sobrinho J A de, Charchar J M & Aragao F A S 1999 Morphological characterization of garlic germplasm by multivariate analyses of principal components and canonic variables. *Horticultura Brasileira* 17 (2) : 96-101.
- Noor Badshah & Khalid Umar 1999 Evaluation of garlic (*Allium sativum*) cultivars grown under the agroclimatic conditions of Peshawar Valley. *Sarhad Journal of Agriculture* 15 (5) : 431-436.

- Purnima Sinha & Saxena S K 1999 Inhibition of fruit rot fungus and fruit fly by leaf extracts of onion (*Allium cepa*) and garlic (*Allium sativum*). Indian Journal of Agricultural Sciences 69 (9) : 651-653.
- Rajasree C R, Rajamohan T & Augusti K T 1999 Biochemical effects of protein on lipid metabolism in alcohol fed rats. Indian Journal of Experimental Biology 37 (3) : 243-247.
- Rana B K, Taneja V & Singh U P 1999 Antifungal activity of an aqueous extract of leaves of garlic creeper (*Adenocilymma alliaceum* Miers). Pharmaceutical Biology 37 (1) : 13-16.
- Rao P G P, Rao L J & Raghavan B 1999 Chemical composition of essential oils of garlic (*Allium sativum* L.). Journal of Spices and Aromatic Crops 8 (1) : 41-47.
- Resende F V, Souza R J de & Faquin V 1999 Comparison of growth and production in garlic plants produced by tissue culture and conventional propagation. Horticultura Brasileira 17(2) : 118-124.
- Resende G M de, Costa N D, Melo N F de, Souza R J de, de Resenda G M & de Melo N F 1999 Effects of paclobutrazol concentrations and periods of immersion on a garlic crop. Pesquisa Agropecuaria Brasileira 34 (4) : 635-636.
- Reynaud D, Muslim Ali, Demin P & Pace Asciak C R 1999 Formation of 14, 15- hepoxilins of the A3 and B3 series through a 15-lipoxygenase and hydroperoxide isomerase present in garlic roots. Journal of Biological Chemistry 274 (40) : 28213-28218.
- Salman H, Bergman M, Bessler H, Punskey I & Djaldetti M 1999 Effect of a garlic derivative (alliin) on peripheral blood cell immune responses. International Journal of Immunopharmacology 21 (9) : 589-597.
- Saniewska A & Zuradzka I 1999 Comparison of antifungal properties of new garlic varieties. Ochrona Roslin 43 (6) : 17-18.
- Sardar Singh & Singh S K 1999 Effect of fertilizers on garlic (*Allium sativum* L.). Crop Research (Hisar) 18 (3) : 387-389.
- Shi-XiaoHua, Li ShuZhen & Liu ZhiPing 1999 A trial on the use of garlic as a feed additive for meat chickens. Poultry Husbandry and Disease Control No. 10, 19-20.
- Siegel G, Walter A, Engel S, Walper A & Michel F 1999 Pleiotropic effect of garlic. Herba Polonica 45 (3) : 212-231.
- Singh J P & Singh S B 1999 Evaluation of different selections/varieties of garlic for yield and some yield-contributing parameters. Crop Research (Hisar) 18 (2) : 216-217.
- Singh R K, Singh N D & Arunachalam A 1999 Effect of Agromin and Planofix on the growth and yield of garlic (*Allium sativum* Linn). Horticultural Journal 12 (2) : 101-105.
- Skapska S, Kostrzewa E & Jendrzyczak Z 1999 Isolation and purification of gamma-glutamyl transpeptidase from garlic and trials of its application for *Allium* flavor enhancement. Prace Instytutow i Laboratoriow Badawczych Przemyslu Spozywczego 54 : 86-100.
- Soares R M & Kurozawa C 1999 Incidence and severity of fungi associated with garlic cloves. Summa Phytopathologica 25 (3) : 271-276.
- Sonkamble A M, Shinde B N, Khandare V S, Pawar B R, Wakle P K & Sonkamble M M 1999 Effect of different dates of planting on growth and yield of garlic. Journal of Soils and Crops 9 (2) : 188-191.
- Soto J A 1999 Virus infecting garlic seed. Revista de la Facultad-de-Ciencias-Agrarias, Uniiversidad - Nacional-de-Cuyo 31 (1) : 93-100.
- Stevenson N, Armstrong S J, Jones G H & Ford Liloyd B V 1999 Distribution of a 375 bp repeat sequence in *Allium* (Alliaceae) as revealed by FISH. Plant Systematics and Evolution 217 (1-2) : 31-42.

- Suarez F, Springfield J, Furne J & Levitt M 1999 Differentiation of mouth versus gut as site of origin of odoriferous breath gases after garlic ingestion. American Journal of Physiology 276 (2) : G425-G430.
- Sutton G A & Haik R 1999 Efficacy of garlic as an anthelmintic in donkeys. Israel Journal of Veterinary Medicine 54 (1) : 23-27.
- Talavera S P & Cervantes M L 1999 Radiosensibility (Radiosensitivity) of garlic clones depends on the size of cloves irradiated with gamma rays. Alimentaria No. 300, 101-102.
- Talavera S P, Lezcano A P, Cervantes M L, Enriquez I I, Nunez L M G, Tabares F P & Fraga R 1999 Agronomy characterization of a new garlic clone. Alimentaria No. 300, 103-105.
- Valdes Mendez W, Rodriguez Perez S & Cardenas J R 1999 Utilization of the sludge obtained from the anaerobic digestion of filter cake as a biofertilizer for the cultivation of garlic (*Allium porrum* L.). Interciencia 24 (4) : 264-267.
- Vora V D & Mehta D R 1999 Studies on growth, yield and yield attributes of garlic as influenced by herbicides and weeds. Agricultural Science Digest (Karnal) 19 (2) : 129-133.
- Xiong ZhengQin, Li ShiJun, Zhou Xie, Liu GaoQiong & Huang BaoJian 1999 Stimulatory effects of Me-J A and S A on bulb formation of *Allium sativum* L. in vitro. Acta Horticulturae Sinica 26 (6) : 408-409.
- Yin MeiChin & Tsao ShihMing 1999 Inhibitory effect of seven *Allium* plants upon three *Aspergillus* species. International Journal of Food Microbiology 49 (1-2) : 49-56.
- Zhang ChengHe, Shen ShuXing & Wang Mei 1999 Observation of chromosome pairing behavior and karyotype analysis in five garlic varieties. Acta Horticulturae Sinica 26 (4) : 268-270.
- Ginger (*Zingiber officinale* Rosc.)**
- Bhatia A M, Hazarika N & Singha R 1999 Spices and fruit for micro-enterprises. A study of the potentials of ginger and pineapples in West Garo Hills, Meghalaya, India. MEI Case Study Series, International Centre for Integrated Mountain Development No. 99-1.
- Das P, Rai S & Das A B 1999 Cytomorphological barriers in seed set of cultivated ginger (*Zingiber officinale* Rosc.). Iranian Journal of Botany 8 (1) : 119-129.
- Fan GuoQiang, Wang JiaoYi, Guo XingQi & Zhu HanCheng 1999 Identification of tobacco mosaic virus infecting ginger. Journal of Shandong Agricultural University 30 (3) : 249-255.
- Gao ShanLin, Bian YunYun & Chen BoJun 1999 Tissue culture of ginger to control virus diseases and rapid high-yielding cultivation. China Vegetables No. 3, 40-41.
- Gouveia J P G & da Silva F L H 1999 Study of drying kinetics of ginger in a fixed bed drier. Revista Brasileira de Armazenamento 24 (2) : 20-27.
- Korla B N & Tiwari S K 1999 Performance of ginger genotypes under rainfed and irrigated conditions. Horticultural Journal 12 (2) : 67-70.
- Kumkum Rani & Rani K 1999 Cyclisation of farnesyl pyrophosphate into sesquiterpenoids in ginger rhizomes (*Zingiber officinale*). Fitoterapia 70 (6) : 568-574.
- Nakasone Y, Yonaha M, Wada K, Adaniya S, Kikuzaki H & Nakatani N 1999 Evaluation of pungency in the diploid and tetraploid types of ginger (*Zingiber Roscoe*) and antioxidative activity of their methanol extracts. Japanese Journal of Tropical Agriculture 43 (2) : 71-75.
- Onyenekwe P C & Hashimoto S 1999 The composition of the essential oil of dried Nigerian ginger (*Zingiber officinale* Roscoe). European Food Research and Technology 209 (6) : 407-410.
- Ram P, Mathur K & Lodha B C 1999 Integrated management of rhizome rot of ginger involving biocontrol agents and fungicides. Journal of Mycology and Plant Pathology 29 (3) : 416-420.

- Ruckold S & Isengard H D 1999 Determination of the water content in spices by Karl Fischer titration with ginger as an example. *Zeitschrift fur Arznei and Gewurzpflanzen* 4 (2) : 79-83.
- Sato D 1999 Reducing methyl bromide in preplant soil treatment for ginger root. Annual International Research Conference on Methyl Bromide Alternatives and Emissions Reductions, San Diego, 1-4 November, 1999.
- Shanmugam V & Varma A S 1999 Effect of native antagonists against *Pythium aphanidermatum*, the causal organism of rhizome rot of ginger. *Journal of Mycology and Plant Pathology* 29 (3) : 375-379.
- Singh U P, Prithiviraj B, Aust H J & Sarma B K 1999 Control of powdery mildew (*Erysiphe pisi*) of pea (*Pisum sativum*) with rhizome powder of *Zingiber officinale* and *Acorus calamus*. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz* 106 (6) : 590-597.
- Xu Kun & Kang LiMel 1999 Effects of growth period on the yield of ginger. *China Vegetables* No. 4, 30-31.
- Xu Kun & Xu Feng 1999 Effect of nitrogen on the growth and yield of ginger. *China Vegetables* No. 6, 12-14.
- Yadav R K 1999 Genetic variability in ginger (*Zingiber officinale* Rosc.). *Journal of Spices and Aromatic Crops* 8 (1) : 81-83.

Mustard (*Brassica* spp.)

- Abraham G 1999 Interactive effect of sulphur and nitrogen on the oil content and fatty acid profile of mustard (*Brassica juncea* L. Czern and Coss). *Cruciferae Newsletter* No. 21 : 143-144.
- Agarwala B K & Datta N 1999 Life history response of the mustard aphid *Lipaphis erysimi* to phenological changes in its host. *Journal of Biosciences* 24 (2) : 223-231.
- Ahuja K L & Bajaj K L 1999 Colmetric determination of crude fibre in cruciferous oilseeds. *Cruciferae Newsletter* No. 21, 61-62.
- Ali I, Shah S A, Shah S J A, Ahmad M, Kafayat ur Rehman 1999 Direction and magnitude of variability in fatty acid composition of fast neutrons and gamma radiation induced *Brassica juncea*. *Cruciferae Newsletter* No. 21, 93-94.
- Altaf Ahmad & Abdin M 1999 NADH: nitrate reductase and NAD (P)H: nitrate reductase activities in mustard seedlings. *Plant Science Limerick* 143 (1) : 1-8.
- Altaf Ahmad, Abrol Y P & Abdin M Z 1999 Effect of split application of sulphur and nitrogen on growth and yield attributes of *Brassica* genotypes differing in time of flowering. *Canadian Journal of Plant Science* 79 (2) : 175-180.
- Anil Kumar, Singh D P, Bikram Singh, Yadav Y P, Kumar A, & Singh B 1999 Phenology and physiology of *Brassica* genotypes with nitrogen levels on aridisols. *Indian Journal of Agricultural Sciences* 69 (4) : 258-260.
- Anjali Jain, Dhingra H R, Naresh Mehta, Varghese T M, Jain A & Mehta N 1999 In vitro pollen germination test for white rust tolerance in brassicas. *Indian Phytopathology* 52 (2) : 166-168.
- Arguello E L, Bosch N B & Vazquez C B 1999 Macronutrient content of commercial mustard sauces. *Alimentaria* No. 300 : 97-99.
- Ascenzi P, Ruoppolo M, Amoresano A, Pucci P, Consonni R Zetta L, Pascarella S, Bortolotti F & Menegatti E 1999 Characterization of low-molecular-mass trypsin isoinhibitors from oil-rape (*Brassica napus* var. *oleifera*) seed. *European Journal of Biochemistry* 261 (1) : 275-284.

- Ashwani Kumar & Sharma S D 1999 Relative susceptibility of mustard germplasm entries against *Lipaphis erysimi* Kaltentbach. *Indian Journal of Agricultural Research* 33 (1) : 23-27.
- Aulakh M S & Pasricha N S 1999 Effects of rate and frequency of applied P on crop yields, P uptake, and fertilizer P use-efficiency and its recovery in a groundnut-mustard rotation. *Journal of Agricultural Science* 132 (2) : 181-188.
- Baldev Ram & Pareek R G 1999 Effect of phosphorus, sulphur and PSB on growth and yield of mustard. *Agricultural Science Digest (Karnal)* 19 (3) : 203-206.
- Bansal V K, Thiagarajah M R, Stringam G R & Tewari J P 1999 Inheritance of partial resistance to race 2 of *Albugo candida* in canola quality mustard (*Brassica juncea*) and its role in resistance breeding. *Plant Pathology* 48 (6) : 817-822.
- Bell J M, Rakow G & Downey R K 1999 Mineral composition of oil free seeds of *Brassica napus*, *B. rapa* and *B. juncea* as affected by location and year. *Canadian Journal of Animal Science* 79 (3) : 405-408.
- Bijral J S & Sharma T R 1999 Morpho-cytogenetics of *Brassica juncea* x *Brassica oxyrrhina* hybrids. *Cruciferae Newsletter* No. 21, 35-36.
- Bijral J S & Sharma T R 1999 *Brassica juncea* - *Eruca sativa* sexual hybrids. *Cruciferae Newsletter* No. 21, 33-34.
- Bikram Singh, Jagdev Singh, Anil Kumar, Yadav Y P & Satyavir Singh 1999 Response of brassical to sulphur for yield. *Indian Journal of Agricultural Sciences* 69 (6) : 427-429.
- Charjan Y D 1999 Response of Indian mustard to irrigation schedules under varying levels of nitrogen and sulphur. *Journal of Maharashtra Agricultural Universities* 24 (3) : 312-313.
- Charron C S & Sams C E 1999 Inhibition of *Pythium ultimum* and *Rhizoctonia solani* by shredded leaves of *Brassica* species. *Journal of the American Society for Horticultural Science* 124 (5) : 462-467.
- Chaturvedi G S, Padmakar Tripathi, Akhilesh Kumar, Tripathi P & Kumar A 1999 Comparative canopy temperature measurements in Indian mustard genotypes (*Brassica juncea* L.). *Indian Journal of Plant Physiology* 4 (1) : 61-62.
- Chaudhary R M & Sinha S K 1999 Preliminary characterization of some physiologically important mutants in *Brassica juncea* L. Czern. & Czern. variety RLM 198. *Indian Journal of Genetics and Plant Breeding* 59 (2) : 175-191.
- Chauhan Y S, Kumar K, Maurya K N & Singh R B 1999 Development of NDM 87-1, a white rust resistant strain of mustard (*Brassica juncea* L. Czern & Coss). *Cruciferae Newsletter* No. 21, 117-118.
- Cheng B F, Seguin Swartz G, Somers D J & Rakow G F W 1999 Meiotic studies on mustard (*Brassica juncea*) germplasm possessing the fatty acid composition and white rust resistance of *B. napus*. *Cruciferae Newsletter* No. 21, 45-46.
- Chhabra M L, Gita Nair & Yadava T P 1999 Translocation pattern of 14C assimilates in various plant components in Indian mustard. *Cruciferae Newsletter* No. 21, 69-70.
- Chowdhury S A 1999 Effect of graded levels of mustard oil cake supplementation on intake, nutrient digestibility, microbial N yield of adult cannulated native (*Bos indicus*) bulls fed rice straw. *Asian Australasian Journal of Animal Sciences* 12 (5) : 715-722.
- Chrungu B, Verma N, Mohanty A, Pradhan A & Shivanna K R 1999 Production and characterization of interspecific hybrids between *Brassica maurorum* and crop brassicas. *Theoretical and Applied Genetics* 98 (3-4) : 608-613.
- Davis J B, Brown J, Brennan J S & Thill D C 1999 Predicting decreases in canola (*Brassica napus* and *B. rapa*) oil and meal quality caused by contamination by Brassicaceae weed seeds. *Weed Technology* 13 (2) : 239-243.

- Dileep Kachroo & Arvind Kumar 1999 Seed weight, oil and protein contents of Indian mustard (*Brassica juncea* L.) as influenced by nitrogen and sulphur fertilization. *Annals of Agricultural Research* 20 (3) : 369-371.
- Dixelius C & Wahlberg S 1999 Resistance to *Leptosphaeria maculans* is conserved in a specific region of the *Brassica* B genome. *Theoretical and Applied Genetics* 99 (1-2) : 368-372.
- Dobrazanski Z, Grzelak A, Patorczyk Pytlik B & Malarz W 1999 The use of spent bleaching clay for biocompost production and the effect on yield of oats and mustard. *Folia Universitatis Agriculturae Stetinensis Agricultura* No. 77, 63-68.
- Duffy N M, Bonser S P & Aarssen L W 1999 Patterns of variation in meristem allocation across genotypes and species in monocarpic Brassicaceae. *Oikos* 84 (2) : 284-292.
- Esser A D, Brown J & Davis J B 1999 Weed competition of yellow mustard, canola, pea and lentil. *Cruciferae Newsletter* No. 21, 145-146.
- Font R, Rio M del, Fernandez Martinez J M & Haro A de 1999 Using near infrared spectroscopy (NIRS) for the determination of bulk density in Indian mustard seed. *Cruciferae Newsletter* No. 21, 75-76.
- Garg S, Dhawan K, Chawla H K L & Nainawatee H S 1999 Leakage of solutes from *Brassica juncea* leaves during *Alternaria brassicae* pathogenesis. *Cruciferae Newsletter* No. 21, 121-122.
- Gautam D S 1999 Profit structure of bajra, wheat and rapeseed/mustard cultivation in Central India. *Indian Journal of Agricultural Research* 33 (3) : 171-177.
- Gupta S K, Aggarwal A & Chhabra M L 1999 Effect of freezing treatment on nitrogen fractions of mustard seed and silique wall (*Brassica juncea* L.). *Cruciferae Newsletter* No. 21, 147-148.
- Gursharan Singh 1999 Effect of JHA on mustard aphid. *Lipaphis erysimi* (Kalt). *Insect Environment* 4 (4) : 130-131.
- Haag Kerwer A, Schafer H J, Heiss S, Walter C & Rausch T 1999 Cadmium exposure in *Brassica juncea* causes a decline in transpiration rate and leaf expansion without effect on photosynthesis. *Journal of Experimental Botany* 50 (341) : 1827-1835.
- Hu MeiHua 1999 Some co-related aspects on the utilization of heterosis in tuber mustard (*Brassica juncea* var. *tumida*). *Zhejiang Nongye Kexue* No. 5, 234-236.
- Jaggi R C & Sharma R K 1999 Sulphur response patterns on flowering, dry matter yield and S utilization in raya (*Brassica juncea* var. *varuna*) in soils of District Kangra. *Journal of the Indian Society of Soil Science* 47 (3) : 513-518.
- Janardan Singh, Sharma H L & Singh C M 1999 Study on production efficiency of potassium in mustard (*Brassica juncea* L.) and other crops. *Cruciferae Newsletter* No. 21, 157-158.
- Kakar A A, Jamro G H, Sheikh M A & Naz M A 1999 Effect of N P combinations on the growth, seed yield and oil content of three mustard genotypes. *Pakistan Journal of Agricultural Sciences* 36 (3-4) : 189-193.
- Kandalkar V S & Upadhyay S N 1999 Stability of Indian mustard (*Brassica juncea*) varieties under delayed sowings and aphid infestation conditions. *Indian Journal of Agricultural Sciences* 69 (1) : 62-64.
- Khan M N 1999 Association between morphological parameters and seed yield in Indian mustard (*Brassica juncea* L.). *Cruciferae Newsletter* No. 21, 95-96.
- Khulbe R K & Pant D P 1999 Correlation and path coefficient analysis of yield and its components in Indian mustard. *Crop Research (Hisar)* 17 (3) : 371-375.

- Khushu M K, Ramakrishna Y S, Raina A K & Pandita M K 1999 A preliminary lysimetric study on evapotranspiration of Indian mustard (*Brassica juncea* L.) under rainfed conditions. *Cruciferae Newsletter* No. 21, 149-150.
- Koul T K & Singh S K 1999 Cultural management of major foliar diseases in *Brassica juncea*. *Journal of Mycology and Plant Pathology* 29 (1) : 87-90.
- Krishnakumari M, Sharma B M, Sharama R K & Balloli S S 1999 Effect of phosphorus - magnesium interaction on yield and oil content of mustard (*Brassica juncea* L.). *Journal of the Indian Society of Soil Science* 47 (2) : 379-380.
- Kumar H & Lal J P 1999 Gamma ray induced promising mutants in Indian mustard (*B. juncea* Czern. & Coss) high yielding and *Alternaria* leaf blight tolerant. *Cruciferae Newsletter* No. 21, 125-126.
- Kumar H & Lal J P 1999 Efficient method of handling M1 plants after gamma irradiation in Indian mustard (*B. juncea* Czern. & Coss). *Cruciferae Newsletter* No. 21, 97-98.
- Kumbhalkar H B, Dawande V B & Nair B 1999 Combining ability studies in Indian mustard (*Brassica juncea* L.). *Journal of Soils and Crops* 9 (2) : 247-249.
- Kuswinanti T, Koopmann B & Hoppe H H 1999 Virulence pattern of aggressive isolates of *Leptosphaeria maculans* on an extended set of *Brassica differentials*. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz* 106 (1) : 12-20.
- Kwon TaekYoung, Harris P J C & Bourne W F 1999 Partitioning of Na⁺, K⁺, proline, and total soluble sugar in relation to the salinity tolerance of *Brassica juncea* and *Brassica rapa*. *Journal of the Korean Society for Horticultural Science* 40 (4) : 425-430.
- Lal M N, Singh S S & Singh V P 1999 Reaction of mustard aphid, *Lipaphis erysimi* (Kalt.) to morphological characters of mustard, *Brassica juncea* L. *Journal of Entomological Research* 23 (3) : 221-223.
- Larik A S, Rajput M, Kakar A A, Bukhari S S & Shaikh M A 1999 Effect of weedicide "Aflon" on character association in *Brassica juncea* and *Eruca sativa* L. *Sarhad Journal of Agriculture* 15 (3) : 197-202.
- Li Z & Heneen W K 1999 Production and cytogenetics of intergeneric hybrids between the three cultivated *Brassica* diploids and *Orychophragmus violaceus*. *Theoretical and Applied Genetics* 99 (3-4) : 694-704.
- Liu YiHua 1999 Path analysis on yield components of tumorous stem mustard (*Brassica juncea* var. *tsatsai* Mao). *China Vegetables* No. 3, 17-19.
- Lone N A, Khan N A, Hayat S, Azam Z M & Samiullah 1999 Evaluation of effects of some B-vitamins on root development of mustard. *Tests of Agrochemicals and Cultivars* No. 20, 36-37.
- Lopez Aguero E, Bosch Bosch N, Barrera Vazquez C & Lopez Ruiz B 1999 Ion chromatographic determination of chloride in mustard sauces. *Journal of Agricultural and Food Chemistry* 47 (11) : 4682-4685.
- Lopez Arguello E, Barbera Vazquez C & Bosch Bosch N 1999 Composition of mustard (seed and flour) and mustard sauces with grains. *Alimentaria* 36 (305) : 131-133.
- Luu DoanTrung, Marty Mazars D, Trick M, Dumas C & Heizmann P 1999 Pollen stigma adhesion in *Brassica* spp. involves SLG and SLRI glycoproteins. *Plant Cell* 11 (2) : 251-262.
- Mahanta S K, Singh S, Kumar A & Pachauri V C 1999 Subabul leaf meal as a replacement of mustard cake in lamb diets. *Small Ruminant Research* 32 : 37-42.
- Mahapatra S, Mandal K G & Tiwary B K 1999 Performance of some rapeseed mustard varieties with graded doses of sulphur. *Journal of Interacademia* 3 (2) : 162-167.
- Maitty B K, Tripathy M K & Panda S K 1999 Evaluation of different spraying schedules on *Crocidolomia binotalis* Zell in Indian toria (*Brassica campestris* Linn.). *Annals of Plant Protection Sciences* 7 (2) : 139-143.

- Malik M, Vyas P, Rangaswamy N S & Shivanna K R 1999 Development of two new cytoplasmic male sterile lines in *Brassica juncea* through wide hybridization. *Plant Breeding* 118 (1) : 75-78.
- Malik Y P 1999 Impact of insecticides on honey bee population in mustard. *Insect Environment* 5 (1) : 33.
- McCaffrey J P, Harmon B L, Brown J, Brown A P & Davis J B 1999 Assessment of *Sinapis alba*, *Brassica napus* and *S. alba* x *B. napus* hybrids for resistance to cabbage seedpod weevil, *Ceutorhynchus assimilis* (Coleoptera : Curculionidae). *Journal of Agricultural Science* 132 (3) : 289-295.
- Mishra R S, Abdin M Z & Uprety D C 1999 Interactive effects of elevated CO₂ and moisture stress on the photosynthesis, water relation and growth of *Brassica* species. *Journal of Agronomy and Crop Science* 182 (4) : 223-229.
- Mishra R S, Uprety D C & Abidi M Z 1999 Influence of CO₂ enrichment on C and N content in *Brassica* leaves under moisture stress condition. *Journal of Research Birsra Agricultural University* 11 (2) : 141-146.
- Mohiuddin M & Ghosh D C 1999 Performance of rapeseed mustard varieties grown on rainfed rice fallow in lateritic belt of West Bengal. *Environment and Ecology* 17 (3) : 721-724.
- Mondal S K & Khajuria M R 1999 Stability analysis in mustard. *Environment and Ecology* 17 (4) : 995-998.
- Nair S G, Patil B M & Karunakar A P 1999 Effect of chemical weed control on growth and yield of irrigated mustard (*Brassica juncea* L.). *Crop Research (Hisar)* 17 (1) : 116-117.
- Nausad Khan & Karam Husain 1999 Performance of mustard varieties in relation to doses of sulphur. *Advances in Plant Sciences* 12 (1) : 115-118.
- Naveen Chandra, Yadava T P & Prakash Kumar 1999 Micropropagation of F1 hybrid in Indian mustard (*Brassica juncea* L. Czern & Coss.). *Cruciferae Newsletter* No. 21, 53-54.
- Oliver C, Vaughn S F, Mizubuti E S G & Loria R 1999 Variation in allyl isothiocyanate production within *Brassica* species and correlation with fungicidal activity. *Journal of Chemical Ecology* 25 (12) : 2687-2701.
- Om Prakash, Das T K, Singh H B & Singh N 1999 Performance of three *Brassica* species as affected by time of sowing and nitrogen. I. Yield attributes and yield. *Annals of Agricultural Research* 20 (4) : 448-454.
- Pandey A K, Kamta Prasad, Ved Prakash & Singh R D 1999 Planting pattern in wheat (*Triticum aestivum*) and Indian mustard (*Brassica juncea*) crop mixture under irrigated conditions in mid hills of North Western Himalayas. *Indian Journal of Agronomy* 44 (1) : 21-25.
- Pandey I D & Singh B 1999 Identification of restorers for three CMS lines in *Brassica juncea*. *Agricultural Science Digest (Karnal)* 19 (2) : 122-124.
- Pathak K A & Rao K R 1999 Foraging activity of *Apis mellifera* on mustard in Meghalaya. *Insect Environment* 5 (1) : 13-14.
- Paul S R, Sarma N N & Sarma D 1999 Effect of pre-sowing seed treatments on toria (*Brassica napus*) and Indian mustard (*Brassica juncea*) under rainfed conditions. *Indian Journal of Agronomy* 44 (2) : 392-395.
- Prasad C S & Singh V P 1999 Impact of variety, sowing date and insect pest control measures on aphid and grain yield of rainfed mustard in lower Kumaon hills of U P. *Annals of Plant Protection Sciences* 7 (2) : 222-224.
- Priya Rani & Ashok Aggarwal 1999 Effect of culture filtrates of some seed borne fungi of *Brassica juncea* on its seed germination and seedling growth. *Advances in Plant Sciences* 12 (2) : 599-601.

- Punia S S, Malik J S & Aggarwal S K 1999 Effect of low monetary agrotechniques on the seed yield of Indian mustard (*Brassica juncea* L. Czern & Coss). *Cruciferae Newsletter* No. 21, 155-156.
- Puri G, Jaipurkar S A & Bajpai R K 1999 Influence of soil fertility status and application of primary nutrients (NPK) on chemical composition and oil content of mustard (*Brassica juncea* Linn) grown in vertisols. *Journal of Soils and Crops* 9 (2) : 164-167.
- Raj B & Nagalakshmi T V 1999 Genetic differentiation of the east and west Indian types of mustard with respect to their yield and yield contributing characters. *Cruciferae Newsletter* No. 21, 25-26.
- Rajbir Yadav, Behl R K, Mor B R & Yadav R 1999 Assessment of biological damage induced by the combination of the mutagens in Indian mustard (*Brassica juncea*). *Annals of Agri Bio Research* 4 (1) : 115-120.
- Rakesh Patel, Ram Bhajan & Verma O P 1999 Seed yield determinants in Indian mustard (*Brassica juncea* L. Czern & Coss). *Cruciferae Newsletter* No. 21, 153-154.
- Rakesh Patel, Ram Bhajan & Verma O P 1999 Heterosis vis a vis GCA of parents in mustard (*Brassica juncea* L. Czern & Coss). *Cruciferae Newsletter* No. 21, 101.
- Ram Niwas, Jaglan R K & Sheoran R K 1999 Influence of nitrogen levels on reflectivity of *Brassica* species in visible and infra red bands. *Cruciferae Newsletter* No. 21, 17-18.
- Ram Niwas, Singh S & Sheoran R K R 1999 Vegetation indices of *Brassica* species under different environments. *Cruciferae Newsletter* No. 21, 19-20.
- Ramavtar Sharma, Mohapatra T, Mukherjee A K, Krishnapal & Sharma R P 1999 Molecular markers for seed oil content in Indian mustard. *Journal of Plant Biochemistry and Biotechnology* 8 (2) : 99-102.
- Rana D S & Saran G 1999 Comparative performance of oleiferous *Brassica* species in intercropping with potato (*Solanum tuberosum*), staggered sowing and fertility levels. *Indian Journal of Agronomy* 44 (2) : 281-288.
- Rana D S & Saran G 1999 Biological yield and uptake of P and K by potato (*Solanum tuberosum* L.) and oleiferous Brassicas as influenced by intercropping systems, staggered sowing and fertility levels. *Annals of Agricultural Research* 20 (4) : 423-428.
- Ranjana Sharma, Mukesh Jain, Bhatnagar R K, Neera Bhalla & Sarin B 1999 Differential expression of DAHP synthase and chorismate mutase in various organs of *Brassica juncea* and the effect of external factors on enzyme activity. *Physiologia Plantarum* 105 (4) : 739-745.
- Renu Deswal & Sopory S K 1999 Glyoxalase I from *Brassica juncea* is a calmodulin stimulated protein. *Biochemica et Biophysica Acta Molecular Cell Research* 1450 (3) : 460-467.
- Rieger M A, Preston C & Powles S B 1999 Risks of gene flow from transgenic herbicide resistant canola (*Brassica napus*) to weedy relatives in southern Australian cropping systems. *Australian Journal of Agricultural Research* 50 (2) : 115-128.
- Rohilla H R, Singh H & Singh D 1999 Occurrence and prevalence of colour morphs of aphid on rapeseed mustard (*Brassica*) crops. *Indian Journal of Agricultural Sciences* 69 (6) : 470-471.
- Rout G R, Samantaray S & Das P 1999 In vitro selection and biochemical characterisation of zinc and manganese adapted callus lines in *Brassica* spp. *Plant Science Limerick* 146 (2) : 89-100.
- Sah J N, Rai U K & Varshney S K 1999 Induced genetic variation for seed and oil yield following hybridization and mutagenesis in Indian mustard. *Indian Journal of Genetics and Plant Breeding* 59 (1) : 109-111.
- Sahoo S C & Panda M M 1999 Direct and residual effect of fertiliser and manure on a maize (*Zea mays*)-mustard (*Brassica campestris*) cropping sequence. *Crop Research (Hisar)* 17 (1) : 118-120.

- Samantaray S, Rout G R & Das P 1999 Changes in isozyme patterns during in vitro regeneration from cotyledon explants of *Brassica* species. *Biologica Plantarum* 42 (2) : 169-176.
- Sandhya, Gupta S K & Chhabra M L 1999 Effect of sulphur on lipid composition of developing mustard seeds (*Brassica juncea* L.). *Annals of Biology (Ludhiana)* 15 (1) : 51-53.
- Roy S & Mandal S R 1999 Economic benefit of rock phosphate application to the kharif green manure crop (Dhaincha) in rice - mustard cropping system. *Environment and Ecology* 17 (3) : 743-745.
- Saqui M & Khan F A 1999 Air pollution impacts on the growth and reproductive behaviour of mustard. *Journal of Environmental Biology* 20 (2) : 107-110.
- Satish Kumar, Ashok Kumar & Kadian V S 1999 Performance of Indian mustard *Brassica juncea* L. varieties to irrigation and fertility levels. *Agricultural Science Digest (Karnal)* 19 (2) : 87-88.
- Satou M, Horiuchi S & Yamauchi N 1999 Downy mildew of Ta-tsuai (broad leaved mustard; *Brassica campestris* L.) (narinosa group) caused by *Peronospora parasitica* (Persoon: Fries) Fries. Annual Report of the Society of Plant Protection of North Japan No. 50, 62-64.
- Sexton A C, Kirkegaard J A & Howlett B J 1999 Glucosinolates in *Brassica juncea* and resistance to Australian isolates of *Leptosphaeria maculans*, the blackleg fungus. *Australasian Plant Pathology* 28 (2) : 95-102.
- Sharma B M, Singh R V & Singh K D 1999 Balanced fertiliser use based on soil test for wheat, bajra (*Pennisetum glaucum*) and mustard (*Brassica*). *Fertiliser News* 44 (3) : 55-58.
- Shivay Y S & Rathi K S 1999 Growth, stalk characters and cane yield of sugarcane as influenced by inter-cropping of mustard (*Brassica juncea* Coss) varieties. *Annals of Agricultural Research* 20 (4) : 531-532.
- Singh Deka & Borah B 1999 Field efficacy of some insecticides against mustard aphid, *Lipaphis erysimi* Kalt. *Journal of the Agricultural Science Society of North East India* 12 (1) : 101-106.
- Singh A N, Sahadeva Singh, Bhan V M & Singh S 1999 Efficacy of herbicides for weed control in mustard. *Annals of Agricultural Research* 20 (1) : 132-133.
- Singh D N, Singh N K & Srivastava S 1999 Biochemical and morphological characters in relation to *Alternaria* blight resistance in rapeseed mustard. *Annals of Agricultural Research* 20 (4) : 472-477.
- Singh N I & Devi R K T 1999 Two new diseases of Lai pata (*Brassica juncea* var. *rugosa*). *Indian Phytopathology* 52 (4) : 425.
- Singh S P, Singh B, Ram Prakash & Pandey I D 1999 A new approach to estimate oil content in *Brassica*. *Indian Journal of Agricultural Sciences* 69 (9) : 666-667.
- Singh S S & Lal M N 1999 Economics of mustard (*Brassica juncea* L.) protection against mustard aphid, *Lipaphis erysimi* (Kalt.). *Shashpa* 6 (1) : 67-70.
- Singh S S & Lal M N 1999 Seasonal incidence of mustard aphid, *Lipaphis erysimi* (Kalt.) on mustard crop. *Journal of Entomological Research* 23 (2) : 165-167.
- Singhal S K & Rattan R K 1999 Zinc nutrition of soybean and mustard in relation to sources of zinc. *Annals of Agricultural Research* 20 (1) : 4-8.
- Soma Paul & Sikdar S R 1999 Expression of nptII marker and gus reporter genes and their inheritance in subsequent generations of transgenic *Brassica* developed through *Agrobacterium* mediated gene transfer. *Current Science* 76 (12) : 1569-1573.
- Somda I, Delourme R, Renard M & Brun H 1999 Pathogenicity of *Leptosphaeria maculans* isolates on a *Brassica napus*-*B. juncea* recombinant line. *Phytopathology* 89 (2) : 169-175.
- Sonkar U B & Desai B D 1999 Effect of sowing dates on the incidence of mustard aphid, *Lipaphis erysimi* Kalt. on mustard. *Shashpa* 6 (1) : 41-44.

- Sonkar U B & Desai B D 1999 The reaction of some promising mustard varieties under natural infestation of *Lipaphis erysimi* Kalt. *Shashpa* 6 (2) : 195-197.
- Souza M P de, Chu D, Zhao May, Zayed A M, Ruzin S E, Schichnes D & Terry N 1999 Rhizosphere bacteria enhance selenium accumulation and volatilization by Indian mustard. *Plant Physiology* 119 (2) : 565-573.
- Srinivasan K, Saxena S & Singh B B 1999 Osmo and hydropriming of mustard seeds to improve vigour and some biochemical activities. *Seed Science and Technology* 27 (2) : 785-789.
- Sugawe G T & Shelke V B 1999 Stage specific crop coefficient of mustard in semi arid region. *Journal of Maharashtra Agricultural Universities* 24 (1) : 101-102.
- Sujatha R, Rao P A & Rao K T 1999 Joint toxic action of chitin inhibitor (lufenuron) and insecticides in the management of *Plutella xylostella* Linn. infesting mustard. *Journal of Entomological Research* 23 (1) : 15-18.
- Suparna Mandal & Tapaswi P K 1999 Phytotoxicity of aqueous leachate from the weed *Chrozophora rotleri* A. Juss. on rice, wheat and mustard. *Journal of Weed Science and Technology* 44 (2) : 144-146.
- Sureena Dhingra H R & Gupta S K 1999 Effect of salinity on oil content and its quality in some species of *Brassica*. *Cruciferae Newsletter* No. 21 : 159-160.
- Surender Kumar & Chaudhary B D 1999 Induction of quantitative variation for metric traits in Indian mustard (*Brassica juncea* (L.) Czern and Coss.) through mutations. *Annals of Biology (Ludhiana)* 15 (2) : 177-179.
- Surender Kumar, Harvir Singh, Chaudhary B D & Yadav I S 1999 Average fecundity of mustard aphid, *Lipaphis erysimi* Kalt. on leaves, floral buds and siliquae of *Brassica juncea* L. *Cruciferae Newsletter* No. 21 : 127-128.
- Surender Kumar, Sangwan R S & Yadav I S 1999 Path coefficient analysis in *Brassica* species under rainfed conditions. *Cruciferae Newsletter* No. 21 : 99-100.
- Surender Kumar, Sangwan R S & Yadav I S 1999 Correlation studies in *Brassica* species under dryland conditions. *Cruciferae Newsletter* No. 21 : 151-152.
- Surya Kant, Singh D, Rao V U M & Raj Singh 1999 Dry matter partitioning in mustard (*Brassica juncea* L.) varieties under different sowing dates. *Crop Research (Hisar)* 18 (3) : 349-353.
- Thakar Singh & Brar J S 1999 Effect of nitrogen and phosphorus application on seed yield of Indian mustard (*Brassica juncea* Coss). *Annals of Biology (Ludhiana)* 15 (1) : 123-124.
- Thakral N K, Yadava T P, Parkash Kumar, Amit Singh & Naveen Chandra 1999 Association analysis for some quantitative traits in Indian mustard. *Cruciferae Newsletter* No. 21, 105-106.
- Tyagi A K & Singhal K K 1999 Effect of mustard oil and glucosinolate on rumen fermentation. *Indian Journal of Animal Nutrition* 16 (1) : 12-18.
- Tyagi R K & Rangaswamy N S 1999 Yield performance of two generations of NaCl tolerant test tube plants of oilseed brassicas. *Phytomorphology* 49 (1) : 89-106.
- Venkateswari J, Kanrar S, Kirti P B, Malathi V G & Chopra V L 1999 Molecular cloning and characterization of FATTY ACID ELONGATION 1 (BjFAE1) gene of *Brassica juncea*. *Journal of Plant Biochemistry and Biotechnology* 8 (1) : 53-55.
- Verma O P & Kushwaha G D 1999 Heterosis and combining ability for seed quality traits in Indian mustard (*Brassica juncea* L. Czern & Coss). *Cruciferae Newsletter* No. 21, 107-108.
- Verma O P, Ram Bhajan & Kushwaha G D 1999 Provenance effect on seed quality and storability of Indian mustard in Uttar Pradesh. *Cruciferae Newsletter* No. 21, 27-28.

- Verma P R, Saharan G S, Bartaria A M & Shivpuri A 1999 Biological races of *Albugo candida* on *Brassica juncea* and *B. rapa* var. *toria* in India. *Journal of Mycology and Plant Pathology* 29 (1) : 75-82.
- Verma S S, Tomer R P S, Tomer R P S & Verma U 1999 Studies on seed quality parameters in rapeseed (*Brassica campestris*) and mustard (*Brassica juncea*) stored under ambient conditions. *Indian Journal of Agricultural Sciences* 69 (12) : 840-842.
- Vishwanath & Kolte S J 1999 Methods of inoculation for resistance to *Alternaria* blight of rapeseed and mustard. *Journal of Mycology and Plant Pathology* 29 (1) : 96-99.
- Vishwanath & Kolte S J 1999 Evaluation of oilseed *Brassica* germplasm for resistance to *Alternaria* blight. *Journal of Mycology and Plant Pathology* 29 (2) : 189-191.
- Walker G E & Morey B G 1999 Effect of *Brassica* and weed manures on abundance of *Tylenchulus semipenetrans* and fungi in citrus orchard soil. *Australian Journal of Experimental Agriculture* 39 (1) : 65-72.
- Wani S A & Zarger G H 1999 Genetic architecture for oil and protein content in Indian mustard (*Brassica juncea* L. Czern and Coss). *Advances in Plant Sciences* 12 (1) : 271-274.
- Yadav I S & Kumar S 1999 Analysis of combining ability for oil content in Indian mustard. *Cruciferae Newsletter* No. 21, 139-140.

Oregano (*Origanum vulgare* L.)

- Belyaev N F & Demeubaeva A M 1999 Chromatographic study of the composition of the essential oil of *Ziziphora clinopodioides*, a vicarious form of *Origanum vulgare*. *Chemistry of Natural Compounds* 35 (1) : 52-54.
- Eguchi Y, Milazzo M C, Ueno K & Shetty K 1999 Partial improvement of vitrification and acclimation of oregano (*Origanum vulgare* L.) tissue culture by fish protein hydrolysates. *Journal of Herbs, Spices and Medicinal Plants* 6 (4) : 29-38.
- Kadner R, Junghanns W & Henning F 1999 Influence of nitrogen fertilizer application and irrigation on the yield and quality of seeds of *Origanum vulgare* ssp. *hirtum*. *Zeitschrift für Arznei und Gewürzpflanzen* 4 (4) : 187-190.
- Kazarinova N V, Tkachenko K G, Muzychenko L M & Shurgaya A M 1999 The experience of using essential oils of *Origanum vulgare* L. and *O. tythanthum* Gontsch to control intra hospital infections. *Rastitel 'nye Resursy* 35 (4) : 51-58.
- Marn M, Novak J & Franz C M 1999 Evaluation of single plant descendants of *Origanum vulgare*. *Zeitschrift für Arznei und Gewürzpflanzen* 4 (4) : 171-176.
- Zimina L B & Konon N T 1999 The biology of flowering in *Origanum vulgare* L., growing in Moscow. *Rastitel 'nye Resursy* 35 (4) : 25-31.

Parsley (*Petroselinum crispum* Miller)

- Atta Aly M A 1999 Effect of nickel addition on the yield and quality of parsley leaves. *Scientia Horticulturae* 82 (1-2) : 9-24.
- Hagemeyer J, Batz O, Schmidt J, Wray V, Hahlbrock K & Strack D 1999 Accumulation of phthalides in elicitor-treated cell suspension cultures of *Petroselinum crispum*. *Phytochemistry* 51 (5) : 629-635.
- Kalbin G, Strid A & Frohnmeyer H 1999 Transcriptional activation of the parsley chalcone synthase promoter in heterologous pea and yeast systems. *Plant Physiology and Biochemistry Paris* 37 (11) : 821-829.
- Kircher S, Wellmer F, Nick P, Rugner A, Schafer E & Harter K 1999 Nuclear import of the parsley bZIP transcription factor CPRF2 is regulated by phytochrome photoreceptors. *Journal of Cell Biology* 144 (2) : 201-211.

- Kmiecik W & Lisiewska Z 1999 Comparison of leaf yields and chemical composition of Hamburg and leafy types of parsley. I. Leaf yields and their structure. *Folia Horticulturae* 11 (1) : 53-63.
- Kmiecik W & Lisiewska Z 1999 Comparison of leaf yields and chemical composition of the Hamburg and leafy types of parsley. II. Chemical composition. *Folia Horticulturae* 11 (1) : 65-74.
- Krober H & Sauthoff W 1999 *Pythium mastophorum* on parsley and celery in Germany. *Nachrichtenblatt des Deutschen Pflanzenschutzdienstes* 51 (7) : 165-169.
- Silva F, Casali V W D, Andrade N J & Macedo J B 1999 Postharvest quality of yarrow (*Achillea millefolium* L.) intercropped with parsley (*Petroselinum crispum* (Miller) A W Hill). *Revista Brasileira de Plantas Medicinalis* 2 (1) : 33-36.
- Wellmer F, Kircher S, Rugner A, Frohnmeyer H, Schafer E & Harter K 1999 Phosphorylation of the parsley bZIP transcription factor CPRF2 is regulated by light. *Journal of Biological Chemistry* 274 (41) : 29476-29482.

Rosemary (*Rosmarinus officinalis* L.)

- Babu U S, Wiesenfeld P L & Jenkins M Y 1999 Effect of dietary rosemary extract on cell mediated immunity of young rats. *Plant Foods for Human Nutrition* 53 (2) : 169-174.
- Fahim F A, Esmat A Y, Fedel H M & Hassan K F S 1999 Allied studies on the effect of *Rosmarinus officinalis* L. on experimental hepatotoxicity and mutagenesis. *International Journal of Food Sciences and Nutrition* 50 (6) : 413-427.
- Galobart J, Barroeta A C, Baucells M D, Perez J F & Codony R 1999 Natural antioxidants in eggs: rosemary extract vs. alphatocopherol. *ITEA Production Animal* 20 (2) : 442-444.
- Huong Thi Thu Nguyen, Pokorny J & Korczak J 1999 Antioxidant activities of rosemary and sage extracts in rapeseed and sunflower oils. *Czech Journal of Food Sciences* 17 (4) : 121-126.
- Ibanez E, Oca A, Murga G de, Lopez Sebastian S, Tabera J & Reglero G 1999 Supercritical fluid extraction and fractionation of different preprocessed rosemary plants. *Journal of Agricultural and Food Chemistry* 47 (4) : 1400-1404.
- Minuto A & Garibaldi A 1999 *Alternaria* leaf spot of rosemary in northern Italy. *Culture Protette* 28 (7) : 69-70.
- Munne Bosch S, Schwarz K & Alegre L 1999 Response of abietane diterpenes to stress in *Rosmarinus officinalis* L.: New insights into the function of diterpenes in plants. *Free Radical Research* 31 : S107-S112.
- Plouzek C A, Ciolino H P, Clarke R & Yeh G C 1999 Inhibition of P-glycoprotein activity and reversal of multidrug resistance in vitro by rosemary extracts. *European Journal of Cancer* 35 (10) : 1541-1545.
- Rao E V S P, Gopinath C T, Rao R S G & Ramesh S 1999 Agronomic and distillation studies on rosemary (*Rosmarinus officinalis* L.) in a semi arid tropical environment. *Journal of Herbs, Spices and Medicinal Plants* 6 (3) : 25-30.
- Sant 'Ana L S & Mancini Filho J 1999 Antioxidant action of rosemary extract (*Rosmarinus officinalis* L.) in "Pacu" (*Piaractus mesopotamicus* Holmberg) filets. *Revista Brasileira de Plantas Medicinalis* 2 (1) : 27-31.
- Weinberg Z G, Akiri B, Potoyevski E & Kanner J 1999 Enhancement of polyphenol recovery from rosemary (*Rosmarinus officinalis*) and sage (*Salvia officinalis*) by enzyme assisted ensiling (ENCLAC). *Journal of Agricultural and Food Chemistry* 47 (7) : 2959-2962.

Saffron (*Crocus sativus* L.)

- Cappelli C, Minco G di & di Minco G 1999 Three years of trials on saffron diseases in Abruzzo (Central Italy). *Informatore Fitopatologico* 49 (9) : 27-32.

- Gao WenYun, Li YiMing & Zhu DaYuan 1999 Phenolic glucosides and a gamma lactone glucoside from the sprouts of *Crocus sativus*. *Planta Medica* 65 (5) : 425-427.
- Souret F F & Weathers P J 1999 Cultivation, in vitro culture, secondary metabolite production, and phytopharmacognosy of saffron (*Crocus sativus* L.). *Journal of Herbs, Spices and Medicinal Plants* 6 (4) : 99-116.
- Sud A K, Paul Y S Thakur B R 1999 Corm rot of saffron and its management. *Journal of Mycology and Plant Pathology* 29 (3) : 380-382.

Tamarind (*Tamarindus indica* L.)

- Arya A, Arya C, Agarwal R & Lal B 1999 A new species of *Phomopsis* on *Tamarindus indica* L. *National Academy Science Letters* 22 (9-10) : 152-155.
- Bharad S G, Gholap S V, Dod V N & Bople S R 1999 Seasonal variation in success of softwood grafting of tamarind (*Tamarindus indica* L.). *Journal of Applied Horticulture (Lucknow)* 1 (1) : 57-58.
- E1 Siddig K, Ebert G & Ludders P 1999 Tamarind (*Tamarindus indica* L.): a review on a multipurpose tree with promising future in the Sudan. *Angewandte Botanik* 73 (5-6) : 202-205.
- Mahto L B 1999 Biodiversity enrichment for large scale plantation : *Tamarindus indica*. *MFP News* 9 (3) : 10-11.

Thyme (*Thymus* spp.)

- Marino M, Bersani C & Comi G 1999 Antimicrobial activity of the essential oils of *Thymus vulgaris* L. measured using a bioimpedometric method. *Journal of Food Protection* 62 (9) : 1017-1023.
- Mockute D & Bernotiene G 1999 The main citral geraniol and carvacrol chemotypes of the essential oil of *Thymus pulegioides* L. growing wild in Vilnius District (Lithuania). *Journal of Agricultural and Food Chemistry* 47 (9) : 3787-3790.
- Pino J A 1999 Volatile components of spices. XV. Thyme. *Alimentaria* No. 301, 107-109.
- Youdim K A, Dorman H J D & Deans S G 1999 The antioxidant effectiveness of thyme oil, alpha tocopherol and ascorbyl palmitate on evening primrose oil oxidation. *Journal of Essential Oil Research* 11 (5) : 643-648.

Turmeric (*Curcuma* spp.)

- Anjula Pandey & Mukerji K G 1999 Co-occurrence of vesicular arbuscular mycorrhizal fungi and *Olpidium brassicae* in subterranean organs of *Curcuma domestica* Valetton. *Phytomorphology* 49 (3) : 261-266.
- Antony S, Kuttan R & Kuttan G 1999 Immunomodulatory activity of curcumin. *Immunological Investigations* 28 (5-6) : 291-303.
- Araujo M C P, Luz Dias F da, Kronka S N, Takahashi C S, da Luz Dias F & Dias F da L 1999 Effects of turmeric and its active principle, curcumin on bleomycin induced chromosome aberrations in Chinese hamster ovary cells. *Genetics and Molecular Biology* 22 (3) : 407-413.
- Began G, Sudharshan E, Sankar K U & Rao A G A 1999 Interaction of curcumin with phosphatidylcholine: spectrofluorometric study. *Journal of Agricultural and Food Chemistry* 47 (12) : 4992-4997.
- Chandra R, Sheo Govind & Desai A R 1999 Growth, yield and quality performance of turmeric (*Curcuma longa* L.) genotypes in mid altitudes of Meghalaya. *Journal of Applied Horticulture (Lucknow)* 1 (2) : 142-144.

- Cohly H H P, Rao M R, Kanji V K, Manisundaram D, Taylor A, Wilson M T, Angel M F & Das S K 1999 Effect of turmeric (chemical plant extract) on in vitro nitric oxide synthetase (NOS) levels in tissues harvested from acute and chronic wounds. *Wounds* 11 (3) : 70-76.
- Dharamainder Choudhary, Dhyan Chandra & Kale R K 1999 Modulation of radioresponse of glyoxalase system by curcumin. *Journal of Ethnopharmacology* 64 (1) : 1-7.
- Eigner D & Scholz D 1999 *Ferula asafoetida* and *Curcuma longa* in traditional medical treatment and diet in Nepal. *Journal of Ethnopharmacology* 67 (1) : 1-6.
- Garg S N, Bansal R P, Gupta M M, Sushil Kumar & Kumar S 1999 Variation in the rhizome essential oil and curcumin contents and oil quality in the land races of turmeric *Curcuma longa* of North Indian plains. *Flavour and Fragrance Journal* 14 (5) : 315-318.
- Gupta B & Ghosh B 1999 *Curcuma longa* inhibits TNF-alpha induced expression of adhesion molecules on human umbilical vein endothelial cells. *International Journal of Immunopharmacology* 21 (11) : 745-757.
- Hong RueyLong, Spohn WH & Hung MienChie 1999 Curcumin inhibits tyrosine kinase activity of p185neu and also depletes p185neu. *Clinical Cancer Research* 5 (7) : 1884-1891.
- Ibrahim J, Ahmad A S, Ali N A M, Ahmad R A & Ibrahim H 1999 Chemical composition of the rhizome oils of four *Curcuma* species from Malaysia. *Journal of Essential Oil Research* 11 (6) : 719-723.
- Kang B Y, Song Y J, Kim K M, Choe Y K, Hwang S Y & Kim T K 1999 Curcumin inhibits Th1 cytokine profile in CD4+ T cells by suppressing interleukin-12 production in macrophages. *British Journal of Pharmacology* 128 (2) : 380-384.
- Kawamori T, Lubet R, Steele V E, Kelloff G J, Kaskey R B, Rao C V & Reddy B S 1999 Chemopreventive effect of curcumin, a naturally occurring anti inflammatory agent, during the promotion/progression stages of colon cancer. *Cancer Research, Baltimore* 59 (3) : 597-601.
- Lalitha Subramanian, Phil M & Selvam R 1999 Prevention of CC14-induced hepatotoxicity by aqueous extract of turmeric. *Nutrition Research* 19 (3) : 429-441.
- Nirmala C, Anand S & Puvanakrishnan R 1999 Curcumin treatment modulates collagen metabolism in isoproterenol induced myocardial necrosis in rats. *Molecular and Cellular Biochemistry* 197 (1-2) : 31-37.
- Poornima K & Vadivelu S 1999 Occurrence and seasonal population behaviour of phytonematodes in turmeric (*Curcuma longa* L.). *Pest Management in Horticultural Ecosystems* 5 (1) : 42-45.
- Rajakrishnan V, Viswanathan P, Rajasekharan K N & Menon V P 1999 Neuroprotective role of curcumin from *Curcuma longa* on ethanol induced brain damage. *Phytotherapy Research* 13 (7) : 571-574.
- Rath C C, S K, Mishra R K & Charyula J K 1999 A comparative note on antimycotic activity of turmeric leaf essential oil against *Candida albicans* and *Cryptococcus neoformans*. *Journal of Essential Oil Bearing Plants* 2 (2) : 82-90.
- Shah B H, Nawaz Z, Pertani S A, Roomi A, Mahmood H, Saeed S A & Gilani A H 1999 Inhibitory effect of curcumin, a food spice from turmeric, on platelet activating factor and arachidonic acid mediated platelet aggregation through inhibition of thromboxane formation and Ca²⁺ signaling. *Biochemical Pharmacology* 58 (7) : 1167-1172.
- Sherlija K K, Unnikrishnan K & Ravindran P N 1999 Bud and root development of turmeric (*Curcuma longa* L.) rhizome. *Journal of Spices and Aromatic Crops* 8 (1) : 49-55.
- Sarboni Bhaumik, Rana Anjum, Nandini Rangaraj, Pardhasaradhi B V V & Ashok Khar 1999 Curcumin mediated apoptosis in AK-5 tumor cells involves the production of reactive oxygen intermediates. *FEBS Letters* 456 (2) : 311-314.
- Suchandra Chatterjee, Desai S R P & Thomas P 1999 Effect of gamma-irradiation on the antioxidant activity of turmeric (*Curcuma longa* L.) extracts. *Food Research International* 32 (7) : 487-490.

Vanilla (*Vanilla* spp.)

- Bidgood S & Cribb P 1999 *Vanilla* (Orchidaceae) newly reported from Ethiopia. *Kew Bulletin* 54 (2): 378.
- Fouche J G & Jouve L 1999 *Vanilla planifolia*: History, botany and culture in Reunion Island. *Agronomie* 19 (8) : 689-703.
- Nielsen L R & Siegismund H R 1999 Interspecific differentiation and hybridization in *Vanilla* species (Orchidaceae). *Heredity* 83 (5) : 560-567.
- Pearson M N, Keshaw S & Gupta D 1999 Effects of two naturally occurring mild potyviruses on the symptom expression of vanilla necrosis potyvirus in *Vanilla fragrans*. *New Zealand Journal of Crop and Horticultural Science* 27 (4) : 325-330.
- Rao S R & Ravishankar G A 1999 Biotransformation of isoeugenol to vanilla flavour metabolites and capsaicin in suspended and immobilized cell cultures of *Capsicum frutescens*: Study of the influence of beta-cyloextrin and fungal elicitor. *Process Biochemistry* 35 (3-4) : 341-348.
- Stern W L & Judd W S 1999 Comparative vegetative anatomy and systematics of *Vanilla* (Orchidaceae). *Botanical Journal of the Linnean Society* 131 (4) : 353-382.