



## Spices Bibliography – 2002 (Part I)

Complied by: **P Azgar Sheriff**

*Indian Institute of Spices Research  
Calicut – 673 012, Kerala, India.*

### Spices – General

Arizio O , Ming L C , Craker L E, Scheffer M C & Chaves F C M 2002 Analysis of the imports of spices of the European market at the end of 20<sup>th</sup> century. *Proceedings of the First Latin American Symposium on the Production of Medicinal, Aromatic and Condiments Plants, Sao Pedro, Sao Paulo, Brazil.* No. 569 : 21-27.

Kapoor C H C & Kaur C 2002 Anti-oxidant activity and total phenolic content of some Asian vegetables. *International Journal of Food Science and Technology* 37 (2) : 153-161.

Kowsalya U S & Chandrasekhar U 2002 Provitamin A content of selecte South Indian foods by high performance liquid chromatography. *Journal of Food Science and Technology Mysore* 39 (2) : 183-187.

### Basil (*Ocimum spp.*)

Gang D R, Lavid N, Zubieta C, Chen F, Beuerle T, Lewinsohn E, Noe J P & Pichersky E 2002 Characterization of phenylpropene O-methyltransferases from sweet basil: facile change of substrate specificity and convergent evolution within a plant O-methyltransferase family. *Plant Cell* 14 (2) : 505-519.

Kamada T, Casali V W D, Finger F L, Furtado M R, Ming L C, Craker L E, Scheffer M C & Chaves F C M 2002 Phenotypical plasticity of the morphological characters in accessions of basil (*Ocimum basilicum* L.). *Proceedings of the First Latin American Symposium on the Production of Medicinal Aromatic and Condiments Plants, Sao Pedro, Sao Paulo, Brazil.* pp. 69-72.

### Black pepper (*Piper nigrum* L.)

Thanuja T V, Hegde R V & Sreenivasa M N 2002 Induction of rooting and root growth in black pepper cuttings (*Piper nigrum* L) with the inoculation of arbuscular mycorrhizae. *Scientia Horticulture* 92 (3-4) : 339-346.

### Caraway (*Carum carvi* L.)

Langenberger M W & Davis A R 2002 Honey bee pollen foraging in relation to flowering phenology of biennial caraway (*Carum carvi* L.). *Canadian Journal of Plant Science* 82 (1) : 203-215.

### Celery (*Apium graveolens* L.)

Afek U 2002 The effect of GA3 on psoralens and on columbianetin, a phytoalexin associated with celery resistance to pathogens during storage. *Advances in Horticultural Science* 14 (4) : 189-192.

Labuchagne N, Gull C, Wehner F C & Botha W J 2002 Report of root rot caused by *Pythium* F-group on hydroponically grown celery in South Africa. *Plant Disease* 86 (4) : 441.

**Chillies (*Capsicum* spp.)**

- Aliyu L & Kuchinda N C 2002 Analysis of the chemical composition of some organic manures and their effect on the yield and composition of pepper. *Crop Research Hisar* 23 (2) : 362-368.
- Anandam R J & Doraiswamy S 2002 Role of barrier crops in reducing the incidence of mosaic disease in chilli. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz* 109 (1) : 109-112.
- Baral J & Bosland P W 2002 Genetic diversity of a *Capsicum* germplasm collection from Nepal as determined by randomly amplified polymorphic DNA markers. *Journal of the American Society for Horticultural Science* 127 (3) : 318-324.
- Boronat M, Madrid R & Martinez A 2002 Development of surface color in red pepper fruit varieties: influence of substrates and low levels of phosphorus and potassium fertilization. *Journal of Plant Nutrition* 25 (4) : 797-807.
- Bowen P & Frey B 2002 Response of plasticcultured bell pepper to staking irrigation frequency and fertigated nitrogen rate. *HortScience* 37 (1) : 95-100.
- Buonauro R, Scarponi L, Ferrara M, Sidoti P & Bertona A 2002 Induction of systemic acquired resistance in pepper plants by acibenzolar-S-methyl against bacterial spot disease. *European Journal of Plant Pathology* 108 (1) : 41-49.
- Caranta C, Pflieger S, Lefebvre V, Daubeze A M, Thabuis A & Palloix A 2002 QTLs involved in the restriction of cucumber mosaic virus (CMV) long-distance movement in pepper. *Theoretical and Applied Genetics* 104 (4) : 586-591.
- Castro S & Romero J 2002 The association of clover proliferation phytoplasma with stolbur disease of pepper in Spain. *Journal of Phytopathology* 150 (1) : 25-29.
- Costa L D & Gianquinto G 2002 Water stress and water table depth influence yield, water use efficiency and nitrogen recovery in bell pepper: lysimeter studies. *Australian Journal of Agricultural Research* 53 (2) : 201-210.
- Davies F T J, Portugal O V, Aguilera Gomez A L, Alvarado M J, Ferrera-Cerrato R C & Boutton T W 2002 Alleviation of drought stress of Chile ancho pepper (*Capsicum annuum* L. cv. San Luis) with arbuscular mycorrhiza indigenous to Mexico. *Scientia Horticulture* 92 (3-4) : 347-359.
- Deokar K P & Sawant D M 2001 Inhibition of cucumber mosaic virus in chilli by biofertilizers. *Journal of Maharashtra Agricultural Universities* 26 (3) : 276-279.
- Erickson A N & Markhart A H 2002 Flower developmental stage and organ sensitivity of bell pepper (*Capsicum annuum* L.) to elevated temperature. *Plant Cell and Environment* 25 (1) : 123-130.
- Goorahoo D, Carstensen G, Zoldoske D F, Norum E & Mazzei A 2002 Using air in sub-surface drip irrigation (SDI) to increase yields in bell peppers. *International Water and Irrigation* 22 (2) : 39-42.
- Hagiwara K, Ichiki T U, Ogawa Y, Omura T & Tsuda S 2002 A single amino acid substitution in 126-kDa protein of Pepper mild mottle virus associates with symptom attenuation in pepper; the complete nucleotide sequence of an attenuated strain C-1421. *Archives of Virology* 147 (4) : 833-840.
- Hong & Hwang B K 2002 Induction by pathogen salt and drought of a basic class II chitinase mRNA and its in situ localization in pepper (*Capsicum annuum*). *Physiologia Plantarum* 114 (4) : 549-558.
- Inoue N A K, Fonseca M E N, Resende R O, Boiteux L S, Monte D C & Dusi A N 2002 Pepper yellow mosaic virus a new pot virus in sweet pepper *Capsicum annuum*. *Archives of Virology* 147 (4) : 849-855.

- Jones J B, Minsavage G V, Roberts P D, Johnson R R, Kousik C S, Subramanian S & Stall R E 2002 A non-hypersensitive resistance in pepper to the bacterial spot pathogen is associated with two recessive genes. *Phytopathology* 92 (3) : 273-277.
- Kaparakis G & Alderson P G 2002 Influence of high concentrations of cytokinins on the production of somatic embryos by germinating seeds of tomato, aubergine and pepper. *Journal of Horticultural Science and Biotechnology* 77 (2) : 186-190.
- Kim K Y, Cho Y S, Sohn B K, Park R D, Shim J H, Jung S J, Kim Y W & Seong K Y 2002 Cold-storage of mixed inoculum of *Glomus intraradices* enhances root colonization, phosphorus status and growth of hot pepper. *Plant and Soil* 238 (2) : 267-272.
- Kim T S, Kwon M S, Park B S & Park H G 2002 Development of hot pepper lines resistant to oriental tobacco budworm (*Heliothis assulta*) by transformation of modified cry1Ac gene. *Journal of the Korean Society for Horticultural Science* 43 (1) : 34-38.
- Kim Y C, Mang H G, Kim W T & Choi D 2002 Pathogen-induced expression of cyclo-oxygenase homologue in hot pepper (*Capsicum annuum* cv. Pukang). *Journal of Experimental Botany* 53 (367) : 383-385.
- Kim Y S, Park J Y & Kim K S 2002 A thaumatin-like gene in nonclimacteric pepper fruits used as molecular marker in probing disease resistance, ripening and sugar accumulation. *Plant Molecular Biology* 49 (2) : 125-135.
- Kokalis B, Vavrina C S, Rosskopf E N & Shelby R A 2002 Field evaluation of plant growth-promoting rhizobacteria amended transplant mixes and soil solarization for tomato and pepper production in Florida. *Plant and Soil* 238 (2) : 257-266.
- Mao C & Motsenbocker C E 2002 Effects of ethephon on tabasco pepper fruit ripening and abscission at the fruit-receptacle junction. *Scientia Horticulturae* 93 (3-4) : 357-365.
- Matheron M E & Porchas M 2002 Suppression of *Phytophthora* root and crown rot on pepper plants treated with Acibenzolar-S-methyl. *Plant Disease* 86 (3) : 292-297.
- Moreno V M, Cabello M J & Ribas Elcorobarrutia F 2002 Apical necrosis in pepper - Effect of irrigation dose. *Agricultura Revista Agropecuaria* 71 (840) : 423-426.
- Morra L, Bilotto M, Desiderio A & Tonini A 2002 Organic amendments for *Capsicum* in protected cultivation. *Colture Protette* 31 (4) : 77-82.
- Navarro J M, Garrido C, Carvajal M & Martinez V 2002 Yield and fruit quality of pepper plants under sulphate and chloride salinity. *Journal of Horticultural Science and Biotechnology* 77 (1) : 52-57.
- Park C J, Shin R, Park J M, Lee G J, You J S & Paek K H 2002 Induction of pepper cDNA encoding a lipid transfer protein during the resistance response to tobacco mosaic virus. *Plant Molecular Biology* 48 (3) : 243-254.
- Patil K B & Biradar D P 2001 Nutrient uptake of chilli as influenced by plant population and integrated nutrient levels in Vertisols. *Journal of Maharashtra Agricultural Universities* 26 (3) : 337-339.
- Peterson J K & Harrison H F 2002 Suppression effect of *Capsicum chinense* Jacq. on Southern rootknot nematode [*Meloidogyne incognita* (Kofoid and White) Chitwood] in peppers and tomato. *Allelopathy Journal* 9 (1) : 59-62.

- Pinaki A, Rajput C B S & Joshi A K 2002 Variability and correlation studies for different traits in six generations of the cross LCA 301 x Pusa sadabahar (*Capsicum* spp.) under two environments with respect to leaf curl complex. *Environment and Ecology* 20 (1) : 68-74.
- Ploetz R, Heine G, Haynes J & Watson M 2002 An investigation of biological attributes that may contribute to the importance of *Phytophthora capsici* as a vegetable pathogen in Florida. *Annals of Applied Biology* 140 (1) : 61-67.
- Romero A M, Kousik C S & Ritchie D F 2002 Temperature sensitivity of the hypersensitive response of bell pepper to *Xanthomonas axonopodis* pv *vesicatoria*. *Phytopathology* 92 (2) : 197-203.
- Russo V M & Howard L R 2002 Carotenoids in pungent and non-pungent peppers at various developmental stages grown in the field and glasshouse. *Journal of the Science of Food and Agriculture* 82 (6) : 615-624.
- Samaniego Cruz E, Quezada Martin M R, Rosa-Ibarra Munguia, Lopez J & Jimenez L 2002 Tomato and bell pepper seedlings production under reflecting polyethylene covers to decrease temperature in greenhouse. *Agrociencia Montecillo* 36 (3) : 305-318.
- Sterner R T, Ames A D, Kimball B A, Fall M W & Jackson W B 2002 Persistence of capsicum oleoresin in soil. *11th Triennial International Symposium of the Biodegradation Society, Arlington, Virginia, USA*. 49 (2-3) : 145-149.
- Thies J A & Fery R L 2002 Heat stability of resistance to southern root-knot nematode in bell pepper genotypes homozygous and heterozygous for the N gene. *Journal of the American Society for Horticultural Science* 127 (3) : 371-375.
- Wiethoff J, Meyhofer R & Poehling H M 2002 Use of combinations of natural enemies for biological control of *Myzus persicae* (Sulzer) (Hom: Aphididae) on sweet pepper in greenhouses. *Gesunde Pflanzen* 54 (3-4) : 126-137.
- Yun H K, Kim K Y & Yoo K C 2002 Change of some constituents along with the fruit maturity in *Capsicum* species. *Journal of the Korean Society for Horticultural Science* 43 (1) : 39-42.

### **Cinnamon (*Cinnamomum* spp.)**

- Chen Hui Min, Song Zhang & Huang T Z 2002 Studies on the biological characteristics of the pathogen bionomics and control of powdery-fruit disease of *Cinnamomum cassia*. *Journal of Fujian College of Forestry* 22 (2) : 176-179.
- Kojoma M, Kurihara K, Yamada K, Sekita S, Satake M & Iida O 2002 Genetic identification of cinnamon (*Cinnamomum* spp.) based on the trnL-trnF chloroplast DNA. *Planta Medica* 68 (1) : 94-96.
- Nor-Azah M A, Mastura Mohtar, Khozirah Shaari & Jantan I 2002 Chemical composition and antimicrobial activities of the essential oils of *Cinnamomum aureofulvum* Gamb. *Journal of Essential Oil Research* 14 (2) : 135-138.

### **Clove (*Syzygium aromaticum* L. Merr. & Perry)**

- Beg A Z & Iqbal Ahmad 2002 *In vitro* fungitoxicity of the essential oil of *Syzygium aromaticum*. *World Journal of Microbiology and Biotechnology* 18 (4) : 313-315.

### **Cumin (*Cuminum cyminum* L.)**

- El Sawi S A & Mohamed M A 2002 Cumin herb as a new source of essential oils and its response to foliar spray with some micro-elements. *Food Chemistry* 77 (1) : 75-80.
- Garg B K, Uday Kathju S & Burman U 2002 Responses of cumin to salt stress. *Indian Journal of Plant Physiology* 7 (1) : 70-74.

### **Dill (*Anethum graveolens* L.)**

- Ligoxigakis E K, Vakalounakis D J & Thanassoulopoulos C C 2002 Host range of *Verticillium dahliae* in cultivated species in Crete. *Phytoparasitica* 30 (2) : 141-146.
- Rupam Mukerji K G, Kapoor R & Giri B 2002 *Glomus macrocarpum*: a potential bioinoculant to improve essential oil quality and concentration in dill (*Anethum graveolens* L.) and carum (*Trachyspermum ammi* (Linn) Sprague). *World Journal of Microbiology and Biotechnology* 18 (5) : 459-463.

### **Fennel (*Foeniculum vulgare* Miller)**

- Brenton R K & Klinger R C 2002 Factors influencing the control of fennel (*Foeniculum vulgare* Miller) using triclopyr on Santa Cruz Island, California, USA. *Natural Areas Journal* 22 (2) : 135-147.
- Fernandes D M, Doi N T, Villas-Boas R L, Bull L T, Miazaki S S, Ming L C, Craker L E, Scheffer M C & Chaves F C M 2002 Macronutrients and micronutrients removal by aerial part of sweet fennel due to liming and chicken manure fertilization. *Proceedings of the First Latin American Symposium on the Production of Medicinal Aromatic and Condiments Plants, Sao Pedro, Sao Paulo, Brazil*. pp. 185-190.
- Krauthausen H J & Kreiselmaier J 2002 *Cercosporidium punctum* in fennel. *Gemuse Munchen* 38 : 3.
- Tiwari R S & Agarwal A 2002 Effect of intercropping on yield and economics of fennel (*Foeniculum vulgare* Mill). *Crop Research Hisar* 23 (2) : 369-374.

### **Fenugreek (*Trigonella foenum-graecum* L.)**

- Agarwal R H R, Yadav P C & Verma R 2002 Effect of phosphorus and weed management in fenugreek. *Annals of Biology* 18 (1) : 97-98.
- El Nagerabi S A F 2002 Determination of seedborne fungi and detection of aflatoxins in Sudanese fenugreek seeds. *Phytoparasitica* 30 (1) : 61-66.
- Koli N R 2002 Estimation of genetic parameters in M2 generation of fenugreek (*Trigonella foenum-graecum* L.). *Annals of Biology* 18 (2) : 211-212.
- Mazza G, Foti S & Tommaso D 2002 Volatile constituents of sicilian fenugreek (*Trigonella foenum-graecum* L.) seeds. *Sciences des Aliments* 22 (3) : 249-264.
- Meena B L, Dadhich S R & Kumawat R L 2002 Efficacy of some insecticides against lady bird beetle *Coccinella septumpunctata* Linn. feeding on fenugreek aphid *Acyrtosiphon pisum* (Harris). *Annals of Biology* 18 (2) : 171-173.
- Nagendra S, Siyag S & Bhardwaj N 2002 Effect of sowing time on seed yield and quality traits on fenugreek (*Trigonella foenum-graecum* L.) cultivars. *Annals of Agri Bio Research* 7 (1) : 31-34.
- Nehara K C, Sharma H S & Agarwal H R 2002 Response of fenugreek (*Trigonella foenum-graecum* L.) to phosphorus and potassium. *Annals of Biology* 18 (1) : 43-45.
- Oncina R, Gomez P & Ortuno A 2002 Effect of ethylene on diosgenin accumulation in callus cultures of *Trigonella foenum-graecum* L. *Food Chemistry* 76 (4) : 475-479.

### **Garlic (*Allium sativum* L.)**

- Al Karaki G N 2002 Field response of garlic inoculated with arbuscular mycorrhizal fungi to phosphorus fertilization. *Journal of Plant Nutrition* 25 (4) : 747-756.
- Amorim-JR de A, Fernandes P D & Gheyi H R 2002 Effect of irrigation water salinity and its mode of application on garlic growth and production. *Pesquisa Agropecuaria Brasileira* 37 (2) : 167-176.

- Arundhati C, Unni B G, Roy M K & Yadav A 2002 Causal organism of flacherie in the silkworm *Antheraea assama* Ww: isolation, characterization and its inhibition by garlic extract. *Phytotherapy Research* 16 (2) : S89-S90.
- Dovas C I, Mamolos A P & Katis N I 2002 Fluctuations in concentration of two potyviruses in garlic during the growing period and sampling conditions for reliable detection by ELISA. *Annals of Applied Biology* 140 (1) : 21-28.
- Lunello P, Ducasse D A, Helguera M, Nome S F & Conci V C 2002 An Argentinean isolate of leek yellow stripe virus from leek can be transmitted to garlic. *Journal of Plant Pathology* 84 (1) : 11-17.
- Pale S, Zavaleta Mejia E, Mora Aguilera G & Perez Moreno L 2002 Pathogenicity of four Mexican isolates of *Sclerotium cepivorum* Berk in three cultivars of garlic (*Allium sativum* L.). *Agrociencia Montecillo* 36 (1) : 103-113.
- Paulsen M R, Eckhoff S R, Obaldo L, Jones E, Eustace D & Liu J 2002 Measurement and removal of garlic in wheat. *Applied Engineering in Agriculture* 18 (3) : 313-324.
- Prados-Ligero A M, Bascon Fernandez J, Calvet Pinos C, Corpas Hervias C, Lara Ruiz A, Melero-Vara J M & Basallote Ureba M J 2002 Effect of different soil and clove treatments in the control of white rot of garlic. *Annals of Applied Biology* 140 (3) : 247-253.
- Talavera P S & Lopez Cervantes M 2002 Study of the garlic (*Allium sativum* L.) clone "Martinez". *Alimentaria* 38 (329) : 81-83.
- Turk M A & Tawaha A M 2002 Crop-weed competition studies in garlic (*Allium sativum* L.) under irrigated condition. *Crop Research Hisar* 23 (2) : 321-323.
- Welk E, Schubert K & Hoffmann M H 2002 Present and potential distribution of invasive garlic mustard (*Alliaria petiolata*) in North America. *Diversity and Distributions* 8 (4) : 219-233.

### Ginger (*Zingiber officinale* Rosc.)

- Sharma P T R & Singh B M 2002 Salicylic acid induced insensitivity to culture filtrate of *Fusarium oxysporum* f. sp. *zingiberi* in the calli of *Zingiber officinale* Roscoe. *European Journal of Plant Pathology* 108 (1) : 31-39.

### Large cardamom (*Amomum subulatum* Roxb.)

- Sharma G, Sharma R, Sharma E & Singh K K 2002 Performance of an age series of Alnus-cardamom plantations in the Sikkim Himalaya: nutrient dynamics. *Annals of Botany* 89 (3) : 273-282.

### Mustard (*Brassica* spp.)

- Ansari M S & Naqshbandi S 2002 Studies on daily rhythm of the larvae of mustard sawfly *Athalia proxima* Klug under field condition. *Shashpa* 9 (1) : 87-88.
- Arun J, Arumugam N, Gupta V, Pradhan A & Pental D 2002 Development of transgenic barstar lines and identification of a male sterile (barnase)/restorer (barstar) combination for heterosis breeding in Indian oilseed mustard (*Brassica juncea*). *Current Science* 82 (1) : 46-52.
- Asghar H N, Zahir Z A, Arshad M & Khalid A 2002 Relationship between *in vitro* production of auxins by rhizobacteria and their growth-promoting activities in *Brassica juncea* L. *Biology and Fertility of Soils* 35 (4) : 231-237.
- Bayon M M, Yanes E G, Leon C P, Jayasimhulu K, Stalcup A, Shann J & Caruso J A 2002 Initial studies of selenium speciation in *Brassica juncea* by LC with ICPMS and ES-MS detection: an approach for phytoremediation studies. *Analytical Chemistry Washington* 74 (1) : 107-113.

- Chauhan S V S & Singh V 2002 Detergent-induced male sterility and bud pollination in *Brassica juncea* (L.) Czern & Coss. *Current Science* 82 (8) : 918-920.
- Devi L C, Singh T K & Varatharajan R 2002 Role of natural enemies in the management of *Lipaphis erysimi* (Kalt) on *Brassica juncea* var. *rugosa* (Linn.). *Journal of Biological Control* 16 (1) : 27-30.
- Fung K & Chye M L 2002 Tobacco-expressed *Brassica juncea* chitinase BjCHI1 shows antifungal activity *in vitro*. *Plant Molecular Biology* 50 (2) : 283-294.
- Furuya K, Miyao S & Isshiki K 2002 Inhibition of bean sprout pathogenic fungi growth using allylisothiocyanate vapor Nippon Shokuhin Kagaku Kogaku Kaishi. *Journal of the Japanese Society for Food Science and Technology* 49 (6) : 388-394.
- Ghosh S K & Gulati S C 2002 Parental diversity to realize maximum heterosis in Indian mustard (*Brassica juncea* (L.) Czern & Coss). *Indian Journal of Genetics and Plant Breeding* 62 (1) : 25-28.
- Ghosh S K, Gulati S C & Rajani R 2002 Combining ability and heterosis for seed yield and its components in Indian mustard (*Brassica juncea* (L.) Czern & Coss). *Indian Journal of Genetics and Plant Breeding* 62 (1) : 29-33.
- Ghoshdastidar K K & Patra M M 2002 Genetic architecture of seed yield and its component characters in Indian mustard. *Journal of Interacademia* 6 (1) : 31-36.
- Gopal M, Mukherjee I & Chander S 2002 Behaviour of beta-cyfluthrin and imidacloprid in mustard crop: alternative insecticide for aphid control. *Bulletin of Environmental Contamination and Toxicology* 68 (3) : 406-411.
- Gurpreet K, Ahuja I & Banga S S 2002 Association of endogenous level of hormones with male sterility expression in alloplasmic lines of *Brassica juncea* (L.) Coss. *Annals of Agri Bio Research* 7 (2) : 175-179.
- Harvey S G, Hannahan H N & Sams C E 2002 Indian mustard and allyl isothiocyanate inhibit *Sclerotium rolfsii*. *Journal of the American Society for Horticultural Science* 127 (1) : 27-31.
- Hong H, Datla N, Reed D W, Covello P S, MacKenzie S L & Hong H P 2002 High-level production of gamma-linolenic acid in *Brassica juncea* using a DELTA6 desaturase from *Pythium irregularare*. *Plant Physiology* 129 (1) : 354-362.
- Ishwar S & Agarwal S K 2002 Plant water relation studies with respect to nutrient and weed management in mustard [*Brassica juncea* (L.) Czern & Coss] under dryland conditions. *Crop Research Hisar* 23 (3) : 433-436.
- Kanrar S, Venkateswari J, Kirti P B & Chopra V L 2002 Transgenic Indian mustard (*Brassica juncea*) with resistance to the mustard aphid (*Lipaphis erysimi* Kalt.). *Plant Cell Reports* 20 (10) : 976-981.
- Khan N A, Ansari H R, Khan M, Mir R & Samiullah 2002 Effect of phytohormones on growth and yield of Indian mustard. *Indian Journal of Plant Physiology* 7 (1) : 75-78.
- Khurana N & Chatterjee C 2002 Low sulfur alters boron metabolism of mustard. *Journal of Plant Nutrition* 25 (3) : 679-687.
- Leo F de & Gallerani R 2002 The mustard trypsin inhibitor 2 affects the fertility of *Spodoptera littoralis* larvae fed on transgenic plants. *Insect Biochemistry and Molecular Biology* 32 (5) : 489-496.
- Mandal M N A, Santha I M, Lodha M L & Mehta S L 2002 Molecular cloning and characterization of oleoyl-ACP thioesterase gene from *Brassica juncea*. *Journal of Plant Biochemistry and Biotechnology* 11 (1) : 27-31.
- Meah M B, Hau B & Siddiqua M K 2002 Relationships between disease parameters of Alternaria blight (*Alternaria brassicae*) and yield of mustard. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz* 109 (3) : 243-251.

- Misra A K, Mishra A S, Tripathi M K, Prasad R & Jakhmola R C 2002 Effect of graded levels of concentrate and nitrogen replacement on dry matter digestibility of untreated and alkaline hydrogen peroxide treated mustard (*Brassica campestris*) straw in vitro. *Animal Nutrition and Feed Technology* 2 (1) : 49-56.
- Mo H & Pua E C 2002 Up-regulation of arginine decarboxylase gene expression and accumulation of polyamines in mustard (*Brassica juncea*) in response to stress. *Physiologia Plantarum* 114 (3) : 439-449.
- Mohapatra T, Upadhyay A, Sharma A & Sharma R P 2002 Detection and mapping of duplicate loci in *Brassica juncea*. *Journal of Plant Biochemistry and Biotechnology* 11 (1) : 37-42.
- Murren C J, Pendleton N & Pigliucci M 2002 Evolution of phenotypic integration in Brassica (Brassicaceae). *American Journal of Botany* 89 (4) : 655-663.
- Olsson A 2002 Problems with nematodes? Resistant oil radish and white mustard can clean. *Betoddaren* No. 1 : 42-45.
- Pahadia K K & Singh S 2002 Spatio-temporal analysis of area and productivity of rapeseed and mustard in different districts of Haryana. *Annals of Biology* 18 (1) : 57-60.
- Pathak D V, Anand R C, Kukreja K & Narula N 2002 Response of various mutants of Azotobacter chroococcum on mustard crop (*Brassica juncea* cv RH 30) and their survival. *Annals of Agri Bio Research* 7 (1) : 95-97.
- Poonia B S, Singh J & Kumar R 2002 Effect of levels and sources of phosphorus on yield and nutrient content of mustard (*Brassica juncea* L.). *Annals of Biology* 18 (2) : 133-136.
- Pradip K, Kumar P & Prasad K 2002 Effect of component crops in intercropping of linseed+mustard under increasing rates of nitrogen. *Crop Research Hisar* 23(2) : 283-286.
- Punia B S, Porwal B L & Singh J 2002 Varietal response of mustard to phosphorus fertilization on vertisols of Rajasthan. *Annals of Biology* 18 (1) : 47-48.
- Ramesh K, Thakral N K & Singh D 2002 Gene effects of siliqua length and seeds per siliqua in Indian mustard. *Annals of Agri Bio Research* 7 (2) : 171-174.
- Rao N V & Gulati S C 2002 Parental order vis-a-vis per se performance in multi-way crosses of Indian mustard (*Brassica juncea* L. Czern & Coss). *Indian Journal of Genetics and Plant Breeding* 62 (1) : 21-24.
- Robertson M J, Watkinson A R, Kirkegaard J A, Holland J F, Potter T D, Burton W, Walton G H, Moot D J, Wratten N, Farre I & Asseng S 2002 Environmental and genotypic control of time to flowering in canola and Indian mustard. *Australian Journal of Agricultural Research* 53 (7) : 793-809.
- Roy S K & Baral K 2002 Effect of infestation by mustard aphid *Lipaphis erysimi* Kalt on yield and its attributes. *Journal of Applied Zoological Researches* 13 (1) : 39-43.
- Santonoceto C, Hocking P J, Braschkat J & Randall P J 2002 Mineral nutrient uptake and removal by canola, Indian mustard and Linola in two contrasting environments and implications for carbon cycle effects on soil acidification. *Australian Journal of Agricultural Research* 53 (4) : 459-470.
- Sen P, Roy P & Bhattacharya B 2002 Effect of sulphur application on yield and nutrient uptake in rice-mustard cropping system. *Fertiliser Marketing News* 33 (6) : 9-15.
- Sharma R, Aggarwal R A K, Kumar R, Mohapatra T & Sharma R P 2002 Construction of an RAPD linkage map and localization of QTLs for oleic acid level using recombinant inbreds in mustard (*Brassica juncea*). *Genome* 45 (3) : 467-472.
- Siddhartha K, Venkateswari J C, Kirti P B & Chopra V L 2002 Transgenic expression of hevein the rubber tree lectin in Indian mustard confers protection against *Alternaria brassicae*. *Plant Science* 162 (3) : 441-448.

- Singh M P, Pandey U N, Lal R K & Chaturvedi G S 2002 Response of *Brassica* species to different irrigation regimes. *Indian Journal of Plant Physiology* 7 (1) : 66-69.
- Singh R, Rao V M & Singh D 2002 Biomass partitioning in *Brassica* as affected by sowing dates. *Journal of Agrometeorology* 4 (1) : 59-63.
- Singh P C 2002 Effect of different levels of nitrogen and phosphorus on yield yield components and oil content of mustard (*Brassica juncea* L.) cv Varuna. *Journal of Living World* 9 (1) : 1-4.
- Somers D J, Rakow G & Rimmer S R 2002 *Brassica napus* DNA markers linked to white rust resistance in *Brassica juncea*. *Theoretical and Applied Genetics* 104 (6-7) : 1121-1124.
- Souza M P, de Pickering I J, Walla M & Terry N 2002 Selenium assimilation and volatilization from selenocyanate-treated Indian mustard and muskgrass. *Plant Physiology* 128 (2) : 625-633.
- Srivastava M K & Singh R P 2002 Correlation and path analysis in Indian mustard [*Brassica juncea* (L.) Czern & Coss]. *Crop Research Hisar* 23 (3) : 517-521.
- Su De Chun & Wong J 2002 The phytoremediation potential of oilseed rape (*Brassica juncea*) as a hyperaccumulator for cadmium contaminated soil. *China Environmental Science* 22 (1) : 48-51.
- Suresh K, Tripathi P N & Singh R 2002 Response of Indian mustard to sources and levels of sulphur in partially reclaimed salt affected soil. *Indian Journal of Agricultural Sciences* 72 (1) : 21-22.
- Traw M B & Dawson T E 2002 Differential induction of trichomes by three herbivores of black mustard. *Oecologia* 131(4) : 526-532.
- Uematsu Y, Hirata K, Suzuki K, Iida K, Ueta T & Kamata K 2002 Determination of isothiocyanates and related compounds in mustard extract and horseradish extract used as natural food additives. *Shokuhin Eiseigaku Zasshi*. *Journal of the Food Hygienes Society of Japan* 43 (1) : 10-17.
- Wallace S K & Eigenbrode S D 2002 Changes in the glucosinolate-myrosinase defense system in *Brassica juncea* cotyledons during seedling development. *Journal of Chemical Ecology* 28 (2) : 243-256.
- Nutmeg (*Myristica fragrans* Houtt.)**
- Adedire C O 2002 Use of nutmeg *Myristica fragrans* (Houtt) powder and oil for the control of cowpea storage bruchid, *Callosobruchus maculatus* Fabricius. *Zeitschrift fur Pflanzenkrankheiten und Pflanzenschutz* 109 (2) : 193-199.
- Parsley (*Petroselinum crispum* Miller)**
- Afek U, Orenstein J, Carmeli S & Aharoni N 2002 Marmesin a new phytoalexin associated with resistance of parsley to pathogens after harvesting. *Postharvest Biology and Technology* 24 (1) : 89-92.
- Cormack R S, Eulgem T, Rushton P J, Kochner P, Hahlbrock K & Somssich I E 2002 Leucine zipper-containing WRKY proteins widen the spectrum of immediate early elicitor-induced WRKY transcription factors in parsley. *Biochimica et Biophysica Acta. Gene Structure and Expression* 1576 (1-2) : 92-100.
- Monnet Y & Thibault J 2002 Diseases and pests of parsley PHM Revue. *Horticole* No. 432 : 32-33.
- Thyme (*Thymus vulgaris* L.)**
- Tisserat B, Vaughn S F & Silman R 2002 Influence of modified oxygen and carbondioxide atmospheres on mint and thyme plant growth morphogenesis and secondary metabolism in vitro. *Plant Cell Reports* 20 (10) : 912-916.

**Turmeric (*Curcuma longa* L.)**

Tripathi A K, Prajapati V, Verma N, Bahl J R, Bansal R P, Khanuja S P S & Kumar S 2002 Bioactivities of the leaf essential oil of *Curcuma longa* (var. Ch-66) on three species of stored-product beetles (Coleoptera). *Journal of Economic Entomology* 95 (1) : 183-189.

**Vanilla (*Vanilla planifolia* Andrews)**

Dignum Y & Verpoorte R 2002 Glucosylation of exogenous vanillin by plant cell cultures. *Plant Cell Tissue and Organ Culture* 69 (2) : 177-182.

Fraga C N 2002 Taxonomic notes on the Brazilian species of *Vanilla* Mill (Orchidaceae). *Boletim do Museu de Biologia Mello Leitao*. No 13 : 45-52.