

## Spices Bibliography – 2002 (Part II)

Compiled by: P Azgar Sheriff & C K Sushama Devi

Indian Institute of Spices Research  
Calicut – 673 012, Kerala, India.

### Spices – General

- Basaran P, Espino N & Basaran N 2002 Therapeutic properties of herbs and spices used in cereal technology. *Cereal Foods World* 47 (5) : 175-177.
- Bomme U 2002 Enterprise and labour studies in medicinal and spice plant production. Part II. *Gemuse Munchen* 38 (11) : 20-22.
- Bomme U 2002 Farm economic and labour requirement data on medicinal and spice plants – an overview. *Zeitschrift fur Arznei and Gewurzpflanzen* 7 (4) : 422-432.
- Bhargava M C, Sharma K C & Meena B L 2002 Efficacy of some spice oils on *Corcyra cephalonica* Stainton. *Insect Environment* 7 (4) : 156-157.
- Consuelo-Diaz Maroto M, Soledad-Perez Coello M & Dolores Cabezudo M 2002 Supercritical carbon dioxide extraction of volatiles from spices: comparison with simultaneous distillation-extraction. *Journal of Chromatography A* 947 (1) : 23-29.
- Diaz-Maroto M C, Perez-Coello M S & Cabezudo M D 2002, Headspace solid-phase microextraction analysis of volatile components of spices. *Chromatographia* 55 (11-12) : 723-728.
- Madan M S, Sarma Y R & Nagendra J 2002 Spices production and prospects in Andhra Pradesh. *Indian Journal of Arecanut, Spices and Medicinal Plants* 4 (1) : 42-50.
- Minija J & Thoppil J E 2002 Studies on essential oil composition and microbicidal activities of two South Indian spices of the Apiaceae. *International Journal of Aromatherapy* 12 (4) : 213-215.
- Nekrosiene R 2002 Cultivation possibilities of medicinal and spice plants in Lithuania. *Zemdirbyste, Mokslo Darbai* 79 : 315-323.
- Peter K V, Nybe E V & Raj N M 2002 Technologies for large-scale production of QPM in major spices. Proceedings of the State Level Seminar on Advances in Production of Quality Planting Materials of Horticultural Crops, 6-7 September 2002 (pp 40-48), Orissa Horticultural Society, Bhubaneswar, India.
- Sapna V, Vasundhara M & Annapurna M L 2002 Fermented beverages from spices - a new nutraceutical drink. *Journal of Spices and Aromatic Crops* 11 : 106-111.
- Sameer S, Saroj S, Bohra A, Sharma S, Sobhag S, Manoharachary C, Purohit D K & Ram Reddy S 2002 Rhizosphere microflora of two spices plants of Rajasthan. In : Singara - Charya M A &

Girisham S *Frontiers in Microbial Biotechnology and Plant Pathology* (pp. 309-313), Scientific Publishers (India), Jodhpur, India.

Thakral K K, Mangal J L & Thakral R 2002 Medicinal importance of spices grown in North India. *Indian Journal of Arecanut, Spices and Medicinal Plants* 4 (1) : 53-55.

### Basil (*Ocimum* spp.)

Barroso L & Jerez E 2002 Phenology of white basil (*Ocimum basilicum* L.) grown at different sowing dates. *Cultivos Tropicales* 23 (2) : 43-46.

Dhar A K 2002 Sweet basil *Ocimum basilicum* - a review. *Journal of Medicinal and Aromatic Plant Sciences* 24 (3) : 738-755.

Dudai N, Chaimovitch D, Reuveni R, Ravid U, Larkov O, Putievsky E, Johnson C B & Franz C 2002 Breeding of sweet basil (*Ocimum basilicum*) resistant to *Fusarium* wilt caused by *Fusarium oxysporum* f.sp.*basilicum*. Breeding research on aromatic and medicinal plants, Chania, Crete, 2000. *Journal of Herbs, Spices and Medicinal Plants* 9 (2-3) : 45-51.

Fravel D R & Larkin R P 2002 Reduction of fusarium wilt of hydroponically grown basil by *Fusarium oxysporum* strain CS-20. *Crop Protection* 21 (7) : 539-543.

Gang D R, Beuerle T, Ullmann P, Reichhart W D & Pichersky E 2002 Differential production of meta hydroxylated phenylpropanoids in sweet basil peltate glandular trichomes and leaves is controlled by the activities of specific acyltransferases and hydroxylases. *Plant Physiology* 130 (3) : 1536-1544.

Golcz A & Markiewicz B 2002 Effect of increasing nitrogen doses and harvest terms on the quantitative and qualitative parameters of sweet basil (*Ocimum basilicum* L.). Part II. *Herba Polonica* 48 (3) : 107-111.

Golcz A, Lozykowska K S & Markiewicz B 2002 Effect of increasing nitrogen doses and harvest terms on the growth and development of sweet basil (*Ocimum basilicum* L.). Part I. *Herba Polonica* 48 (2) : 55-60.

Ioannidis D, Bonner L & Johnson C B 2002 UV-B is required for normal development of oil glands in *Ocimum basilicum* L. (sweet basil). *Annals of Botany* 90 (4) : 453-460.

Ismail E A, Mohammad C H, Salbiah H, Chang Y, Mohtar M, Subramaniam V & Yunus N M 2002 Fertilization and irrigation of basil on BRIS soil. Towards Modernisation of Research and Technology in Herbal Industries (pp. 234-236), Forest Research Institute, Kuala Lumpur, Malaysia.

Jerez E & Barroso L 2002 Performance of white basil (*Ocimum basilicum* L.) under reduced water quantities applied per developing phase. *Cultivos Tropicales* 23 (4) : 39-46.

Kandeel A M 2002 Effect of foliar application with some micro-nutrients on the vegetative growth, volatile oil yield and chemical composition of *Ocimum basilicum* L. plant. *Annals of Agricultural Science Cairo* 47 (1) : 373-387.

Kandeel A M, Naglaa S A T & Sadek A A 2002 Effect of bio-fertilizers on the growth, volatile oil yield and chemical composition of *Ocimum basilicum* L. plant. *Annals of Agricultural Science Cairo* 47 (1) : 351-371.

Minuto A, Minuto G, Migheli Q, Gullino M L & Garibaldi A 2002 The "stanchezza" (soil sickness) of sweet basil. *Phytopathologia Mediterranea* 41 (2) : 85-91.

Mondello L, Zappia G, Cotroneo A, Bonaccorsi I, Chowdhury J U, Yusuf M & Dugo G 2002 Studies on the essential oil-bearing plants of Bangladesh. Part VIII. Composition of some *ocimum* oils *O. basilicum*

L. var. *purpurascens*; *O. sanctum* L. green; *O. sanctum* L. purple; *O. americanum* L. citral type; *O. americanum* L. camphor type. *Flavour and Fragrance Journal* 17 (5) : 335-340.

Monnet Y & Thibault J 2002 Pests and diseases of basil. *PHM Revue Horticole* No. 436 : 40-41.

Moya G M L, Gomez, Vazquez J, Blanco, Prieto R & Tello-Marquina J C 2002 First report of *Fusarium oxysporum* f. sp. *basilici* in sweet basil cultivation in Spain. *Plant Disease* 86 (12) : 1402.

Nurzynska R 2002 Evaluation of growth and yield of two forms of sweet basil grown from seeds and transplants. *Folia Horticulturae* 14 (2) : 169-175.

Refaat A M, Momen F M & Amer S A A 2002 Acaricidal activity of sweet basil and French lavender essential oils against two species of mites of the family Tetranychidae (Acari: Tetranychidae). *Acta Phytopathologica et Entomologica Hungarica* 37 (1-3) : 287-298.

Reuveni R, Raviv M, Krasnovsky A, Freiman L, Medina S, Bar A & Orion D 2002 Compost induces protection against *Fusarium oxysporum* in sweet basil. *Crop Protection* 21 (7) : 583-587.

Sam O, Luz M de-la, Barroso L & de la Luz M 2002 Leaf anatomical characterization of white basil (*Ocimum basilicum* L.). *Cultivos Tropicales* 23 (2) : 39-42.

Singh M & Ramesh S 2002 Response of sweet basil (*Ocimum basilicum*) to organic and inorganic fertilizer in semi-arid tropical conditions. *Journal of Medicinal and Aromatic Plant Sciences* 24 (4) : 947-950.

Szabo K, Bernath J, Bernath J, Nemeth Z E 2002 Investigation of flowering dynamics of the basil (*Ocimum basilicum* L.) and its production consequences. Proceedings of the International Conference on Medicinal and Aromatic Plants, Possibilities and Limitations of Medicinal and Aromatic Plant Production in the 21st Century, Budapest, Hungary, 8 - 11 July 2001, No.576, 105-112.

Taba S, Ooshiro A, Takaesu K & Takushi T 2002 New wilt and crown rot disease in basil (*Ocimum basilicum* L.). *Soil Microorganisms* 56 (1) : 31-35.

Teixeira J P, Marques M O M, Facanali R, Furlani P R, Ming L C, Craker L E, Scheffer M C & Chaves F C M 2002 Essential oil contents in two cultivars of basil cultivated on NFT-hydroponics. Proceedings of the First Latin American Symposium on the Production of Medicinal, Aromatic and Condiments Plants Sao Pedro Sao Paulo Brazil 30 July to 4 August 2000 No. 569, 203-208.

Tesi R & Lenzi A 2002 Valuation of some dwarf genotypes of basil (*Ocimum basilicum* L.). *Sementi Elette* 48 (4) : 38-40.

Venere D di, Sergio L, Linsalata V, Mastro G de, di Venere D, de Mastro G, Bernath J & Nemeth Z E 2002, Biochemical assessment of basil (*Ocimum basilicum* L.) cultivars for processing. Proceedings of the International Conference on Medicinal and Aromatic Plants, Possibilities and Limitations of Medicinal and Aromatic Plant Production in the 21st Century, Budapest, Hungary, 8-11 July 2001. No. 576 : 177-179.

Ziombra M & Sas I 2002 The influence of the data of planting on the yield and the content of essential oil in the herb of three cultivars of aromatic basil. *Herba Polonica* 48 (4) : 295-299.

### Black Pepper (*Piper nigrum* L. and *Piper* species)

Anith K N, Radhakrishnan N V & Manomohandas T P 2002 Management of nursery wilt of black pepper (*Piper nigrum* L.) with antagonistic bacteria. *Current Science* 83 (5) : 561-562.

Anoop Sankar & Santha Kumari P 2002 Survival of *Colletotrichum gloeosporioides*, the causal organism of anthracnose disease of black pepper. *Journal of Spices and Aromatic Crops* 11 : 129-131.

- Barbosa F B da C 2002 Molecular biotechnology and new model of financing: possibilities to black pepper research. CC and T Cadernos de Ciencia and Tecnologia 19 (3) : 429-449.
- Chun H, Shin D H, Hong B S, Cho W D, Cho H Y & Yang H C 2002 Biochemical properties of polysaccharides from black pepper. Biological and Pharmaceutical Bulletin 25 (9) : 1203-1208.
- Deepa S S & Arumughan C 2002 Characterization of peroxidase and polyphenol oxidase from green pepper (*Piper nigrum* L.) berries. Journal of Plantation Crops 30 (2) : 40-44.
- Ferreira S R S & Meireles M A A 2002 Modeling the supercritical fluid extraction of black pepper (*Piper nigrum* L.) essential oil. Journal of Food Engineering 54 (4) : 263-269.
- Giridhar P & Reddy S M 2002 Effect of storage structures on seed mycoflora and seed deterioration in black pepper. Advances in Plant Sciences 15 (1) : 331-334.
- Hamza S & Sadanandan A K 2002 Response of black pepper (*Piper nigrum*) to zinc. Indian Journal of Agricultural Sciences 72 (12) : 745-746.
- Jahagirdar S & Siddaramaiah A L 2002 Prevalence of foot rot of black pepper in Karnataka. Agricultural Science Digest 22 (1) : 45-47.
- Jirovetz L, Buchbauer G, Ngassoum M B & Geissler M 2002 Aroma compound analysis of *Piper nigrum* and *Piper guineense* essential oils from Cameroon using solid-phase microextraction-gas chromatography, solid-phase microextraction-gas chromatography-mass spectrometry and olfactometry. Journal of Chromatography A 976 (1-2) : 265-275.
- Kandiannan K, Kailasam C, Chandaragiri K K & Sankaran N 2002 Allometric model for leaf area estimation in black pepper (*Piper nigrum* L.). Journal of Agronomy and Crop Science 188 (2) : 138-140.
- Khajuria A, Thusu N & Zutshi U 2002 Piperine modulates permeability characteristics of intestine by inducing alterations in membrane dynamics: influence on brush border membrane fluidity, ultrastructure and enzyme kinetics. Phytomedicine 9 (3) : 224-231.
- Menon A N, Padmakumari K P & Jayalekshmy A J 2002 Essential oil composition of four major cultivars of black pepper (*Piper nigrum* L.). Journal of Essential Oil Research 14 (2) : 84-86.
- Nair P K U, Vanaja T, Neema V P, Arya K & Sivakumar G 2002 Panniyur 6 - a newly released high yielding variety of black pepper. Indian Journal of Arecanut, Spices and Medicinal Plants 4 (2) : 81.
- Padma M & Rajkumar M 2002 Comparative yield trial in selected varieties of black pepper (*Piper nigrum* L.). Journal of Research ANGRAU 30 (2) : 33-35.
- Pariari A, Sharangi A B & Chatterjee R 2002 Rooting success of black pepper (*Piper nigrum* L.) cuttings as influenced by rooting media and portions of vine. Environment and Ecology 20 (2) : 402-404.
- Radhakrishnan V V, Madhusoodanan K J, Kuruvilla K M & Vadivel V 2002 Production technology for black pepper. Indian Journal of Arecanut, Spices and Medicinal Plants 4 (2) : 76-80.
- Rajan P P, Sarma Y R & Anandaraj M 2002 Management of foot rot disease of black pepper with *Trichoderma* spp. Indian Phytopathology 55 (1) : 34-38.
- Rameshkumar A, Sathiamoorthy S & Subbiah A 2002. Effect of plant growth regulators on yield parameters, yield and quality of black pepper (*Piper nigrum* L.) variety Panniyur-1. Journal of Spices and Aromatic Crops 11 : 125 - 128.
- Sainamole Kurian, P, Backiyarani S, Josephraj Kumar A & Murugan M 2002 Varietal evaluation of black pepper (*Piper nigrum* L.) for yield, quality and anthracnose disease resistance in Idukki District, Kerala. Journal of Spices and Aromatic Crops 11 : 122-124.

- Scott I M, Puniani E, Durst T, Phelps D, Merali S, Assabgui R A, Sanchez, Vindas P, Poveda L, Philogene B J R & Arnason J T 2002 Insecticidal activity of *Piper tuberculatum* Jacq. extracts: synergistic interaction of piperamides. Agricultural and Forest Entomology 4 (2) : 137-144.
- Shamarao J & Siddaramiah A L 2002 Influence of weather forecasters on the epidemiology of foot rot of black pepper in Karnataka. Indian Journal of Agricultural Research 36 (1) : 49-52.
- Silva D P P, de Jones P & Shaw M W 2002 Identification and transmission of Piper yellow mottle virus and Cucumber mosaic virus infecting black pepper (*Piper nigrum*) in Sri Lanka. Plant Pathology 51 (5) : 537-545.
- Sit A K, Chenchiah K C & Acharya G C 2002 Black pepper - a profitable mixed crop in areca based cropping system under Terai Region of West Bengal. Indian Journal of Arecanut, Spices and Medicinal Plants 4 (4) : 155- 157.
- Skapska S, Kostrzewa E, Jendrzeczek Z, Bal K, Karlowski K, Fonberg broczek M, Porowski S & Morawski A 2002 Effect of ultra high pressure (UHP) and temperature on the volatiles and piperine content of black pepper (*Piper nigrum* L.). Herba Polonica 48 (3) : 120-129.
- Thankamani C K & Ashokan P K 2002 Chlorophyll and leaf epicuticular wax contents of black pepper (*Piper nigrum*) varieties in response to water stress. Journal of Medicinal and Aromatic Plant Sciences 24 (4) : 943-946.
- Caraway (*Carum carvi* L.)**
- Chowdhury A R 2002 GC-MS studies on essential oil from *Carum carvi* L. raised in Kumaon. Journal of Essential Oil Bearing Plants 5 (3) : 158-161.
- Frank T, Bieri K & Speiser B 2002 Feeding deterrent effect of carvone, a compound from caraway seeds, on the slug *Arion lusitanicus*. Annals of Applied Biology 141 (2) : 93-100.
- Gabler J, Johnson C B & Franz C 2001 Breeding for resistance to biotic and abiotic factors in medicinal and aromatic plants general situation and current results in annual caraway (*Carum carvi* L. var. *annum*) Breeding research on aromatic and medicinal plants Chania, Crete, 2000. Journal of Herbs Spices and Medicinal Plants 9 (2-3) : 1-11.
- Hussein A K M, Bernath J, Nemeth Z E 2002 Pests of caraway (*Carum carvi* L.) in the Nile Delta, Egypt. Proceedings of the International Conference on Medicinal and Aromatic Plants, Possibilities and Limitations of Medicinal and Aromatic Plant Production in the 21st Century, Budapest, Hungary, 8 - 11 July 2001, No.576, 335-339.
- Kusterer A, Taubenrauch K, Gabler J & Kuhne T 2002 Diseases of caraway (*Carum carvi* L.), fennel (*Foeniculum vulgare* Mill.) and dill (*Anethum graveolens* L.) at the location Aschersleben. Zeitschrift für Arznei and Gewürzpflanzen 7 (3) : 387-391.
- Langenberger M W & Davis A R 2002 Temporal changes in floral nectar production, reabsorption, and composition associated with dichogamy in annual caraway (*Carum carvi*; Apiaceae). American Journal of Botany 89 (10) : 1588-1598.
- Matsumura T, Ishikawa T & Kitajima J 2002 Water-soluble constituents of caraway: aromatic compound, aromatic compound glucoside and glucides. Phytochemistry 61 (4) : 455-459.
- Petraityte N, Dastikaite A & Sliesaravicius A 2002 Investigation of common caraway (*Carum carvi* L.) morphobiochemical properties stability in situ. Zemdirbyste, Mokslo Darbai 78 : 274-282.
- Rohricht C & Manicke S 2002 Cultivation techniques, yield and quality of caraway (*Carum carvi* L.). Gemuse Munchen 38 (7) : 23-24.
- Steinhoff B 2002 Plant portrait caraway. Zeitschrift für Arznei and Gewürzpflanzen 7 (4) : 434.

Szczeponek A, Mazur S, Taborsky V, Polak J, Lebeda A & Kudela V 2002 Investigation of fungi infesting the caraway seeds (*Carum carvi* L.) in the South Region of Poland. Disease resistance in plant pathology Prague, Czech Republic, 8-14 September 2002. Plant Protection Science 38 (Special 2) : 344-346.

### Cardamom (*Elettaria cardamomum* Maton)

Arora S & Srinivas P 2002 Chiral analysis of major flavour-impact constituents of cardamom and dill oils. Journal of Medicinal and Aromatic Plant Sciences 24 (2) : 376-380.

Backiyarani S, Sainamole Kurian P, Josephraj Kumar A & Murugan M 2002 Evaluation of high yielding accessions of small cardamom (*Elettaria cardamomum* Maton) for suitability in the high ranges of Idukki District. Journal of Spices and Aromatic Crops 11 : 93-96.

Dharmaparakrama A L S, Herath I H M H, Subasinghe H M P A, Gunatilleke C V S, Gunatilleke I A U N & Tennakoon K U 2002 Performance and characterization of promising cardamom (*Elettaria cardamomum* Maton) accessions at high and low altitudes of Sri Lanka. Proceedings of the First Research Sessions, Postgraduate Institute of Science, Peradeniya, Sri Lanka, 7 - 8 September 2002. Biological Sciences 30 :127-143.

Jacob T & Usha R 2002 Expression of cardamom mosaic virus coat protein in *Escherichia coli* and its assembly into filamentous aggregates. Virus Research 86 (1-2) : 133-141.

Josephraj Kumar A, Backiyarani S & Murugan M 2002 PV-1, a pseudostem borer tolerant cardamom variety. Insect Environment 7 (4) : 155-156.

Josephrajkuamr A, Sainamole Kurian P, Backiyarani S & Murugan M 2002. Evaluation of biorationals against thrips (*Sciothrips cardamomi* Ramk) and shoot and capsule borer (*Conogethes punctiferalis* Guess.) in cardamom. Journal of Spices and Aromatic Crops 11 : 132-134.

Korikanthimath V S, Govardhan Rao, Hiremath G M & Rao G 2002 Cultivation of cardamom (*Elettaria cardamomum*) in valley bottoms under evergreen forest shade. Journal of Medicinal and Aromatic Plant Sciences 24 (1) : 53-59.

Prasath D & Venugopal M N, 2002 Genetic analysis for quantitative characters in cardamom (*Elettaria cardamomum* Maton). Indian Journal of Genetics and Plant Breeding 62 (2) : 179-180.

Thyagaraj N E, Singh P K & Chakravarthy A K 2002 Effect of integrated management practices on cardamom thrips *Sciothrips cardamomi* (Rmk.) and shoot and fruit borer *Conogethes punctiferalis* (Guenee) damage. Insect Environment 7 (4) : 177-179.

Thyagaraj N E, Singh P K & Chakravarthy A K, 2002 Effect of plant based insecticides on cardamom thrips *Sciothrips cardamomi* (Rmk.) and shoot and fruit borer *Conogethes punctiferalis* (Guenee) infestation. Insect Environment 7 (4) : 179-180.

### Celery (*Apium graveolens* L.)

Choudhary D K, Bhan M K, Dhar A K, Thappa R K, Balyan S S & Khan S 2002 Genetic divergence in celery (*Apium graveolens*). Journal of Medicinal and Aromatic Plant Sciences 24 (3) : 683-688.

D' Antuono L F, Neri R, Moretti A, Bernath J, Nemeth Z E 2002 By-products of vegetable celery (*Apium graveolens* L. var. *dulce*) as potential source of flavours. Proceedings of the International Conference on Medicinal and Aromatic Plants, Possibilities and Limitations of Medicinal and Aromatic Plant Production in the 21st Century, Budapest, Hungary, 8 - 11 July 2001, No.576 : 327-331.

Green K R, O' Neill T M & Wilson D 2002 Effect of leaf wetness duration and temperature on the development of leaf spot (*Septoria apiicola*) on celery. The BCPC Conference: Pests and Diseases, Volumes 1 and 2 : 225-230.

Iglesias A A, Vicario L R, Gomez-Casati D F, Sesma J I, Gomez-Casati M E, Bustos D M & Podesta F E 2002 On the interaction of substrate analogues with non-phosphorylating glyceraldehyde-3-phosphate dehydrogenase from celery leaves. Plant Science 162 (5) : 689-696.

Jennings D B, Daub M E, Pharr D M & Williamson J D 2002 Constitutive expression of a celery mannitol dehydrogenase in tobacco enhances resistance to the mannitol-secreting fungal pathogen *Alternaria alternata*. Plant Journal 32 (1) : 41-49.

Momin R A & Nair M G 2002 Antioxidant, cyclooxygenase and topoisomerase inhibitory compounds from *Apium graveolens* Linn. seeds. Phytomedicine 9 (4) : 312-318.

Mulge R, Madalgeri M B, Shivakumar B G, Govil J N, Pandey J, Shivakumar B G & Singh V K 2002 Cultivation practices of basella (*Basella* spp.) and celery (*Apium graveolens*). Crop Improvement, Production Technology, Trade and Commerce (pp. 163-174), Sci Tech Publishing LLC, Houston, USA.

Paci F, Bartolini D & Rapparini G 2002 Few products available for effective weed control in celery. Informatore Agrario 58 (23) : 69-73.

Philippe J, Suvarnalatha G, Sankar R, Suresh S & Wang H Y 2002 Kessane in the Indian celery seed oils. Journal of Essential Oil Research 14 (4) : 276-277.

Rice R W, Datnoff L E, Raid R N & Sanchez C A 2002 Influence of vesicular-arbuscular mycorrhizae on celery transplant growth and phosphorus-use efficiency. Journal of Plant Nutrition 25 (8) : 1839-1853.

Rincon Sanchez L, Pellicer Botia C, Saez Sironi J, Perez, Crespo A & Abadia Sanchez A 2002 Vegetative growth and nutrients absorption in celery under fertigation. Investigacion Agraria, Produccion y Proteccion Vegetales 17 (2) : 291-302.

Shih YuChin, Tsao ShingJy, Shih Y C & Tsao S J 2002 Effects of seedling age on growth character of celery (*Apium graveolens* L.) after transplanting. Journal of the Chinese Society for Horticultural Science 48 (4) : 379-390.

Thimm J C, Burritt D J, Sims I M, Newman R H, Ducker W A & Melton L D 2002 Celery (*Apium graveolens*) parenchyma cell walls: cell walls with minimal xyloglucan. Physiologia Plantarum 116 (2) : 164-171.

Thomas T 2002 Is there a circadian germination response to red light in celery (*Apium graveolens* L.) seeds? Plant Growth Regulation 37 (1) : 31-35.

Venkatesh B, Khan M I, Pant A & Rudolph K 2002 Enzymatic digestion of plant pectins from susceptible and resistant cultivars of celery and extraction of a putative carbohydrate binding protein from phytopathogenic pseudomonads. Proceedings of the 8th Symposium on New Aspects of Resistance Research on Cultivated Plants Bacterial Diseases, Aschersleben, Germany, November 2001 8 (3) : 17-19.

Vitova L, Stodulkova E, Bartonickova A & Lipavska H 2002 Mannitol utilization by celery (*Apium graveolens*) plants grown under different conditions *in vitro*. Plant Science 163 (4) : 907-916.

**Chillies (*Capsicum* spp.)**

- Abbasi P A, Soltani N, Cuppels D A & Lazarovits G 2002 Reduction of bacterial spot disease severity on tomato and pepper plants with foliar applications of ammonium lignosulfonate and potassium phosphate. *Plant Disease* 86 (11) : 1232-1236.
- Acharyya P 2002 Screening of progenies of different cross combinations of *Capsicum* sp. against leaf curl incidence. *Environment and Ecology* 20 (3) : 576-581.
- Acharyya P, Joshi A K, Rajput C B S & Acharyya P 2002 Studies on variability and character association for different traits in six generations of the cross 'LCA 301 x Punjab Lal' (*Capsicum annuum* L.) under two environments with respect to leaf curl complex. *Capsicum and Eggplant Newsletter* No.21 : 60-63.
- Acquadro A, Portis E & Lanteri S 2002 Application of the microsatellite-amplified fragment length polymorphism (M-AFLP) technique in pepper (*Capsicum annuum* L.). *Capsicum and Eggplant Newsletter* No.21, 25-28; 17 ref. (25-28).
- Ade-Omowaye B I O, Rastogi N K, Angersbach A & Knorr D 2002 Osmotic dehydration of bell peppers: influence of high intensity electric field pulses and elevated temperature treatment. *Journal of Food Engineering* 54 (1) : 35-43.
- Ahmed J, Shivhare U S & Ramaswamy H S 2002 A fraction conversion kinetic model for thermal degradation of color in red chilli puree and paste. *Lebensmittel Wissenschaft und Technologie* 35 (6) : 497-503.
- Alegbejo M D 2002 Reaction of pepper cultivars to pepper veinal mottle potyvirus. *Journal of Vegetable Crop Production* 8 (1) : 19-26.
- Alegbejo M D & Abo M E 2002 Ecology, epidemiology and control of pepper veinal mottle virus (PVMV), genus Potyvirus, in West Africa. *Journal of Sustainable Agriculture* 20 (2) : 5-16.
- Alegbejo M D & Orakwue F C 2002 Characteristics of some pepper cultivars commonly grown in Nigeria. *Capsicum and Eggplant Newsletter* No.21 : 22-24.
- Aliyu L 2002 Growth and yield of pepper (*Capsicum annuum* L.) as affected by nitrogen and phosphorus application and plant density. *Crop Research Hisar* 23 (3) : 467-475.
- Aloni B & Karni L 2002 Effects of CO<sub>2</sub> enrichment on yield, carbohydrate accumulation and changes in the activity of antioxidative enzymes in bell pepper (*Capsicum annuum* L.). *Journal of Horticultural Science and Biotechnology* 77 (5) : 534-540.
- Alonso Baez M, Tijerina Chavez L, Sanchez Garcia P, Aceves-Navarro L A, Escalante-Estrada A J & Martinez Garza A 2002 Jalapeno pepper production under fertigation as a function of soil-water tension, nitrogen and potassium nutrition. *Terra* 20 (2) : 209-215.
- Alvarado R G, Pavia F S, Creamer R & Liddell C 2002 Pepper mottle virus causing disease in chile peppers in Southern New Mexico. *Plant Disease* 86 (6) : 603-605.
- Anchondo J A, Wall M M, Gutschick V P & Smith D W 2002 Growth and yield of iron-deficient chile peppers in sand culture. *Journal of the American Society for Horticultural Science* 127 (2) : 205-210.
- Anderson J A 2002 Catalase activity, hydrogen peroxide content and thermotolerance of pepper leaves. *Scientia Horticulturae* 95 (4) : 277-284.
- Arnedo-Andres M S, Gil Ortega R, Luis Arteaga M & Hormaza J I 2002 Development of RAPD and SCAR

- markers linked to the Pvr4 locus for resistance to PVY in pepper (*Capsicum annuum* L.). *Theoretical and Applied Genetics* 105 (6-7) : 1067-1074.
- Arora S K, Singh J, Batra B R, Mehra R & Singh J 2002 Effect of plant density and irrigation levels on shoot-root growth and fruit yield in chilli (*Capsicum annuum* L.) cv. HC-44. *Annals of Agricultural Research* 23 (1) : 136-140.
- Attri B L, Medhi R P & Swaroop K 2002 Effect of storage on post-harvest life of different cultivars of chilli (*Capsicum frutescens*) under tropical conditions of Andaman and Nicobar Islands. *Indian Journal of Horticulture* 59 (2) : 171-176.
- Babu B S, Pandravada S R, Reddy K J, Varaprasad K S & Sreekanth M 2002 Field screening of pepper germplasm for sources of resistance against leaf curl caused by thrips (*Scirtothrips dorsalis* Hood) and mites (*Polyphagotarso nemus latus* Banks). *Indian Journal of Plant Protection* 30 (1) : 7-12.
- Balamohan T N & Kulasekaran M 2002 Physiological and biochemical characters in identifying chilli (*Capsicum annuum* Linn.) genotypes for salt environment. *Orissa Journal of Horticulture* 30 (1) : 104-110.
- Balaraj R, Kurdikeri M B, Patil S A & Shekhargouda M 2002 Effect of fertilizer doses and spacings on seed yield and quality in chilli (*Capsicum annuum* L.). *Seed Research* 30 (2) : 234-238.
- Balaraj R, Kurdikeri M B & Revanappa 2002 Effect of growth regulators on growth and yield of chilli (*Capsicum annuum*) at different pickings. *Indian Journal of Horticulture* 59 (1) : 84-88.
- Baral J B, & Bosland P W 2002 An updated synthesis of the *Capsicum* genus. *Capsicum and Eggplant Newsletter* No.21 : 11-21.
- Barbosa R I, Luz F J F, Nascimento-Filho H R, Maduro C B & do-Nascimento-Filho H R 2002 Capsicum peppers cultivated in Roraima, Brazilian Amazonia. I. Domestic species. *Acta Amazonica* 32 (2) : 177-192.
- Bekker N P, Ul'-chenko N T & Glushenkova A I 2002 Lipids of *Capsicum annuum* fruit pulp. *Chemistry of Natural Compounds* publ. 2003, 38 (5) : 466.
- Bhoraniya M F, Khandar R R & Khunti J P 2002 Estimation of oxalic acid in chilli infected with *Sclerotium rolfsii*. *Plant Disease Research* 17 (2) : 325.
- Bhoraniya M F, Khandar R R & Khunti J P 2002 Evaluation of pesticides against *Sclerotium rolfsii* in chilli by soil plate technique. *Plant Disease Research* 17 (1) : 145-146.
- Blum E, Liu K, Mazourek M, Yoo E Y, Jahn M & Paran I 2002 Molecular mapping of the Clouc for presence of pungency in *Capsicum*. *Genome* 45 (4) : 702-705.
- Borychowski A, Szczytt N K & Jedraszko M 2002 Plant regeneration from sweet pepper (*Capsicum annuum* L.) hypocotyl explants. *Acta Physiologiae Plantarum* 24 (3) : 257-264.
- Bosland P W 2002 Inheritance of a novel flaccid mutant in *Capsicum annuum*. *Journal of Heredity* 93 (5) : 380-382.
- Bostan H & Dursun A 2002 Identification of some virus diseases in pepper production areas in Kemaliye and Yusufeli Districts. *Ziraat Fakultesi Dergisi, Ataturk Universitesi* 33 (4) : 391-392.
- Brand M, Mesika Y, Elad Y, Szejnberg A, Rav David D, Nitzani Y, Elad Y, Kohl J & Shtienberg D 2002 Effect of greenhouse climate on biocontrol of powdery mildew (*Leveillula taurica*) in sweet pepper and prospects for integrated disease management. IOBC WPRS Working Group 'Biological Control of Fungal and Bacterial Plant Pathogens' Influence of abiotic and biotic factors on biocontrol agents at Pine Bay, Kusadasi, Turkey, 22-25 May 2002. *Bulletin-OILB-SROP*. 25 (10) : 69-72.

- Buczowska H & Najda A 2002 A comparison of some chemical compounds in the fruit of sweet and hot pepper (*Capsicum annuum* L.). *Folia Horticulturae* 14 (2) : 59-67.
- Carrasco U E, Tudesca V M & Zevallos C L 2002 Edible coating effects on the sensory quality of green bell pepper fruits (*Capsicum annuum* L.) during storage. *Archivos Latinoamericanos de Nutricion* 52 (1) : 84-90.
- Catunda M G, Souza C L M, deFreitas-S-de-de P, de Moraes V & de Carvalho G J A 2002 Effects of purple nutsedge water extracts on lettuce, bell pepper and eggplant seed germination and on lettuce radicle cell division. *Revista Ceres* 49 (281) : 1-11.
- Cerna K 2002 The influence of cultivation substrate contamination by cadmium on growth-production and physiological processes of paprika. *Acta Horticulturae et Regiotecturae* 5 (1) : 12-16.
- Chen X J, Fang R, Wan J J & Mou Y S 2002 Selection of a new hot pepper F1 hybrid Ganfeng No. 5. *China Vegetables* No.2, 29.
- Cheng B Y, Zhao T C, Sun F Z, Niu Y S & Li W B 2002 Studies on identification and occurrence of bacterial spot of pepper and the control effect in Shanxi Province. *Acta Agriculturae Boreali Sinica* 17 (3) : 129-134.
- Cheng C M, Palloix A & Lefebvre V 2002 Isolation, mapping and characterization of allelic polymorphism of Chi3-P1, a class III chitinase of *Capsicum annuum* L. *Plant Science* 163 (3) : 481-489.
- Chiranjeevi C, Reddy I P, Neeraja G & Narayanamma M 2002 Management of sucking pests in chilli (*Capsicum annuum* L.). *Vegetable Science* 29 (2) : 197.
- Chitra T R, Prakash H S, Albrechtsen S E, Shetty H S & Mathur S B 2002 Indexing of leaf and seed samples of tomato and bell pepper for tobamoviruses. *Indian Phytopathology* 55 (1) : 84-86.
- Cho M C, Pae D H, Cho Y S, Chae Y, Lee W M, Kim D H, Om Y H, Kim D S, Cheong S R, Mok I G & Yoon J Y 2003 A new once-over harvest-type variety 'Saeng-ryeog No. 216' in red pepper (*Capsicum annuum* L.). *Capsicum and Eggplant Newsletter* No.22 : 27-28; 3 ref.
- Choi J H, Bae R N & Mok I G 2002 Effects of storage temperature and film packaging on the storability of fresh red pepper (*Capsicum annuum* L.). *Journal of the Korean Society for Horticultural Science* 43 (3) : 293-296.
- Choudhary B R, Fageria M S & Dhaka R S 2002 Role of growth hormones in chillies - a review. *Agricultural Reviews* 23 (2) : 145-148.
- Chung H D & Choi Y J 2002 Enhancement of salt tolerance of pepper plants (*Capsicum annuum*) by grafting. *Journal of the Korean Society for Horticultural Science* 43 (5) : 556-564.
- Ciner D O & Tipirdamaz R 2002 The effects of cold treatment and charcoal on the in vitro androgenesis of pepper (*Capsicum annuum* L.). *Turkish Journal of Botany* 26 (3) : 131-139.
- Conforti F D & Ball J A 2002 A comparison of lipid and lipid/hydrocolloid based coatings to evaluate their effect on postharvest quality of green bell peppers. *Journal of Food Quality* 25 (2) : 107-116.
- Cornillon P, Palloix A, Auge M, Paroussi G, Voyiatzis D & Paroussis E 2002 Salinity effect on pepper cultivars: interactive effect of sodium and zinc. *Proceedings of the Second Balkan Symposium on Vegetables and Potatoes, Thessaloniki, Greece, 11-15 October 2000* No. 579 : 399-403.
- Cuenca C J, Navarro M E, Conesa V F E, Hernandez G M C, Alonso A N & Sanchez N J 2002 Nitrogen fertilization in peppers under glass. Effects on production and precocity. *Agricultura, Revista Agropecuaria* 71 (843) : 596-600.

- Cunha A R, daEscobedo J F, Klosowski E S & da Cunha A R 2002 Estimate of the latent heat flux by the energy balance in protected cultivation of sweet pepper. *Pesquisa Agropecuaria Brasileira* 37 (6) : 735-743.
- Dabrowska B, Capecka E, Tropilo S K & Wisnioch S A 2002 The effect of presowing seed conditioning and protecting with fungicide on the vigour of seeds and seedlings and the yield of two cultivars of hot pepper (*Capsicum annuum* L.). *Folia Horticulturae* 14 (1) : 105-117.
- Delfine S, Tognetti R, Loreto F & Alvino A 2002 Physiological and growth responses to water stress in field-grown bell pepper (*Capsicum annuum* L.). *Journal of Horticultural Science and Biotechnology* 77 (6) : 697-704.
- Demers D A, Gosselin A & Dorais M 2002 Growing greenhouse tomato and sweet pepper under supplemental lighting: optimal photoperiod, negative effects of long photoperiod and their causes. *Proceedings of the Fourth International ISHS Symposium on Artificial Lighting, Quebec City, Canada, 7-9 November, 2000* No.580 : 83-88.
- Demir I 2002 The effect of controlled hydration treatment on germination and seedling emergence of unaged and aged pepper seeds during development. *Israel Journal of Plant Sciences* 50 (4) : 251-257.
- Denden M, Bouslama M, Morjene H, Mathlouthi M, Bouaouina T & Cheour F 2002 Comparison of effects polyethylene greenhouse cover age on hot pepper (*Capsicum annuum* L.) growth and development. *Tropicicultura* 20 (1) : 4-9.
- Deng M H, Zou X X, Zhou Q C, Liu Z M & Wen J F 2002 A study on some biochemical characters in cytoplasmic male-sterile lines and their maintainer lines of hot pepper. *Journal of Hunan Agricultural University* 28 (6) : 492-494.
- Desai S A, Nagaraj M S & Naik K S 2002 A note on penconazole — a new triazole molecule in the control of powdery mildew of chilli and grape vine. *Karnataka Journal of Agricultural Sciences* 15 (2) : 386.
- Dhawan P, Dang J K & Mehra R 2002 Capsicum leaf curl disease in relation to weather variables and its eco-friendly management. *Capsicum and Eggplant Newsletter* No. 21 : 77-80.
- Doymaz I & Pala M 2002 Hot-air drying characteristics of red pepper. *Journal of Food Engineering* 55 (4) : 331-335.
- Du F, Hu G M & Hu Y M 2002 Selection of a new hot pepper (*Capsicum frutescens*) F1 hybrid Xinfeng No. 2. *China Vegetables* No. 3 : 28-29.
- Echer M, Dade M, Echer & da Costa C P 2002 Reaction of sweet pepper to the Potato virus Y (PVYm). *Scientia Agricola* 59 (2) : 309-314.
- Echer M M, Fernandes M C A, Ribeiro R L D & Peracchi A L 2002 Evaluation of *Capsicum* genotypes for resistance to the broad mite. *Horticultura Brasileira* 20 (2) : 217-221.
- Ekbote S D 2002 Survey of chilli diseases in Haveri district. *Karnataka Journal of Agricultural Sciences* 15 (4) : 726-728.
- Ekbote S D 2002 Bio-efficacy of copper hydroxide (Coxid) against anthracnose of chilli. *Karnataka Journal of Agricultural Sciences* 15 (4) : 729-730.
- Ekbote S D, Jagadeesha R C & Patil M S 2002 Reaction of chilli germplasm to fruit rot disease. *Karnataka Journal of Agricultural Sciences* 15 (4) : 717-718.

- El Hendawy H H, Osman M E & Ramadan H A 2002 Pectic enzymes produced in vitro and in vivo by *Erwinia* spp. isolated from carrot and pepper in Egypt. *Journal of Phytopathology* 150 (8-9) : 431-438.
- El Zeiny O A H 2002 Using tissue culture as a tool for increasing the productivity of seedlings and total yield of some pepper hybrids. *Arab Universities Journal of Agricultural Sciences* 10 (1) : 273-285.
- Ercan N & Biner S B 2002 Determination of the microspore development stage of different sized-buds in pepper. *Ziraat Fakültesi Dergisi, Akdeniz Universitesi* 15 (1) : 53-59.
- Fan Y Q & Liu Y 2002 'Jiyan 6' — a sweet pepper hybrid produced by male sterile lines. *Acta Horticulturae Sinica* 29 (3) : 295.
- Fatima A G & Salikutty J 2002 Reaction of different chilli (*Capsicum annuum*) genotypes to mosaic virus. *Capsicum and Eggplant Newsletter* No.21 : 73-76.
- Fernandes M, doSantos A S, Ribeiro R & Ribeiro R 2002 Pathogenic adaptation in *Colletotrichum gloeosporioides* isolates obtained from garden egg, sweet pepper and eggplant fruits. *Summa Phytopathologica* 28 (4) : 325-330.
- Fugro P A & Khutkar A B 2002 Investigations on leaf curl of sweet pepper in Konkan (Western India). *Capsicum and Eggplant Newsletter* No. 21 : 81-84.
- Furlan R A, Rezende F C, Alves D R B & Folegatti M V 2002 Effect of irrigation water depth and CO<sub>2</sub> application on sweet pepper yield cv. Mayata in plastic greenhouse. *Horticultura Brasileira* 20 (4) : 547-550.
- Fuwape I A 2002 Moisture determination of agricultural crop (*Capsicum annuum*) by microwave energy. *Pakistan Journal of Scientific and Industrial Research* 45 (5) : 350-352.
- Garibay N A, Amador M B, Dieguez T E, Larrinaga-Mayoral J A & Garcia-Hernandez J L 2002 The use of compost as an ecological alternative for sustainable production of hot pepper (*Capsicum annuum* L.) in arid zones. *Interciencia* 27 (8) : 417-421.
- Garzon-Tiznado J A, Acosta Garcia G, Torres Pacheco I, Gonzalez Chavira M, Rivera-Bustamante R F, Maya Hernandez V & Guevara-Gonzalez R G 2002 Presence of geminivirus, pepper huasteco virus (PHV), texas pepper virus-variant Tamaulipas (TPV-T), and chino del tomate virus (CdTV) in the states of Guanajuato, Jalisco and San Luis Potosi, Mexico. *Revista Mexicana de Fitopatologia* 20 (1) : 45-52.
- Gehlot P & Purohit D K 2002 Biocontrol of Fusarium wilt of chilli through seed bacterization with *Pseudomonas fluorescens*. *Journal of Mycology and Plant Pathology* 32 (1) : 133.
- Ghosh S K 2002 Biocontrol of damping off disease of chilli caused by *Pythium aphanidermatum*. *Journal of Mycopathological Research* 40 (2) : 117-119.
- Gogoi D & Gautam B P 2002 Variability, heritability and genetic advance in chilli (*Capsicum* spp.). *Agricultural Science Digest* 22 (2) : 102-104.
- Gong F R & Fan L H 2003 Breeding of the special variety of sweet pepper for greenhouse culture. *Acta Agriculturae Shanghai* 19 (2) : 27-34.
- Grazia J, deTittone P, Chiesa A & de Grazia J 2002 Pepper (*Capsicum annuum* L.) transplant growth as affected by growing medium compression and cell size. *Agronomie* 22 (5) : 503-509.

- Grey T L, Bridges D C & NeSmith D S 2002 Transplanted pepper (*Capsicum annuum*) tolerance to selected herbicides and method of application. *Journal of Vegetable Crop Production* 8 (1) : 27-39.
- Gupta P, Ahmed J, Shivhare U S & Raghavan G S V 2002 Drying characteristics of red chilli. *Drying Technology* 20 (10) : 1975-1987.
- Gupta R S, Dixit V P & Dobhal M P 2002 Hypocholesterolaemic effect of the oleoresin of *Capsicum annuum* L. in gerbils (*Meriones hurrianae* Jerdon). *Phytotherapy Research* 16 (3) : 273-275.
- Gutierrez W, Medrano C, Baez J L, Pinto H, Villalobos Y & Medina B 2002 Efficacy evaluation of the herbicide halosulfuron methyl alone and mixed with acetochloro in weed control in sweet pepper *Capsicum annuum* L. in the Maracaibo Plain, Zulia state, Venezuela. *Revista de la Facultad de Agronomia, Universidad del Zulia* 19 (2) : 87-94.
- Hahn F 2002 Automatic Jalapeno chilli grading by width. *Biosystems Engineering* 83 (4) : 433-440.
- Hangarge D S, Raut R S, Malewar G U, More S D & Keshbhat S S 2002 Yield attributes and nutrients uptake by chilli due to organics and inorganics on vertisol. *Journal of Maharashtra Agricultural Universities* 27 (1) : 109-110.
- Hangarge D S, Raut R S, More S D, Birajdar R R & Pholane L P 2002 Effect of vermicompost and soil conditioner on some physical properties of soil under chilli-spinach system. *Journal of Soils and Crops* 12 (1) : 41-45.
- Harpster M H, Brummell D A, Dunsmuir P, Hong J G, Hwang B G, Jung H W & Kim Y J 2002 Suppression of a ripening-related endo-1,4-beta-glucanase in transgenic pepper fruit does not prevent depolymerization of cell wall polysaccharides during ripening. *Plant Molecular Biology* 50 (3) : 345-355.
- Hossain M A & Bala B K 2002 Thin-layer drying characteristics for green chilli. *Drying Technology* 20 (2) : 489-505.
- Hossain M M, Mohanty B K & Pradhan P 2002 Combined effects of pesticides to control insects, diseases & pests of chilli. *Journal of Applied Zoological Researches* 13 (2-3) : 210-211.
- Huang Y, Liao T J & Xiang H H 2002 A study of the physiological effects of a controlled release nitrogen fertilizer for pepper and its utilization rate. *Plant Nutrition and Fertilizer Science* 8 (4) : 414-418.
- Hundal J S & Khanna D S 2002 A new hybrid of chilli "CH-3"—suitable for processing. *Journal of Research, Punjab Agricultural University* 39(2): 326.
- Hwang H S, Kim B D & Kim B S 2002 Nuclear genotype for cytoplasmic male sterility of BC5 selections developed for incorporation of resistance to *Phytophthora capsici* into 'Chilseongcho', a land race of pepper in Youngyang. *Korean Journal of Horticultural Science and Technology* 20 (3) : 209-212.
- Hwang H S & Kim B S 2002 Breeding maintainer and restorer lines of cytoplasmic male sterility resistant to *Phytophthora capsici* in capsicum pepper. *Journal of the Korean Society for Horticultural Science* 43 (2) : 143-150.
- Idris A B & Roff M M N 2002 Vertical and temporal distribution of *Aphis gossypii* Glover and coccinellid populations on different chilli (*Capsicum annuum*) varieties. *Journal of Asia Pacific Entomology* 5 (2) : 185-191.
- Ilyas S, Sutariati G A K, Suwarno F C & Sudarsono 2002 Matricconditioning improves the quality and protein level of medium vigor hot pepper seed. *Seed Technology* 24 (1) : 65-75.
- Imahori Y, Kota M, Ueda Y, Ishimaru M & Cachin K 2002 Regulation of ethanolic fermentation in bell pepper fruit under low oxygen stress. *Postharvest Biology and Technology* 25 (2) : 159-167.

- Ishikawa K & Nunomura O 2002 Fruit morphology of tetraploid pepper. *Capsicum and Eggplant Newsletter* No.21, 36-39.
- Islam S Z, Babadoost M & Honda Y 2002 Effect of red light treatment of seedlings of pepper, pumpkin, and tomato on the occurrence of *Phytophthora* damping-off. *Hort. Science* 37 (4) : 678-681.
- Ismail M R, Davies W J & Awad M H 2002 Leaf growth and stomatal sensitivity to ABA in droughted pepper plants. *Scientia Horticulturae* 96 (1-4) : 313-327.
- Jadhav M G, Burlu A V, More S M & Gare B N 2001 Combining ability and gene action for quantitative characters in chilli. *Journal of Maharashtra Agricultural Universities* 26 (3) : 252-253.
- Jagadeesh B H & Prabha T N 2002 beta-Hexosaminidase, an enzyme from ripening bell capsicum (*Capsicum annuum* var. *variata*). *Phytochemistry* 61 (3) : 295-300.
- Jemal F, Miled D D B, Zarrouk M & Ghorbal M H 2002 Relationship between membrane lipid composition and cadmium tolerance of pepper. *Rivista Italiana delle Sostanze Grasse* 79 (11) : 399-405.
- Jimenez A, Gomez J M, Navarro E & Sevilla F 2002 Changes in the antioxidative systems in mitochondria during ripening of pepper fruits. *Plant Physiology and Biochemistry* 40 (6-8) : 515-520.
- Jose L & Khader K M A 2002 Correlation and path coefficient analysis in chilli (*Capsicum annuum* L.). *Capsicum and Eggplant Newsletter* No. 21 : 56-59.
- Kaensup W, Chutima S & Wongwiset S 2002 Experimental study on drying of chilli in a combined microwave-vacuum-rotary drum dryer. *Drying Technology* 20 (10) : 2067-2079.
- Kalev H, Dag A & Shafir S 2002 Feeding pollen supplements to honey bee colonies during pollination of sweet pepper in enclosures. *American Bee Journal* 142 (9) : 675-679.
- Karagiannidis N, Stavropoulos N & Tsakelidou K 2002 Yield increase in tomato, eggplant, and pepper using Thermanox manganese soil amendment. *Communications in Soil Science and Plant Analysis* 33 (13-14) : 2247-2258.
- Karni L & Aloni B 2002 Fructokinase and hexokinase from pollen grains of bell pepper (*Capsicum annuum* L.): possible role in pollen germination under conditions of high temperature and CO<sub>2</sub> enrichment. *Annals of Botany* 90 (5) : 607-612.
- Kehr M E 2002 Susceptibility to postharvest chilling damage in sweet peppers, and treatments to minimize its effect. *Agricultura Tecnica* 62 (4) : 497-508.
- Khan B, Khan A A & Khan M R 2002 Response of some cultivars of pepper, egg plant and tomato to races of root-knot nematodes, *Meloidogyne incognita* and *M. javanica*. *Indian Journal of Nematology* 32 (2) : 147-152.
- Kim B S & Hwang H S 2002 Introduction of resistance to *Phytophthora capsici* into 'Chilseongcho', a local pepper cultivar in Youngyang, using backcross method. *Korean Journal of Horticultural Science and Technology* 20 (2) : 77-80.
- Kim G J, Woo I S, Kim J H, Jeon K S, Yu S O & Bae J H 2002 Investigation of optimum substrate volume for bag culture of sweet pepper (*Capsicum annuum*) in hydroponics. *Journal of the Korean Society for Horticultural Science* 43 (6) : 677-680.
- Kim J H, Choi G S & Choi J K 2002 Characterization of cucumber mosaic virus subgroup II isolated from paprika (*Capsicum annuum* var. *grossum*) in Korea. *Plant Pathology Journal* 18 (1) : 6-11.

- Kirnak H, Kaya C & Degirmenci V 2002 Growth and yield parameters of bell peppers with surface and subsurface drip irrigation systems under different irrigation levels. *Ziraat Fakültesi Dergisi, Atatürk Üniversitesi* 33 (4) : 383-389.
- Koch M, Arango Y, Mock H P & Heise K P 2002 Factors influencing alphanocopherol synthesis in pepper fruits. *Journal of Plant Physiology* 159 (9) : 1015-1019.
- Kocsis N, Amtmann M, Mednyanszky Z & Korany K 2002 GC-MS investigation of the aroma compounds of Hungarian red paprika (*Capsicum annuum*) cultivars. *Journal of Food Composition and Analysis* 15 (2) : 195-203.
- Kong H Y, Jung H W, Lee S C, Choi D & Hwang B K 2002 A gene encoding stellacyanin is induced in *Capsicum annuum* by pathogens, methyl jasmonate, abscisic acid, wounding, drought and salt stress. *Physiologia Plantarum* 115 (4) : 550-562.
- Kosson R & Stepowska A 2002 Effect of cultivation method on yield and storage ability of sweet pepper. *Folia Horticulturae* 14 (2) : 69-76.
- Kumar S, Kumar S, Kumar V & Kumar R 2002 Considerable amount of natural cross pollination on male sterile lines of chilli (*Capsicum annuum* L.). *Capsicum and Eggplant Newsletter* No. 21 : 48-51.
- Kumar S, Singh V, Kumar S, Singh M, Rai M & Kalloo G 2002 RAPD protocol for tagging of fertility restorer and male sterility genes in chilli (*Capsicum annuum* L.). *Vegetable Science* 29 (2) : 101-105.
- Kumar V, Shashidhar S D, Kurdikeri M B, Channaveerswami A S & Hosmani R M 2002 Influence of harvesting stages on seed yield and quality in paprika (*Capsicum annuum* L.). *Seed Research* 30 (1) : 99-103.
- Kumar V, Shashidhar S D, Kurdikeri M B & Channaveerswami A S 2002 Influence of drying methods on seed quality in paprika chilli (*Capsicum annuum* L.). *Seed Research* 30 (2) : 322-324.
- Kumari P V R R, Kumar O A, Lakshmi T V R, Lakshmi K A & Rao K G R 2002 Multipolar spindle abnormality in *Capsicum annuum* L. *Capsicum and Eggplant Newsletter* No. 21 : 33-35; 12 ref..
- Lee H Y, Hong Y N & Chow W S 2002 Putative effects of pH in intra-chloroplast compartments on photo-protection of functional photosystem II complexes by photoinactivated neighbours and on recovery from photoinactivation in *Capsicum annuum* leaves. *Functional Plant Biology* 29 (5) : 607-619.
- Lee J H, Yoon Y H, Kim H Y, Shin D H, Kim D U, Lee I J & Kim K U 2002 Cloning and expression of squalene synthase cDNA from hot pepper (*Capsicum annuum* L.). *Molecules and Cells* 13 (3) : 436-443.
- Lee S & Choi D 2002 Toward functional genomics of plant-pathogen interactions: isolation and analysis of defense-related genes of hot pepper expressed during resistance against pathogen. *Plant Pathology Journal* 18 (2) : 63-67.
- Lefebvre V, Pflieger S, Thabuis A, Caranta C, Blattes A, Chauvet J C, Daubeze A M & Palloix A 2002 Towards the saturation of the pepper linkage map by alignment of three intraspecific maps including known-function genes. *Genome* 45 (5) : 839-854.
- Leite G L D, Picanco M, Jham G N & Gusmao M R 2002 Natural factors influencing whitefly attack in sweet pepper. *Pesquisa Agropecuaria Brasileira* 37 (8) : 1195-1200.
- Leon A M, Palma J M, Corpas F J, Gomez M, Romero-Puertas M C, Chatterjee D, Mateos R M, Rio L A, delSandalio L M & del Rio L A 2002 Antioxidative enzymes in cultivars of pepper plants with different sensitivity to cadmium. *Plant Physiology and Biochemistry* 40 (10) : 813-820.
- Li D J, Zhang B X, Zhao K J, Xie B Y & Luo K 2002 A highly efficient system establishment of plant regeneration from cotyledon explants of pepper (*Capsicum annuum* L.). *Acta Horticulturae Sinica* 29 (1) : 25-29.



- Lin Q, Udomkarn K C, Jaunet T & Mongkolporn O 2002 Genetic analysis of resistance to pepper anthracnose caused by *Colletotrichum capsici*. Thai Journal of Agricultural Science 35 (3) : 259-264.
- Mahantesh Sajan K, Kempe Gowda K, Niranjana Kumar S & Sreerama B S 2002 Effect of bio-fertilisers on growth and yield of chilli (*Capsicum annum* L.) cv. Byadagi Dubba at different levels of nitrogen and phosphorus. Journal of Spices and Aromatic Crops 11 : 58-61.
- Marque J M, Souza N L, deKobori R F, Cutolo-Filho A A & de Souza N L 2002 A method for inoculation of *Phytophthora capsici* in pepper (*Capsicum annum* L.). Summa Phytopathologica 28 (1) : 62-64.
- Masuda M, Ogino T, Murakami K, Yoshida Y & Kosaka S 2002 Fruit set and the development of peppers as affected by a daily dark break of continuous fluorescent illumination. Journal of Society of High Technology in Agriculture 14 (3) : 147-151.
- Mathew D 2002 In vitro shoot and root morphogenesis from cotyledon and hypocotyl explants of hot pepper cultivars Byadagi Dabbi and Arka Lohit. Capsicum and Eggplant Newsletter No.21 : 69-72.
- Mathur K & Gurjar R B S 2002 Evaluation of different fungal antagonists, plant extracts and oil cakes against *Rhizoctonia solani* causing stem rot of chilli. Annals of Plant Protection Sciences 10 (2) : 319-322.
- McGregor R R, Prasad R P & Henderson D E 2002 Searching behaviour of *Trichogramma* wasps (Hymenoptera: Trichogrammatidae) on tomato and pepper leaves. Journal of the Entomological Society of British Columbia 99 (93-98; 16 ref.).
- McMichael L A, Persley D M & Thomas J E 2002 A new tospovirus serogroup IV species infecting capsicum and tomato in Queensland, Australia. Australasian Plant Pathology 31 (3) : 231-239.
- Medeiros J F de, Cruciani D E, Folegatti M V & Miranda N O 2002 Salinity tolerance of pepper grown under protected conditions. Engenharia Agricola 22 (2) : 200-210.
- Melnichuk M D, Kozhukalo V E, Dyachkova O A, Sytnik S K, Alekseenko I P & Smirnova S A 2002 Influence of tobacco mosaic virus on ultrastructure of leaves mesophyll cells of pepper, *Capsicum annum* L. Mikrobiologichnii Zhurnal 64 (6) : 35-40.
- Mendez H D & Mosquera M M I 2002 Chlorophyll disappearance and chlorophyllase activity during ripening of *Capsicum annum* L. fruits. Journal of the Science of Food and Agriculture 82 (13) : 1564-1570.
- Mendoza B A, Godina R F, Torres R V, Rodriguez R H & Maiti R K 2002 Chilli seed treatment with salicylic and sulfosalicylic acid modifies seedling epidermal anatomy and cold stress tolerance. Crop Research Hisar 24 (1) : 19-25.
- Mini C & Wahab M A 2002 Effect of withering on quality of chilli. Vegetable Science 29 (1) : 82-83.
- Mishra A C, Singh R V & Ram H H 2002 Path coefficient analysis in sweet pepper (*Capsicum annum* L.) genotypes under mid hills of Uttaranchal. Vegetable Science 29 (1) : 71-74.
- Muniz M, Nombela G & Barrios L 2002 Within-plant distribution and infestation pattern of the B- and Q-biotypes of the whitefly, *Bemisia tabaci*, on tomato and pepper. Entomologia Experimentalis et Applicata 104 (2-3) : 369-373.
- Muralidharan R, Saravanan A & Muthuvel P 2002 Effect of plant growth regulators on yield and quality of chilli (*Capsicum annum* Linn.). South Indian Horticulture 50 (1-3) : 254-257.

- Murphy J F 2002 The relationship between Pepper mottle virus source leaf and spread of infection through the stem of *Capsicum* sp. Archives of Virology 147 (9) : 1789-1797.
- Murugan M, Backiyarani S, Josephraj Kumar A & Subbali A 2002 Yield and nutrient content of chilli (*Capsicum annum* L.) in response to sources of P and Levels of P and N. Journal of Spices and Aromatic Crops 11 : 13-17.
- Nagalakshmi S, Palanisamy D, Eswaran S & Sreenarayanan V V 2002 Influence of plastic mulching on chilli yield and economics. South Indian Horticulture 50 (1-3) : 262-265.
- Nagaraju D K, Viraktamath C A & Kumar N K K 2002 Screening of bell pepper accessions against gall insects and their chemical control. Pest Management in Horticultural Ecosystems 8 (1) : 12-19.
- Nagaraju D K, Viraktamath C A, Kumar N K K 2002 Crop loss caused by gall insects in bell pepper in South India. Pest Management in Horticultural Ecosystems 8 (1) : 20-26.
- Nayaki D A & Natarajan S 2002 Studies on heterosis for growth, flowering, fruit characters and yield in chilli (*Capsicum annum* L.). South Indian Horticulture 50 (1-3) : 78-81.
- Nianiou I, Karavangeli M, Zambounis A, Tsafaris A, Paroussi G, Voyiatzis D & Paroussis E 2002 Development of pepper transgenic plants via *Agrobacterium* and biolistic transformation. Proceedings of the Second Balkan Symposium on Vegetables and Potatoes, Thessaloniki, Greece, 11 - 15 October 2000 No.579, 83-87.
- Niklis N D, Siomos A S & Sfakiotakis E M 2002 Ascorbic acid, soluble solids and dry matter content in sweet pepper fruit: change during ripening. Journal of Vegetable Crop Production 8 (1) : 41-51.
- Nimje P M & Agrawal V 2002 Effect of soil solarization on weed density and growth of chilli, brinjal and marigold. Indian Journal of Weed Science 34 (3-4) : 324-326.
- Oladiran J A & Kortse P A 2002 Variations in germination and longevity of pepper (*Capsicum annum* L.) seeds harvested at different stages of maturation. Acta Agronomica Hungarica 50 (2) : 157-162.
- Onus A N 2002 A study on unilateral incompatibility in *Capsicum*. Anadolu 12 (2) : 75-86.
- Orhan I, Eryilmaz B & Bingol F 2002 A comparative study on the fatty acid contents of *Capsicum annum* varieties. Biochemical Systematics and Ecology 30 (9) : 901-904.
- Ozcoban M & Demir I 2002 Longevity of pepper (*Capsicum annum*) and water-melon (*Citrullus lanatus*) seeds in relation to seed moisture and storage temperature. Indian Journal of Agricultural Sciences 72 (10) : 589-593.
- Ozden C & Bayindirli L 2002 Effects of combinational use of controlled atmosphere, cold storage and edible coating applications on shelf life and quality attributes of green peppers. European Food Research and Technology 214 (4) : 320-326.
- Panchal S C, Bhatnagar R, Momin R A & Chauhan N P 2001 Influence of cultural practices on quality of green and red chilli (*Capsicum annum* L.) fruits. Indian Journal of Agricultural Biochemistry 14 (1-2) : 21-24.
- Pandey U & Pandey J 2002 Antibacterial properties of cyano-bacteria: a cost-effective and eco-friendly approach to control bacterial leaf spot disease of chilli. Current Science 82 (3) : 262-264.
- Pandey V, Ahmed Z & Kumar N 2002 Heterosis and combining ability in diallel crosses of sweet pepper (*Capsicum annum* L.). Vegetable Science 29 (1) : 66-67.

- Pari G & Pari G 2002 Assessing the possible use charcoal as a growth stimulating agent of red-pepper (*Capsicum annuum*) plants. Buletin Penelitian Hasil Hutan 20 (3) : 217-229.
- Park C S, Shen S S, Elad Y, Kohl J & Shtienberg D 2002 Biocontrol of *Phytophthora* blight of pepper employing *Serratia plymuthica* A21-4 and effect of soil population of *Phytophthora capsici* on the root colonization of the antagonistic bacteria. IOBC WPRS Working Group 'Biological Control of Fungal and Bacterial Plant Pathogens : Influence of abiotic and biotic factors on biocontrol agents' at Pine Bay, Kusadasi, Turkey, 22-25 May 2002. Bulletin-OILB-SROP 25 (10) : 327-330.
- Patel K V, Talati J G & Bhatanagar R 2001 Application of polyacrylamide gel electrophoresis technique for identification of varieties of chilli, tomato, brinjal and bhindi. Journal of Maharashtra Agricultural Universities 26 (3) : 266-268.
- Pelt R S van & Popham T W 2002 Effects of three commercially available plant growth regulators and one plant growth enhancer on pepper (*Capsicum annuum* L.) yield and pigment content. Journal of Vegetable Crop Production 8 (1) : 53-61.
- Pereira H S & Mello S C 2002 Foliar fertilizer applications on nutrition and yield of sweet pepper and tomato. Horticultura Brasileira 20 (4) : 597-600.
- Petridou K M, Koukounaras A, Paroussi G, Voyiatzis D & Paroussis E 2002 The effect of methanol on the growth and chlorophyll content of tomato and pepper. Proceedings of the Second Balkan Symposium on Vegetables and Potatoes, Thessaloniki, Greece, 11-15 October 2000, No.579 : 271-274.
- Pevicharova G, Todorova V, Todorov Y & Manuelyan H 2002 Influence of the variety and the frost on the total pigment content and colour stability of red pepper (paprika). Capsicum and Eggplant Newsletter No. 21 : 40-43.
- Purvis A C 2002 Diphenylamine reduces chilling injury of green bell pepper fruit. Postharvest Biology and Technology 25 (1) : 41-48.
- Qing L, Udomkarn K C, Jaunet T & Mongkolporn O 2002 Inheritance of resistance to pepper anthracnose caused by *Colletotrichum capsici*. Capsicum and Eggplant Newsletter No. 21 : 85-88.
- Quinones M, Fonseca D, Martinez Y & Accotto G P 2002 First report of tomato yellow leaf curl virus infecting pepper plants in Cuba. Plant Disease 86 (1) : 73.
- Ragupathi N & Veeraragavathatham D 2002 Management of chilli mosaic virus disease using insecticides, botanicals and barrier crop. South Indian Horticulture 50 (1-3) : 273-275.
- Rai A B & Solanki V Y 2002 Effectiveness of commercial preparation of *Bacillus thuringiensis* and azadirachtin-based product, their integration with conventional chemicals against sucking pests of chilli (*Capsicum annuum* L.). Shashpa 9 (2) : 169-173.
- Ramamoorthy V, Raguchander T & Samiyappan R 2002 Enhancing resistance of tomato and hot pepper to *Pythium* diseases by seed treatment with fluorescent pseudomonads. European Journal of Plant Pathology 108 (5) : 429-441.
- Ramirez A 2002 Critical period of weed control in transplanted chilli pepper. Weed Research Oxford 42 (3) : 203-209.
- Rathod R P, Deshmukh D T, Sable N H & Rathod N G 2002 Genetic variability studies in chilli (*Capsicum annuum* L.). Journal of Soils and Crops 12 (2) : 210-212.

- Reddy K M, Deshpande A A & Sadashiva A T 2002 Cytoplasmic genetic male sterility in chilli (*Capsicum annuum* L.). Indian Journal of Genetics and Plant Breeding 62 (4) : 363-364.
- Ruffel S, Dussault M H, Palloix A, Moury B, Bendahmane A, Robaglia C & Caranta C 2002 A natural recessive resistance gene against potato virus Y in pepper corresponds to the eukaryotic initiation factor 4E (eIF4E). Plant Journal 32 (6) : 1067-1075.
- Ryzhova N N, Goryunova S V, Tomilov A A & Kochieva E Z 2002 Two types of rDNA internal transcribed spacers (ITSs) in the *Capsicum* genome. Doklady, Biological Sciences 387 (1) : 539-541.
- Santos H S, Wilcken S R S & Goto R 2002 Reproduction of *Meloidogyne incognita* race 2 on different sweet-peppers (*Capsicum annuum* L.). Nematologia Brasileira 26 (2) : 209-211.
- Saropulos A S, Drennan D S H, Paroussi G, Voyiatzis D & Paroussis E 2002 Chlorophyll photooxidation and changes in the antioxidant protective enzymes in leaves of *Capsicum annuum* and *Cucumis sativus* seedlings subjected to chilling at high light intensity. Proceedings of the Second Balkan Symposium on Vegetables and Potatoes, Thessaloniki, Greece, 11-15 October 2000, No. 579 : 239-244.
- Sathiyamurthy V A, Veeraragavathatham D & Chezhiyan N 2002 Studies on the capsaicin content in chilli hybrids. Capsicum and Eggplant Newsletter No. 21 : 44-47.
- Senapati B K & Sarkar G 2002 Genotype-environment interaction and stability for yield and yield components in chilli (*Capsicum annuum* L.). Vegetable Science 29 (2) : 146-148.
- Shakhidoyatov R K & Sagdullaev B T 2001 Capsaicine in *Capsicum annuum* condensed extract determined by HPLC. Chemistry of Natural Compounds 37 (6) : 575-576.
- Shin R, Han J H, Lee G J & Peak K H 2002 The potential use of a viral coat protein gene as a transgene screening marker and multiple virus resistance of pepper plants coexpressing coat proteins of cucumber mosaic virus and tomato mosaic virus. Transgenic Research 11 (2) : 215-219.
- Shin R, Park J M, An J M & Paek K H 2002 Ectopic expression of Tsi1 in transgenic hot pepper plants enhances host resistance to viral, bacterial, and oomycete pathogens. Molecular Plant Microbe Interactions 15 (10) : 983-989.
- Shin W G & Jeong B R 2002 Seed treatment of growth retardants for height suppression of pepper plug seedlings. Journal of the Korean Society for Horticultural Science 43 (5) : 565-570.
- Shinde P P, Ramteke J R, More V G & Chavan S A 2002 Evaluation of micro irrigation systems and mulch for summer chilli production. Journal of Maharashtra Agricultural Universities 27 (1) : 51-54.
- Shivegowda S T, Mythili J B, Saiprasad G V S, Gowda T K S, Anand L & Gowda R 2002 In vitro regeneration and transformation in chilli pepper (*Capsicum annuum* L.). Journal of Horticultural Science and Biotechnology 77 (5) : 629-634.
- Shukla A & Sharma R L 2002 Efficacy of fungicides against *Fusarium* spp. causing post harvest losses in bell pepper (*Capsicum annuum*). Plant Disease Research 17 (2) : 356-359.
- Singh D & Maheshwari V K 2002 Health status of chilli seeds in India and its impact on germination and seedling vigour. Seed Research 30 (1) : 128-133.
- Singh D V, Misra S, Verma R K, Gupta M M & Khanuja S P S 2002 Quantitative determination of capsaicin in red pepper using high performance thin layer chromatography. Journal of Medicinal and Aromatic Plant Sciences 24 (3) : 707-709.

- Singh R V, Getachew S & Bhakar S R 2002 Evaluation of microsprinkler for chilli under arid climatic condition. Food Production, Poverty Alleviation and Environmental Challenges as Influenced by Limited Water Resources and Population Growth (p. 16), International Commission on Irrigation and Drainage, New Delhi, India.
- Singh S J, Singh R K, Upadhyaya P P & Prakash S 2002 Distribution, incidence and detection of a Potyvirus on chilli from eastern Uttar Pradesh. *Indian Phytopathology* 55 (3) : 294-298.
- Siviero P 2003 Long peppers: development is more restrained in the field. *Colture Protette* 32 (4) : 33-37.
- Siviero P, Zanotti A & Zoni C 2002 Yellow or red "Dutch square" [peppers], which is the best hybrid? *Informatore Agrario* 58 (5) : 57-60.
- Sostaric J, Paradikovic N, Madjar S & Horvat D 2002 Influence of different sources of water for irrigation on pepper (*Capsicum annuum* L.) yield in glasshouse conditions. *Agriculture Scientific and Professional Review* 8 (1) : 39-45.
- Souza-Sobrinho F de, Maluf W R, Gomes L A A & Campos V P 2002 Inheritance of resistance to *Meloidogyne incognita* race 2 in the hot pepper cultivar Carolina Cayenne (*Capsicum annuum* L.). *Genetics and Molecular Research* 1 (3) : 271-279.
- Soylu S, Soyly E M, Bozkurt I A, Yigitbas H, Elad Y, Kohl J & Shtienberg D 2002 Isolation of fluorescent *Pseudomonas* and *Bacillus* spp. from the rhizosphere of pepper plants growing in suppressive soil and in vitro screening for antagonism against *Sclerotinia sclerotiorum*. IOBC WPRS Working Group 'Biological Control of Fungal and Bacterial Plant Pathogens' Influence of abiotic and biotic factors on biocontrol agents at Pine Bay, Kusadasi, Turkey, 22-25 May 2002. *Bulletin-OILB-SROP* 25 (10) : 379-382.
- Sree D S & Sreeramulu A 2002 Host range studies of *Xanthomonas axonopodis* pv. *vesicatoria*, the pathogen of bacterial leaf spot of chillies. *Indian Phytopathology* 55 (4) : 492-493.
- Sreelathakumary I & Rajamony L 2002 Variability, heritability and correlation studies in chilli (*Capsicum* spp.) under shade. *Indian Journal of Horticulture* 59 (1) : 77-83.
- Sreelathakumary I, Vahab M A & Rajamony L 2002 Inheritance of shade tolerance in chilli (*Capsicum* spp.). *Vegetable Science* 29 (1) : 78-79.
- Srinivasulu P, Naidu V G & Rao N V 2002 Evaluation of different pesticides for the control of yellow mite, *Polyphagotarsonemus latus* (Banks) on chilli. *Journal of Applied Zoological Researches* 13 (1) : 71-72.
- Srinivasulu P, Naidu V G & Rao N V 2002 Biology and bionomics of chilli mite, *Polyphagotarsonemus latus* Banks on chilli. *Journal of Applied Zoological Researches* 13 (1) : 19-21.
- Srinivasulu P, Naidu V G, Rao N V & Babu K H 2002 Seasonal occurrence of chilli mite, *Polyphagotarsonemus latus* (Banks) with reference to biotic and abiotic factors. *Journal of Applied Zoological Researches* 13 (2-3) : 142-144.
- Stepowska A 2002 The influence of air-water conditions in rockwool on the yielding of sweet pepper. *Vegetable Crops Research Bulletin* 56 : 47-55.
- Sui F G, Wang Y H, Yao Y X & Inannga S 2002 Distribution dynamics of nitrogen in the organs of sweet pepper (*Capsicum annuum* L.) at early flowering stage. *Acta Horticulturae Sinica* 29 (3) : 238-242.
- Tarutina L A, Mishin L A, Khotyleva L V, Poskannaya S I, Kapusta I V, Yubko N A & Kavtsevich V N 2002 The degree and frequency of heterosis manifestation in productivity components in topcrossing hybrids of sweet pepper. *Vesti Natsyynal'nai Akademii Navuk Belarusi* No.1 : 29-32.

- Thies J A & Fery R L 2002 Evaluation of a core of the U.S. *Capsicum* germplasm collection for reaction to the northern root-knot nematode. *HortScience* 37 (5) : 805-810.
- Thies J A & Fery R L 2002 Host plant resistance as an alternative to methyl bromide for managing *Meloidogyne incognita* in pepper. *Journal of Nematology* 34 (4) : 374-377.
- Thilagavathi M, Balakrishnan S & Siddeswaran K 2002 Resource use efficiency of rainfed chillies in southern Tamil Nadu. *South Indian Horticulture* 50 (1-3) : 258-261.
- Tipirdamaz R & Ellialtioglu S 2002 The effect of cold pretreatments and activated charcoal on the changes in abscisic acid amount during anther culture of pepper (*Capsicum annuum* L.). *Ziraat Fakultesi Dergisi, Akdeniz Universitesi* 15 (1) : 9-18.
- Tittonell P A, Grazia J de & Chiesa A 2002 Hydrophilic polymers added to growing media in pepper transplants production. *Horticultura Brasileira* 20 (4) : 641-645.
- Tomar R K S, Yadav H S & Agarwal R K 2002 Tolerance in chilli cultivars to gall midge, *Asphondylia capsici* Barnes (Diptera: Cecidomyiidae). *Journal of Entomological Research* 26 (1) : 63-65.
- Trematerra P, Sciarretta A, Adler C & Navarro-S 2002 Activity of chilli, *Capsicum annuum* L. var. *acuminatum*, on stored product insects *Oryzaephilus surinamensis* (L.), *Sitophilus oryzae* (L.) and *Tribolium castaneum* (Herbst). Proceedings of the IOBC WPRS Working Group "Integrated Protection in Stored Products", Lisbon, Portugal, 3-5 September 2001, 25 (3) : 177-182.
- Tumbare A D & Bhoite S U 2002 Effect of solid soluble fertilizer applied through fertigation on growth and yield of chilli (*Capsicum annuum*). *Indian Journal of Agricultural Sciences* 72 (2) : 109-111.
- Uraisakul K 2003 Annona seed extract and some herb extracts on chilli yield and control of broad mite (*Polyphagotarsonemus latus* (Bank)) and some key pests in chilli. Proceedings of 41st Kasetsart University Annual Conference, 3-7 February 2003, 354-361.
- Urbaneja A, Blom J van-der, Lara L, Timmer R & Blockmans K 2002 Use of *Cotesia marginiventris* (Cresson) (Hym.: Braconidae) for the biological control of noctuids (Lep.: Noctuidae) in integrated pest management of protected sweet pepper. *Boletin de Sanidad Vegetal, Plagas* 28 (2) : 239-250.
- Valenzuela M G, Juarez R E, Prieto C J & Soriano C E 2002 Detection and location of *Phytophthora capsici* Leo. in pepper seed. *Revista Mexicana de Fitopatologia* 20 (1) : 94-97.
- Votava E J & Bosland P W 2002 Novel sources of non-pungency in *Capsicum* species. *Capsicum and Eggplant Newsletter* No.21 : 66-68.
- Votava E J & Bosland P W 2002 Sources of salt tolerance in *Capsicum*. *Capsicum and Eggplant Newsletter* No.21 : 64-65.
- Votava E J & Bosland P W 2002 A cultivar by any other name: genetic variability in heirloom bell pepper 'California Wonder'. *Hort. Science* 37 (7) : 1100-1102.
- Wang D Y, Wang Y F, Yin Q M & Li Y 2002 Determination of hot pepper "Yuejiao No. 1" F1 hybrid seed purity by RAPD markers. *Capsicum and Eggplant Newsletter* No.21 : 29-32.
- Wang S B, Zhao H L, Liu J B, Sun J B & Ding L P 2002 Heterosis utilization of CMS lines in hot (sweet) peppers and techniques for its hybrid seed production. *Jiangsu Journal of Agricultural Sciences* 18 (3) : 143-146.
- Wei Y Y, Wang X F, Wei B P, Yang J P & Shao C D 2002 The characters and shape dissection of male sterile lines of pepper [*Capsicum annuum*]. *Journal of Shandong Agricultural University* 33 (2) : 129-133.

- Wijeratne P M 1996 Entomological aspect of chilli Narrow Leaf Disorder (NLD). *Tropical Agriculturist* 151 : 63-64.
- Wolska G J & Skapski H 2002 Yield of field-grown sweet pepper depending on cultivars and growing conditions. *Folia Horticulturae* 14 (1) : 95-103.
- Wu Gang & Wu G 2002 In vitro shoot differentiation from cotyledon explants of colour cayenne pepper. *Journal of Jiangsu Forestry Science and Technology* 29 (4) : 31-33.
- Xu B L, Shang H S & Wang X 2002 Comparison of resistance to CMV particle and to CMV-RNA in transgenic chilli pepper expressing CMV and TMV coat proteins. *Acta Phytopathologica Sinica* 32 (2) : 132-137.
- Xu G H, Kafkafi U, Wolf S & Sugimoto Y 2002 Mother plant nutrition and growing condition affect amino and fatty acid compositions of hybrid sweet pepper seeds. *Journal of Plant Nutrition* 25 (8) : 1645-1665.
- Xu G H, Wolf S & Kafkafi U 2002 Ammonium on potassium interaction in sweet pepper. *Journal of Plant Nutrition* 25 (4) : 719-734.
- Yan C L, Wang J B & Li R Q 2002 Effect of heat stress on calcium ultra-structural distribution in pepper anther. *Environmental and Experimental Botany* 48 (2) : 161-168.
- Yang J W, Li M J & Wang H W 2002 Callus induction and differentiation from the hypocotyl of *Capsicum annuum*. *Southwest China Journal of Agricultural Sciences* 15 (1) : 83-89.
- Yang J W & Yan G L 2002 Effect of phytohormones on callus root differentiation and plantlet regeneration of hypocotyl of *Capsicum annuum* L. *Journal of Jilin Agricultural University* 24 (3) : 24-26.
- Yang W L, Liu Z M, Xiao S G, Gong S Y & Chen Z C 2002 Physiological characters of hot pepper varieties. *Journal of Hunan Agricultural University* 28 (2) : 116-117, 127.
- Yazawa S, Yoneda H & Hosokawa M 2002 A new stable and available cytoplasmic male sterile line of *Capsicum*. *Capsicum and Eggplant Newsletter* No.21, 52-55.
- Yeoung Y R, Jeon J Y & Shim S Y 2002 Characteristics of root development and seedling quality during pepper seedling growth in copper-coated plug trays. *Journal of the Korean Society for Horticultural Science* 43 (2) : 151-154.
- Yoo T H, Park C J, Lee G J, Shin R, Yun J H, Kim K J, Rhee K H & Paek K H 2002 A hot pepper cDNA encoding ascorbate peroxidase is induced during the incompatible interaction with virus and bacteria. *Molecules and Cells* 14 (1) : 75-84.
- Yun H K, Kim K Y, Kim Y C, Lee J W, Kim I S & Yoo K C 2002 Effect of ethylene treatment on the coloration and respiration pattern of pepper and pimento fruits during maturation. *Journal of the Korean Society for Horticultural Science* 43 (2) : 155-158.

### Cinnamon (*Cinnamomum* spp.)

- Akhil Baruah & Subhan C Nath 2002 Panicle and bark oils of a variant of *Cinnamomum bejolghota* (buch - Ham) Sweet from North East India. *Journal of Spices and Aromatic Crops* 11 : 135-137.
- Jantan I, Norsiha Ayop, Hiong AuBee, Ahmad A S & Hiong A B 2002 Chemical composition of the essential oils of *Cinnamomum cordatum* Kosterm. *Flavour and Fragrance Journal* 17 (3) : 212-214.
- Jayaprakasha G K, Rao L J & Sakariah K K 2002 Chemical composition of volatile oil from *Cinnamomum zeylanicum* buds. *Zeitschrift fur Naturforschung* 57(11-12) : 990-993.

- Ni W, Liu H Y & Chen C X 2002 Studies on the constituents of *Cinnamomum zeylanicum*. *Natural Product Research and Development* 14 (3) : 14-17.
- Ranasinghe L, Jayawardena B & Abeywickrama K 2002 Fungicidal activity of essential oils of *Cinnamomum zeylanicum* (L.) and *Syzygium aromaticum* (L.) Merr et L. M. Perry against crown rot and anthracnose pathogens isolated from anana. *Letters in Applied Microbiology* 35 (3) : 208-211.
- Rema J, Krishnamoorthy B, Sasikumar B, Saji K V & Mathew P A 2002 *Cinnamomum cecidodaphne* Meissn. – a new addition to the *Cinnamomum* germplasm at Indian Institute of Spices Research, Kerala, India. *Indian Journal of Arecanut, Spices and Medicinal Plants* 4 (1) : 59, 61.
- Singh V P, Ravi Pandey, Yadav B, Pandey V B & Pandey R 2002 Flavonoids of *Cinnamomum tamala*. *Natural Product Sciences* 8 (1) : 16-17.
- Wu NengBiao, Tan Feng, Wu N B & Tan F 2002 Effect of light intensity on the bands of isoenzymes in *Cinnamomum pauciflorum* seedlings. *Journal of Southwest Agricultural University* 24 (2) : 101-104.

### Clove (*Syzygium aromaticum* L. Merr. & Perry)

- Bosc C M S, Galiay E & Oules G 2002 The use of clove oil as an anesthetic for atlantic salmon smolts (*Salmo salar* L.) and comparison of its effects with those of 2-phenoxyethanol. *Bulletin Francais de la Peche et de la Pisciculture* No.365-66 : 579-589.
- Byron E M & Hall A M 2002 Inhibition of common cereal pathogenic fungi by clove oil and eucalyptus oil. *The BCPC Conference: Pests and diseases, Volumes 1 and 2*, pp. 765-768.
- Lin T C, Cheng K T & Huang J W 2002 Effect of clove and its major component on control of *Rhizoctonia* damping-off of cabbage seedlings. *Plant Pathology Bulletin* 11 (4) : 189-198.
- Phutane K & Joseph E 2002 Inhibitory effect of the aqueous extracts of garlic and clove on fungi isolated from the otitic ears of cows. *JNKVV Research Journal* 36 (1-2) : 120-121.
- Ranasinghe L, Jayawardena B & Abeywickrama K 2002 Fungicidal activity of essential oils of *Cinnamomum zeylanicum* (L.) and *Syzygium aromaticum* (L.) Merr et L. M. Perry against crown rot and anthracnose pathogens isolated from anana. *Letters in Applied Microbiology* 35 (3) : 208-211.
- Tort L, Puigcerver M, Crespo S & Padros F 2002 Cortisol and haematological response in sea bream and trout subjected to the anaesthetics clove oil and 2-phenoxyethanol. *Aquaculture Research* 33 (11) : 907-910.

### Coriander (*Coriandrum sativum* L.)

- Abou-Aly H E, & Gomaa A O 2002 Influence of combined inoculation with diazotrophs and phosphate solubilizers on growth, yield and volatile oil content of coriander plants (*Coriandrum sativum* L.). *Bulletin of Faculty of Agriculture, Cairo University* 53 (1) : 93-113.
- Biertumpfel A, Wurl G & Vetter A 2002 Double use of coriander, black cumin and marigold. *Gemuse Munchen* 38 (9) : 29-30.
- Bhoopander R K, GiriMukerji K G, Kapoor R & Giri B 2002 Mycorrhization of coriander (*Coriandrum sativum* L.) to enhance the concentration and quality of essential oil. *Journal of the Science of Food and Agriculture* 82 (4) : 339-342.
- Carrubba A, Torre R, laCalabrese I, laTorre R, Bernath J, Zamborine-Nemeth-E 2002 Cultivation trials of coriander (*Coriandrum sativum* L.) in a semi-arid Mediterranean environment. *Proceedings of the International Conference on Medicinal and Aromatic Plants, Possibilities and Limitations of*

- Medicinal and Aromatic Plant Production in the 21st Century, Budapest, Hungary, 8-11 July 2001, No.576 : 237-242.
- Carrubba A, Torre R, laPrima A & diSaiano F Alonzo G 2002 Statistical analyses on the essential oil of Italian coriander (*Coriandrum sativum* L.) fruits of different ages and origins. *Journal of Essential Oil Research* 14 (6) : 389-396.
- Channabasavanna A S, Yalamali S G & Biradar D P 2002 Nutrient requirement of coriander in Tungabhadra project area of Karnataka. *Journal of Maharashtra Agricultural Universities* 27 (1) : 38-39.
- Datta A K & Sengupta K 2002 Induced viable macromutants in coriander (*Coriandrum sativum* L.). *Indian Journal of Genetics and Plant Breeding* 62 (3) : 273-274.
- Gusmao SAL, dePadua J G, deGusmao M T A, deBraz L T, Ming L C, Craker L E, Scheffer M C & Chaves F C M 2002 Behavior of the wild coriander (*Eryngium foetidum* L.) in subtropical conditions. *Proceedings of the First Latin American Symposium on the Production of Medicinal, Aromatic and Condiments Plants, Sao Pedro, Sao Paulo, Brazil, 30 July to 4 August 2000* No.569 : 209-212.
- Kalra A, Parameswaran T N, Ravindra N S & Singh H B 2002 Effect of number of timing of application of dinocap on control of powdery mildew and yield of coriander cultivars. *Tropical Agriculture* 79 (1) : 7-11.
- Kizil S 2002 The effects of different seed rates of selected coriander (*Coriandrum sativum* L.) lines on yield, yield components and essential oil rate. *Turkish Journal of Field Crops* 7 (2) : 99-105.
- Laila M H, Khattab M E & Gad N 2002 Influence of nickel fertilization on the yield, quality and the essential oil composition of coriander leaves. *Arab Universities Journal of Agricultural Sciences* 10 (3) : 779-802.
- Lekha & Jat B L 2002 Feeding propensity of different coccinellid predators on *Hyadaphis coriandari* (Das). *Indian Journal of Plant Protection* 30 (1) : 84-85.
- Marockiene N 2002 Coriander variety Rasle. *Sodininkyste ir Darzininkyste* 21 (1) : 38-45.
- Mazza G 2002 Minor volatile constituents of essential oil and extracts of coriander (*Coriandrum sativum* L.) fruits. *Sciences des Aliments* 22 (5) : 617-627.
- Meena P C, Sharma J K & Noor A 2002 Varietal reaction of coriander (*Coriandrum sativum* L.) and impact of date of sowing on incidence of aphid (*Hyadaphis coriandari* Das). *Indian Journal of Entomology* 64 (1) : 58-62.
- Meena P C, Sharma J K & Noor A 2002 Effect of abiotic factors on the occurrence of aphid, *Hyadaphis coriandari* (Das) and coccinella predator on coriander varieties. *Annals of Agri Bio Research* 7 (2) : 181-186.
- Miller T W 2002 Diquat used as a preharvest desiccant affects seed germination of spinach, table beet, and coriander. *Hort. Science* 37 (7) : 1032-1034.
- Muthulakshmi P, Chezhiyan N, Muthukrishnan K & Sabitha Doraisamy 2002. Management of coriander wilt using biocontrol agents. *Journal of Spices and Aromatic Crops* 11 : 138-140.
- Niefind B 2002 Market chances for Bulgaria should be improved. Coriander is the main export spice. *Zeitschrift fur Arznei and Gewurzpflanzen* 7 (4) : 402-404.

- Pawar A D & Singh J 2002 Integrated pest management (IPM) package for coriander (*Coriandrum sativum* L.). *Indian Journal of Arecanut, Spices and Medicinal Plants* 4 (4) : 150-154.
- Ramadan M F & Morsel J T 2002 Oil composition of coriander (*Coriandrum sativum* L.) fruit-seeds. *European Food Research and Technology* 215 (3) : 204-209.
- Seema Kumari & Yadav R P 2002 Field efficacy and economics of insecticidal soil treatments against coriander aphid, *Hyadaphis coriandari* Das. *Journal of Applied Zoological Researches* 13 (2-3) : 204-205.
- Singh H P, Patra N K, Kalra A, Singh H B, Kumar B, Singh SP & Singh A K 2002 Genetic distance in coriander (*Coriandrum sativum*L.) for essential oil yield and yield fruits. *Journal of Spices and Aromatic Crops* 11 : 101-105
- Singh V P, Yadav A C & Thakral K K 2002 Effect of irrigation levels and weed control treatments on yield and quality of coriander seed. *Seed Research* 30 (2) : 328-330.
- Singh V P, Yadav A C, Thakral K K & Brar J 2002 Effect of irrigation and pendimethalin on growth and seed yield of coriander. *Haryana Journal of Horticultural Sciences* 31 (1-2) : 126-128.
- Stoyanova A, Konakchiev A & Berov O 2002 Investigation on the essential oil of coriander from Bulgaria. *Herba Polonica* 48 (2) : 67-70.
- Tiwari R S, Sengar S C & Agarwal A 2002 Effect of dates of sowing and number of cuttings on growth, seed yield and economics of coriander cv. Pant Haritima. *Crop Research Hisar* 23 (2) : 324-329.
- Tripathi A K 2002 Coriander varietal reaction to stem gall disease caused by *Protomyces macrosporus* Unger. *Indian Journal of Plant Protection* 30 (1) : 97-98.
- Tripathi A K & Bartaria A M 2002 Chemical control of stem gall disease (*Protomyces macrosporus*) of coriander and its economics. *Plant Disease Research* 17 (1) : 119-120.
- Tripathi A K, Bartaria A M, Pandya R K & Tripathi M L 2002 Effect of cultural practices on stem gall disease of coriander. *Annals of Agricultural Research* 23 (1) : 171-173.
- Tripathi A K, Chauhan R K S, Bartaria A M & Chauhan S 2002 Reaction of coriander cultivars to *Protomyces macrosporus*. *Annals of Plant Protection Sciences* 10 (1) : 171-172.
- Tripathi A K, Pandya R K, Tiwari R J & Tripathi M L 2002 Response of stem gall disease (*Protomyces macrosporus*) and yield of coriander (*Coriandrum sativum*) to soil pH. *Indian Journal of Agricultural Sciences* 72 (1) : 49-50.
- Wawrzyniak M & Blazejewska A 2002 Estimation of influence of essential oil of *Foeniculum capillaceum* Gilib and *Coriandrum sativum* L. on the fecundity of *Sitophilus oryzae* L. *Progress in Plant Protection* 42 (2) : 644-646.
- Cumin (*Cuminum cyminum* L.)**
- Biertumpfel A, Wurl G & Vetter A 2002 Double use of coriander, black cumin and marigold. *Gemuse Munchen* 38 (9) : 29-30.
- Dange S R S, Patel R L, Patel S I & Patel K K 2002 Management of cumin blight by different spray schedules of mancozeb. *Agricultural Science Digest* 22 (2) : 99-101.
- Ishikawa T, Takayanagi T & Kitajima J 2002 Water-soluble constituents of cumin: monoterpenoid glucosides. *Chemical and Pharmaceutical Bulletin* 50 (11) : 1471-1478.

- Koli N R & Sharma Y 2002 Gamma-rays induced variation in cumin (*Cuminum cyminum* L.). *Annals of Agri Bio Research* 7 (2) : 161-164.
- Kumar S 2002 Weed management in cumin (*Cuminum cyminum*). *Indian Journal of Agronomy* 47 (1) : 142-146.
- Mohammad S & Kamalinejad M, 2002 Anti-nociceptive effect of the fruit essential oil of *Cuminum cyminum* L. in rat. *Iranian Biomedical Journal* 6 (4) : 141-145.
- Nworgu Z. A. M. 2002 Preliminary screening of laxative effect of cumin seeds in rats. *Pakistan Journal of Scientific and Industrial Research* 45 (4) : 256-258.
- Satish R M, Mawar L R & Lodha S 2002 Brassica amendments and summer irrigation for the control of *Macrophomina phaseolina* and *Fusarium oxysporum* f. sp. *cumini* in hot arid region. *Phytopathologia Mediterranea* 41 (1) : 45-54.
- Surya V R, Dhandapani N S, Rajagopal S & Namasivayam N 2002 Hypolipidemic effect of *Cuminum cyminum* L. on alloxan-induced diabetic rats. *Pharmacological Research* 46 (3) : 251-255.
- Tawfik A A & Noga G J 2002 Differentiation of somatic embryos in suspension cultures and plant regeneration of cumin (*Cuminum cyminum* L.). *Journal of Applied Botany* 76 (5-6) : 144-149.
- Tawfik A A & Noga G J 2002 Cumin regeneration from seedling derived embryogenic callus in response to amended kinetin. *Plant Cell, Tissue and Organ Culture* 69 (1) : 35-40.
- Vyas R K & Mathur K 2002 Distribution of *Trichoderma* spp. in cumin rhizosphere and their potential in suppression of wilt. *Indian Phytopathology* 55 (4) : 451-457.

#### **Dill (*Anethum graveolens* L.)**

- Arora S & Srinivas P 2002 Chiral analysis of major flavour-impact constituents of cardamom and dill oils. *Journal of Medicinal and Aromatic Plant Sciences* 24 (2) : 376-380.
- Kusterer A, Taubenrauch K, Gabler J & Kuhne T 2002 Diseases of caraway (*Carum carvi* L.) fennel (*Foeniculum vulgare* Mill.) and dill (*Anethum graveolens* L.) at the location Aschersleben. *Zeitschrift fur Arznei and Gewurzpflanzen* 7 (3) : 387-391.
- Ishikawa T, Kudo M & Kitajima J 2002 Water-soluble constituents of dill. *Chemical and Pharmaceutical Bulletin* 50 (4) : 501-507.
- Santos P A G, Figueiredo A C, Lourenco P M L, Barroso J G, Pedro L G, Oliveira M M, Schripsema J, Deans S G & Scheffer J J C 2002 Hairy root cultures of *Anethum graveolens* (dill): establishment, growth, time-course study of their essential oil and its comparison with parent plant oils. *Biotechnology Letters* 24 (12) : 1031-1036.
- Soylu E M & Soyly S 2003 First report of powdery mildew caused by *Erysiphe heraclei* on dill (*Anethum graveolens*) in Turkey. *Plant Pathology* 52 (3) : 423.

(To be continued)