



Spices bibliography-2008 (Part II)

C K Sushama Devi

Indian Institute of Spices Research

Calicut-673 012, Kerala, India

E-mail: liabrary@spices.res.in

Spices - General

- Amin M R, Mostofa M, Awal M A & Sultana M A 2008 Effects of garlic, turmeric and betel leaf against gastrointestinal nematodes in cattle. *Bangladesh Journal of Veterinary Medicine* 6 (1): 115-119.
- Basa A G, Roman G V, Ion V, Epure L I & Toader M 2008 Studies regarding production and use of organic medicinal and spice plants. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca Agriculture* 65 (1): 34-39.
- Cherng Jaw Ming, Chiang Wen & Chiang Lien Chai 2008 Immunomodulatory activities of common vegetables and spices of Umbelliferae and its related coumarins and flavonoids. *Food Chemistry* 106 (3): 944-950.
- Das J, Pal P K & Sarker S C 2008 Farmers' cultivation status and technology gap of some selected spice crops - a study in Cooch Behar district of West Bengal. *Journal of Interacademia* 12 (2): 241-246.
- Folsche G & Haselbarth F 2008 Energy saving batch drying of medicinal and spice plants-two examples from Thuringia. *Zeitschrift fur Arznei and Gewurzpflanzen* 13 (2): 95-96.
- Garcia G R, Lopez S, Fernandez M, Bodas R, Gonzalez J S, Salem H B, Priolo A & Morand F P 2008 Screening the activity of plants and spices for decreasing ruminal methane production *in vitro*. *Animal Feed Science and Technology* 147 (1/3): 36-52.
- Gerhauser C, Gescher, Aggarwal B B, Kunnumakkara A B, Harikumar K B, Tharakan S T, Sung B K & Anand P A 2008 Potential of spice-derived phytochemicals for cancer prevention. *Planta Medica* 74 (13): 1560-1569.
- Grzeszczuk M & Jadczyk D 2008 Estimation of biological value and suitability for freezing of some species of spice herbs. *Journal of Elementology* 13 (2): 211-220.
- Gupta M P, Nayak M K, Sharma A K & Marabi R S 2008 Effect of spices as intercrops with chickpea (*Cicer arietinum*) on the incidence of pod borer (*Helicoverpa armigera*). *Indian Journal of Agricultural Sciences* 78 (10): 903-904.
- Lee Jong Hyun, Kiyota N, Ikeda T & Nohara T 2008 Three new acyclic diterpene glycosides from the aerial parts of paprika and pimiento. *Chemical and Pharmaceutical Bulletin* 56 (4): 582-584.
- Shra N C, Dash D K, Sial P, Maharana J & Malhotra S K 2008 Performance of export oriented minor seed spices in Eastern Ghat high land zone of Orissa. *Indian Journal of Arecanut Spices and Medicinal Plants* 10 (1): 1-3, 33.

- Misumi T, Kitamura H & Oogita T 2008 Simple analysis method to measure phosphine residue in grains, herbs, and spices using headspace gas chromatography. *Research Bulletin of the Plant Protection Service Japan* 44: 13-20.
- Moktan M W & Dhiman Mukherjee 2008 Trade and marketing strategy for spice crops in Darjeeling district. *Environment and Ecology* 26 (3A): 1302-1305.
- Muruganathi D, Selvam S & Raveendaran N 2008 A study on price forecasting methods and validity of forecast of Indian spices - turmeric and chillies. *Indian Journal of Arecanut Spices and Medicinal Plants* 10 (2): 57-66.
- Poompimol W, Jomduang J, Prawat U & Mankhetkorn S 2008 Anti-*Phytophthora capsici* activities and potential use as antifungal in agriculture of *Alpinia galanga* Swartz, *Curcuma longa* Linn, *Boesenbergia pandurata* Schut and *Chromolaena odorata*: bioactivities guided isolation of active ingredients. *American Journal of Agricultural and Biological Science* 3 (4): 688-696.
- Siju S, Bhat A I & Hareesh P S 2008 Identification and characterization of a *Badnavirus* infecting betel vine and Indian long pepper. *Journal of Plant Biochemistry and Biotechnology* 17 (1): 73-76.
- Souri E, Amin G, Farsam H & Tehrani M B 2008 Screening of antioxidant activity and phenolic content of 24 medicinal plant extracts. *DARU Journal of Faculty of Pharmacy Tehran University of Medical Sciences* 16 (2): 83-87.
- Supriya V, Kalpana P & Srinivasan K 2008 Influence of food acidulants and antioxidant spices on the bioaccessibility of betacarotene from selected vegetables. *Journal of Agricultural and Food Chemistry* 56 (18): 8714-8719.
- Takeda J, Silva S de, Muthuraman P & Rahman S M & Kawet L 2008 Spices in Sri Lanka, India and Bangladesh with special reference to the usages and consumptions. *Bulletin of the Faculty of Agriculture* 93: 1-25.
- Telci I & Hisil Y 2008 Essential oil composition of the spice plant *Echinophora tenuifolia* L. sub sp. *sibthorpiana* tutin from Turkey. *Chemistry of Natural Compounds* 44 (4): 534-536.
- Urabe Y, Minai Y, Haga M, Sugita Konishi Y, Ishiguro A & Hara Kudo Y 2008 Survival of *Salmonella* in spices and growth in cooked food. *Shokuhin Eiseigaku Zasshi = Journal of the Food Hygienic Society of Japan* 49 (2): 70-75.
- Basil (*Ocimum basilicum* L.)**
- Chalchat J C & Ozcan M M 2008 Comparative essential oil composition of flowers, leaves and stems of basil (*Ocimum basilicum* L.) used as herb. *Food Chemistry* 110 (2): 501-503.
- Chang X M, Alderson P G & Wright C J 2008 Solar irradiance level alters the growth of basil (*Ocimum basilicum* L.) and its content of volatile oils. *Environmental and Experimental Botany* 63 (1/3): 216-223.
- Danesi F, Elementi S, Neri R, Maranesi M, D'Antuono L F & Bordoni A 2008 Effect of cultivar on the protection of cardiomyocytes from oxidative stress by essential oils and aqueous extracts of basil (*Ocimum basilicum* L.). *Journal of Agricultural and Food Chemistry* 56 (21): 9911-9917.
- Deng M H, Wen J F, Zhao K, Ding Y, Xia J H & Mao Y Y 2008 Establishment of *in vitro* plant regeneration system in *Ocimum basilicum* L. *Journal of Yunnan Agricultural University* 23 (5): 658-662.
- Duke J A 2008 Basil as the Holy Hindu highness. *Alternative and Complementary Therapies* 14 (1): 5-8.
- Fandohan P, Gnonlonfin B, Laleye A, Gbenou J D, Darboux R & Moudachirou M 2008 Toxicity and gastric tolerance of essential oils from *Cymbopogon citratus*, *Ocimum gratissimum* and *Ocimum basilicum* in Wistar rats. *Food and Chemical Toxicology* 46 (7): 2493-2497.

- Fenech L, Ruiz E F H, Garcia H J L, Murillo A B, Gonzalez O H A, Beltran M F A & Fraga P H 2008 Analysis of agronomic variables of *Ocimum basilicum* L. under alternative tillage systems and standard organic practices. *Tropical and Subtropical Agroecosystems* 8 (2): 157-163.
- Hasan A, Kumar A, Kumar P & Abbas Z 2008 Effect of nitrogen levels on growth, herb yield and essential oil content of *Ocimum basilicum* var. *gabratum* (Sweet basil). *Indian Journal of Tropical Biodiversity* 15 (2): 140-143.
- Itoh K, Nakamura K, Utsukihara T, Sakamaki H & Horiuchi C A 2008 Stereoselective oxidation of racemic 1-arylethanol by basil cultured cells of *Ocimum basilicum* cv. *purpurascens*. *Biotechnology Letters* 30 (5): 951-954.
- Jocic M M, Stevanovic Z D, Jaric S & Urevic L 2008 Nectar secretion in basil (*Ocimum basilicum* L.) grown in different soil conditions. *Journal of Apicultural Research* 47 (1): 89-90.
- Mukherjee M & Datta A K 2008 Evaluation of genetic diversity in five species of *Ocimum* by SDS-PAGE. *Indian Journal of Genetics and Plant Breeding* 68 (2): 212-214.
- Nayak A K, Gautam R K, Sharma D K, Mishra V K, Singh C S & Jha S K 2008 Growth, oil yield, and ion partitioning in basil grown on sodic soils. *Communications in Soil Science and Plant Analysis* 39 (5/6): 833-844.
- Nguyen P M & Niemeier E D 2008 Effects of nitrogen fertilization on the phenolic composition and antioxidant properties of basil (*Ocimum basilicum* L.). *Journal of Agricultural and Food Chemistry* 56 (18): 8685-8691.
- Omer E A, Said Al Ahl, H A H & Hendawy S F 2008 Production, chemical composition and volatile oil of different basil species/varieties cultivated under Egyptian soil salinity conditions. *Research Journal of Agriculture and Biological Sciences* 4 (4): 293-300.
- Sahu M, Rastogi N K & Anjali S 2008 Genetic variability heritability and scope of improvement for yield components in basil (*Ocimum* spp.). *International Journal of Plant Sciences, Muzaffarnagar* 3 (1): 217-219.
- Sarab M D, Badi H N, Nasri M, Makkizadeh M & Omidi H 2008 Changes in essential oil content and yield of basil in response to different levels of nitrogen and plant density. *Journal of Medicinal Plants* 7 (27): 60-70, 129.
- Shanthy S & Singh S K 2008 Axillary shoot multiplication from nodal explants of the sweet basil (*Ocimum basilicum* L.). *Proceedings of the National Academy of Sciences, India, Section B-Biological Sciences* 78 (1): 72-76.
- Silva M G V, Vieira I G, Mendes F N, Albuquerque I L, Santos R N dos, Silva F O & Morais S M 2008 Variation of ursolic acid content in eight *Ocimum* species from Northeastern Brazil. *Molecules* 13 (10): 2482-2487.
- Tok F M 2008 First report of white mold caused by *Sclerotinia sclerotiorum* on sweet basil in Turkey. *Plant Disease* 92 (10): 1471.
- Toussaint J P, Kraml M, Nell M, Smith S E, Smith F A, Steinkellner S, Schmiderer C, Vierheilg H & Novak J 2008 Effect of *Glomus mosseae* on concentrations of rosmarinic and caffeic acids and essential oil compounds in basil inoculated with *Fusarium oxysporum* f.sp. *basilici*. *Plant Pathology* 57 (6): 1109-1116.
- Vovlas N, Troccoli A, Minuto A, Bruzzone C, Sasanelli N & Castillo P 2008 Pathogenicity and host parasite relationships of *Meloidogyne arenaria* in sweet basil. *Plant Disease* 92 (9): 1329-1335.
- Xie Z Z, Kapteyn J & Gang D R 2008 A systems biology investigation of the MEP/terpenoid and shikimate/phenylpropanoid pathways points to multiple levels of metabolic control in sweet basil glandular trichomes. *Plant Journal* 54 (3): 349-361.
- Zheljazkov V D, Callahan A & Cantrell C L 2008 Yield and oil composition of 38 basil (*Ocimum basilicum* L.) accessions grown in Mississippi. *Journal of Agricultural and Food Chemistry* 56 (1): 241-245.

- Zheljazkov V D, Cantrell C L, Tekwani B & Khan S I 2008 Content, composition, and bioactivity of the essential oils of three basil genotypes as a function of harvesting. *Journal of Agricultural and Food Chemistry* 56 (2): 380-385.
- Zuccarini P & Okurowska P 2008 Effects of mycorrhizal colonization and fertilization on growth and photosynthesis of sweet basil under salt stress. *Journal of Plant Nutrition* 31 (3): 497-513.
- Black pepper (*Piper nigrum* L.)**
- Arasumallaiah L, Krishnamurthy Y L & Krishnappa M 2008 Survey for the identification of hot spot areas of foot rot disease incidence in black pepper in Malnad regions of Karnataka. *Environment and Ecology* 26 (3A): 1420-1422.
- Arasumallaiah L, Krishnamurthy Y L & Krishnappa M 2008 Role of epidemiology on the incidence, development and spread of *Phytophthora capsici* (Leon.) causing foot rot disease of black pepper in Malnad regions of Karnataka. *Environment and Ecology* 26 (3A): 1427-1431.
- Arasumallaiah L, Krishnamurthy Y L & Krishnappa M 2008 Management of foot rot (quick wilt) disease of black pepper in Malnad regions of Karnataka. *Environment and Ecology* 26 (3A): 1432-1438.
- Bhagavantagoudra, K H Sheshagiri, K S Venkateshmurthy P & Kumar M D 2008 Performance of black pepper varieties in coffee based cropping system. *Karnataka Journal of Agricultural Sciences* 21 (2): 256-258.
- Parthasarathy U, Asish G R, Zachariah T J, Saji K V, George J K, Jayarajan K, Mathew P A & Parthasarathy V A 2008 Spatial influence on the important volatile oils of *Piper nigrum* leaves. *Current Science* 94 (12): 1632-1635.
- Sibi, M C Anandaraj, M Eapen S J & Devasahayam S 2008 Effect of carrier media on population fluctuation of *Trichoderma harzianum* (MTCC5179) in black pepper (*Piper nigrum* L.) rhizosphere and their interaction with soil microflora and fauna. *Journal of Biological Control* 22 (1): 25-32.
- Singh R, Singh N, Saini B S & Rao H S 2008 *In vitro* antioxidant activity of pet. ether extract of black pepper. *Indian Journal of Pharmacology* 40 (4): 147-151.
- Thangaselvabal, T Justin C G L & Leelamathi M 2008 Black pepper (*Piper nigrum* L.) 'the king of spices' - a review. *Agricultural Reviews* 29 (2): 89-98.
- Zant W 2008 Hot stuff index insurance for Indian small holder pepper growers. *World Development* 36 (9): 1585-1606.
- Cardamom (*Elettaria cardamomum* Maton)**
- Ankegowda S J 2008 Optimum leaf stage for transplanting small cardamom seedlings from primary nursery to polybag nursery. *Indian Journal of Horticulture*. 65(2): 252-254.
- Bhai R S & Sarma Y R 2008 Spatial distribution pattern of *Phytophthora* inoculum in cardamom soils. *Indian Phytopathology* 61 (1): 95-98.
- Chakravarthy A K, Thyagaraj N E, Kumar L V & Girish A C 2008 Crop raiding and management of *Funambulus palmarum* in cardamom (*Elettaria cardamomum*) plantations of Western Ghats of Karnataka, south India. *Current Science* 95 (7): 907-911.
- Leela N K, Prasath D & Venugopal M N 2008 Essential oil composition of selected cardamom genotypes at different maturity levels. *Indian Journal of Horticulture* 65 (3): 366-369.
- Manohari C, Backiyarani S, Jebasingh T, Archana Somanath & Usha R 2008 Efficient plant regeneration in small cardamom (*Elettaria cardamomum* Maton.) through somatic embryogenesis. *Indian Journal of Biotechnology* 7(3): 407-409.
- Sanjay Gubbi & MacMillan D C 2008 Can non-timber forest products solve livelihood problems? A case study from Periyar Tiger Reserve, India. *Oryx* 42 (2): 222-228.

Celery (*Apium graveolens* L.)

- Lori G A, Wolcan S M & Larran S 2008 *Fusarium* yellows of celery caused by *Fusarium oxysporum* f. sp. *apii* in Argentina. *Journal of Plant Pathology* 90 (2): 173-178.
- Loskutov A V, Song G Q & Sink K C 2008 Evaluation of methods for celery (*Apium graveolens* L.) transformation using *Agrobacterium tumefaciens* and the bar gene as selectable marker. *In vitro Cellular and Developmental Biology Plant* 44 (4): 239-245.
- Misic D, Zizovic I, Stamenic M, Asanin R, Ristic M, Petrovic S D & Skala D 2008 Antimicrobial activity of celery fruit isolates and SFE process modeling. *Biochemical Engineering Journal* 42 (2): 148-152.
- Raid R N, Pernezny K, Havranek N, Sanchez J & Saddler B 2008 Weather-based forecasting systems reduce fungicide use for early blight of celery. *Crop Protection* 27 (3/5): 396-402.
- Rizzo V & Muratore G 2008 Effects of packaging on shelf life of fresh celery. *Journal of Food Engineering* 90 (1): 124-128.
- Vovlas N, Lucarelli G, Sasanelli N, Troccoli A, Papajova I, Palomares Rius J E & Castillo P 2008 Pathogenicity and host-parasite relationships of the root-knot nematode *Meloidogyne incognita* on celery. *Plant Pathology* 57 (5): 981-987.
- Chilli (*Capsicum* spp.)**
- Abdelaziz M E, Ahmed A H H, Bekhid R S & Pokluda R 2008 Response of growth patterns in sweet pepper to different NPK levels. *Acta Universitatis Agriculturae et Silviculturae Mendelianae Brunensis* 56 (1): 241-244.
- Abraham Juarez M del R, Rocha Granados M del C, Lopez M G, Rivera Bustamante R F & Ochoa Alejo N 2008 Virus induced silencing of Comt, pAmt and Kas genes results in a reduction of capsaicinoid accumulation in chili pepper fruits. *Planta* 227 (3): 681-695.
- Abreu I S de Carvalho C R & Clarindo W R 2008 Chromosomal DNA content of sweet pepper determined by association of cytogenetic and cytometric tools. *Plant Cell Reports* 27 (7): 1227-1233.
- Afifi M A & Zayan S A 2008 Validation of sweet pepper powdery mildew forecasting model in Egypt. *Aspects of Applied Biology* (88): 75-81.
- Ahmed A M S, Shantappa T, Merwade M N, Gangadarappa P M, Devappa V 2008 Influence of stages of fruit harvest and post harvest ripening periods on seed quality in paprika chilli (*Capsicum annum* L.). *Karnataka Journal of Agricultural Sciences* 21 (2): 266-269.
- Akande M O, Kayode C O, Oluwatoyinbo F I & Adediran J A 2008 Efficiency of NEB-33 fortified fertilizers on growth and yield of pepper (*Capsicum frutescens*). *African Journal of Biotechnology* 7 (7): 873-877.
- Akgul D S & Mirik M 2008 Biocontrol of *Phytophthora capsici* on pepper plants by *Bacillus thuringiensis* strains. *Journal of Plant Pathology* 90 (1): 29-34.
- Alejo I F, Marquez Lucio M A, Morales Ramirez I, Vazquez Garciduenas M S & Olalde Portugal V 2008 Mycorrhizal protection of chili plants challenged by *Phytophthora capsici*. *European Journal of Plant Pathology* 120 (1): 13-20.
- Allolli T B, K Hulihalli U & Athani S I 2008 Influence of in situ moisture conservation practices on the performance of dryland chilli. *Karnataka Journal of Agricultural Sciences* 21 (2): 253-255.
- Ambika S R, Chinnaiiah C, Muthiah C & Sadasakthi A 2008 Screening of chilli cultivars against yellow mite, *Polyphagotarsonemus latus* (Banks). *Insect Environment* 14 (1): 34-36.
- Amor F M del, Serrano M A, Fortea M I, Legua P & Nunez Delicado E 2008 The effect of plant-associative bacteria (*Azospirillum* and *Pantoea*) on the fruit quality of sweet pepper under limited nitrogen supply. *Scientia Horticulturae* 117 (3): 191-196.

- Amor F M del, Lopez-Mari n J & Gonzalez A 2008 Effect of photoselective sheet and grafting technique on growth, yield, and mineral composition of sweet pepper plants. *Journal of Plant Nutrition* 31 (6): 1108-1120.
- Amor F M del, Navarro J & Aparicio P M 2008 Isotopic discrimination as a tool for organic farming certification in sweet pepper. *Journal of Environmental Quality* 37 (1): 182-185.
- Amor F M del, Serrano M A, Fortea I & Nunez D E 2008 Differential effect of organic cultivation on the levels of phenolics, peroxidase and capsidiol in sweet peppers. *Journal of the Science of Food and Agriculture* 88 (5): 770-777.
- Antignus Y, Lachman O, Pearlsman M, Maslenin L & Rosner, A 2008 A new pathotype of *Pepper mild mottle virus* (PMMoV) overcomes the L4 resistance genotype of pepper cultivars. *Plant Disease* 92 (7): 1033-1037.
- Arasumalliah L & Rangaswamy S D 2008 Management of anthracnose disease of chilli in coastal Karnataka. *Environment and Ecology* 26 (3A): 1439-1441.
- Arati Y, Sridevi O & Salimath P M 2008 Leaf trichomes-based resistance in chilli (*Capsicum annuum*) to thrips and mites. *Indian Journal of Agricultural Sciences* 78 (6): 518-521.
- Arora N, Manpreet Kaur, Amandeep Kaur & Daljeet Singh 2008 Variability in leaf characteristics of chilli (*Capsicum annuum* L.) genotypes in relation to resistance to cucumber mosaic virus. *Environment and Ecology* 26 (1): 199-202.
- Ashwani S, Vinod K, Parvatam G & Ravishankar G A 2008 Induction of *in vitro* flowering in *Capsicum frutescens* under the influence of silver nitrate and cobalt chloride and pollen transformation. *Electronic Journal of Biotechnology* 11 (2): 8.
- Awasthi L P & Kumar P 2008 Response of chilli genotypes/cultivars against viral diseases. *Indian Phytopathology* 61 (2): 282-284.
- Awode U A, Uzairu A, Balarabe M L, Okunola O J & Adewusi S G 2008 Levels of some trace metals in the fadama soils and pepper (*Capsicum annuum*) along the bank of River Challawa, Nigeria. *Asian Journal of Scientific Research* 1 (4): 458-463.
- Baek SungHoon, Cho KiJong, Song YooHan & Lee JoonHo 2008 Degree-day based models for forecasting the flight activity of adult *Helicoverpa assulta* (Lepidoptera: Noctuidae) in hot pepper fields. *International Journal of Pest Management* 54 (4): 295-300.
- Barbosa L R, Carvalho C F de, Souza B & Auad A M 2008 Efficiency of *Chrysoperla externa* (Hagen, 1861) (Neuroptera Chrysopidae) in the *Myzus persicae* (Sulzer, 1776) (Hemiptera Aphididae) population reduction in sweet pepper (*Capsicum annuum* L.). *Ciencia e Agrotecnologia* 32 (4): 1113-1119.
- Barrera P A, Joaquin R A de J, Torres-Pacheco I-Gonzalez Chavira M M, Perez-Perez M C I, Guevara Olvera L, Guevara Gonzalez R G 2008 Analysis of transcriptional expression induced in *Capsicum chinense* BG-3821 under conditions of biotic and abiotic stress. *Agrociencia Montecillo* 42 (1): 95-106.
- Barro P J de, Hidayat S H, Frohlich D, Subandiyah S & Ueda S 2008 A virus and its vector, *Pepper yellow leaf curl virus* and *Bemisia tabaci*, two new invaders of Indonesia. *Biological Invasions* 10 (4): 411-433.
- Batlang U 2008 Benzyladenine plus gibberellins (GA4+7) increase fruit size and yield in greenhouse grown hot pepper (*Capsicum annuum* L.). *Journal of Biological Sciences* 8 (3): 659-662.
- Ben G A, Ityel E, Dudley L, Cohen S, Yermiyahu U, Presnov E, Zigmund L & Shani U 2008 Effect of irrigation water salinity on transpiration and on leaching requirements, a case study for bell peppers. *Agricultural Water Management* 95 (5): 587-597.
- Bhat F A, Dar G M, Teli M A & Ahmad M F 2008 Frog-eye leaf spot of bell pepper in Kashmir: prevalence and cause. *Karnataka Journal of Agricultural Sciences* 21 (3): 460-461.

- Bloemhard C & Ramakers P 2008 Strategies for aphid control in organically grown sweet pepper in the Netherlands. *Bulletin OILB/SROP* 32: 25-28.
- Borges G L, Gonzalez E T & Soria F M 2008 Prediction of potassium requirements for *Capsicum chinense* Jacq. production in southeast Mexico. *Tropical and-Subtropical Agroecosystems* 8 (1): 69-80.
- Borges G L, Soria F M, Casanova V V, Villanueva C E & Pereyda Perez G 2008 Correlation and calibration of phosphorus analysis in soils from Yucatan, Mexico, for growing habanero peppers. *Agrociencia Montecillo* 42 (1): 21-27.
- Bosco L, Giacometto E & Tavella L 2008 Colonization and predation of thrips (Thysanoptera, Thripidae) by *Orius* spp. (Heteroptera Anthocoridae) in sweet pepper greenhouses in Northwest Italy. *Biological Control* 44 (3): 331-340.
- CafeFilho A C & Ristaino J B 2008 Fitness of isolates of *Phytophthora capsici* resistant to mefenoxam from squash and pepper fields in North Carolina. *Plant Disease* 92 (10): 1439-1443.
- Camp A R, Dillard H R & Smart C D 2008 Efficacy of *Muscador albus* for the control of *Phytophthora* blight of sweet pepper and butternut squash. *Plant Disease* 92 (11): 1488-1492.
- Cao Z M, Liu W X & Dang X M 2008 A new sauce used *Capsicum* F1 hybrid - 'Rela No. 2'. *China Vegetables* 8: 31-33.
- Carrizo P 2008 Effects of yellow trap size on sampling efficiency for western flower thrips (*Frankliniella occidentalis*) from pepper plants (*Capsicum annuum*) grown in greenhouses. *Ciencia e Investigacion Agraria* 35 (2): 155-160.
- Castaneda L P, Castanon Najera G & Mayek Perez N 2008 Morphological and genetic diversity of chili (*Capsicum* spp.) from Tabasco, Mexico. Modern variety breeding for present and future needs. Proceedings of the 18th EUCARPIA General Congress, Valencia, Spain, 9-12 September 2008 (pp. 221-222).
- Chanchaichaovivat A, Panijpan B & Ruenwongsa P 2008 Putative modes of action of *Pichia guilliermondii* strain R13 in controlling chilli anthracnose after harvest. *Biological Control* 47 (2): 207-215.
- Cheng J, Shen H, Yang X, Yu S, Yuan L, Sun Z, Sun X 2008 Real-time image analysis for nondestructive detection of metal slivers in changes in biochemical characteristics related to firmness during fruit development of pepper (*Capsicum annuum* L.). *European Journal of Horticultural Science* 73 (4): 155-161.
- Choi J M, Ahn J W & Ku J H 2008 Growth and nutrient contents of hot pepper plug seedling as influenced by root medium formulations and pre-planting fertilizer levels. *Horticulture Environment and Biotechnology* 49 (3): 197-202.
- Cortez B E, Cruz F F, Hernandez A M I, Peraza L F, Aguado S G A, Serratos A J C, Posos P P, Gonzalez C M M, Torres P I, Guevara O L & Guevara G R G 2008 A new lea gene is induced during osmopriming of *Capsicum annuum* L. seeds. *International Journal of Botany* 4 (1): 77-84.
- Costa L V, Lopes M T G, Lopes R & Alves S R M 2008 Pollinization and fruit fixation in *Capsicum chinense* Jacq. *Acta Amazonica* 38 (2): 361-364.
- Dai X Z, Chen W C, Zhang Z Q, Xiong K & Liu Z M 2008 On main fruit characteristics of *Capsicum* germplasm with different pungency degree. *Journal of Hunan Agricultural University* 4 (4): 433-437.
- Ascenzo D & Silvestro D di 2008 Rotations, firstly, for the protection of aubergines and *Capsicum* peppers. *Informatore Agrario* 64 (11): 40-46.
- Demir I, Tekin A, Okmen Z A, Okcu G & Kenanoglu B B 2008 Seed quality, and fatty acid and sugar contents of pepper seeds (*Capsicum annuum* L.) in relation to seed development and drying temperatures. *Turkish Journal of Agriculture and Forestry* 32 (6): 529-536.

- Diaz Perez J C, Granberry D M & Germishuizen P 2008 Transplant growth and stand establishment of bell pepper (*Capsicum annuum* L.) plants as affected by compost-amended substrate. *Acta Horticulturae* 782: 223-227.
- Diaz Perez J C, Silvoy J, Phatak S C, Ruberson J & Morse R 2008 Effect of winter cover crops and no-till on the yield of organically-grown bell pepper (*Capsicum annuum* L.). *Acta Horticulturae* 767: 243-247.
- Dinu M, Savescu P & Pintilie I 2008 Comparative study between new hybrids of sweet pepper cultivated in unheated greenhouse from Almaj-Dolj County. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca Horticulture* 65 (1):162-165.
- Dong F S, Yang S, Liu X G, Sun J P, Zheng Y Q & Yao J R 2008 Determination of fluazinam in peppers and soils dynamic residues by gas chromatography with electron capture detector. *Scientia Agricultura Sinica* 41 (6): 1684-1690.
- Ehret D L, Hill B D, Raworth D A & Estergaard B 2008 Artificial neural network modelling to predict cuticle cracking in greenhouse peppers and tomatoes. *Computers and Electronics in Agriculture* 61 (2): 108-116.
- El Marzoky H A & Abdel Sattar M A 2008 Influence of growing sweet pepper in compacted rice straw bales compared with natural soil, on infection with pathogenic fungi and nematodes under greenhouse conditions. *Arab Universities Journal of Agricultural Sciences* 16 (2): 481-492.
- Elvira M I, Galdeano M M, Gilardi P, Garcia Luque, I & Serra M T 2008 Proteomic analysis of pathogenesis-related proteins (PRs) induced by compatible and incompatible interactions of pepper mild mottle virus (PMMoV) in *Capsicum chinense* plants. *Journal of Experimental Botany* 59 (6): 1253-1265.
- Escalona A & Pire R 2008 Growth and N-P-K removal in chicken manure fertilized bell pepper (*Capsicum annuum* L.) plants in Quibor, Lara State Venezuela. *Revista de la Facultad de Agronomia Universidad del Zulia* 25 (2): 243-260.
- Evangelista R M, Godoy A R, Cardoso A I I & Vieites R L 2008 Quality of Rubia bell pepper minimally processed and stored under refrigeration. *Revista Ceres* 55 (4): 338-343.
- Faria J L R R, Bendini J do N, Barreto & L M R C 2008 Pollination efficiency of honeybees and entomophilous pollination in sweet pepper var. 'Cascadura Ikeda'. *Bragantia* 67 (2): 261-266.
- Fernandez T J P 2008 Supercritical CO₂ extraction of sweet and hot paprika oleoresin and other fractions. *Grasas y Aceites Sevilla* 59 (1): 7-15.
- Gallegos R M A, Morales L A, Alvarez O G, Vega P A, Chew M Y, Velarde S & Fratamico P 2008 Identification of *Salmonella* serotypes isolated from Cantaloupe and chili pepper production systems in Mexico by PCR-restriction fragment length polymorphism. *Journal of Food Protection* 71 (11): 2217-2222.
- Gama A da S, Lima H N, Lopes M T G & Teixeira W G 2008 Characterization of the protected cultivation model in Manaus with emphasis on sweet pepper production. *Horticultura Brasileira* 26 (1): 121-125.
- Garcia D M, Stewart K A & Seguin P 2008 Effects of saline water on growth and physiology of bell pepper seedlings. *International Journal of Vegetable Science* 14 (2): 121-138.
- Gasca G M R, Rivera H Y, Torres P I, Gonzalez C M M, Guevara O L, Munoz S C I & Guevara G R 2008 Study on the transcriptome in *Capsicum chinense* Jacq. resistant to pepper huasteco yellow vein virus (PHYVV). *Agrociencia Montecillo* 42 (1): 107-117.

- Genda Y, Tsuda S, Nunomura O & Ito T 2008 Development of an assay system using thrips-mediated inoculation to evaluate resistance of *Capsicum* spp. to *Tomato spotted wilt virus*. *Journal of General Plant Pathology* 74 (2): 171-175.
- Gilbert C E, Bilotti G, Requena M E, Ezziyani M, Vivo Molina J M & Candela M E 2008 Pepper morphological traits related with resistance to *Phytophthora capsici*. *Biologia Plantarum* 52 (1): 105-109.
- Going T N O, Beninger C W, Sutton J C & Hall J C 2008 Hydroponically grown peppers inoculated with *Pythium aphanidërmatum*. *Canadian Journal of Plant Pathology* 30 (2): 214-225.
- Gomide M L, Maluf W R & Gomes L A A 2008 Combining ability among lines of sweet pepper (*Capsicum annuum* L.). *Ciencia e Agrotecnologia* 32 (3): 740-748.
- Gonfa B, Singh K K, Singh P K & Singh M P 2008 Effect of cyclic irrigation and fertigation on off-season production of capsicum (*Capsicum annuum* L.) under protected environment. *Pantnagar Journal of Research* 6 (1): 134-141.
- Gonzales O H, Aragon Caballero L, Apaza Tapia W, Donahoo R, Lamour K 2008 Survival and spread of *Phytophthora capsici* in coastal Peru. *Phytopathology* 98 (6): 688-694.
- Gonzalez R M M, Baille A & Liu H Q 2008 Influence of fruit load on dry matter and N-distribution in sweet pepper plants. *Scientia Horticulturae* 117 (4): 307-315.
- Grazia J de, Tiftonell P A & Chiesa A 2008 Nitrogen fertilization methods affect growth of sweet pepper (*Capsicum annuum* L.) transplants. *Acta Horticulturae* 782: 193-199.
- Guan D Y, Lai Y, Lin M, Wang Y N, Cao L & He S L 2008 Construction of cDNA library with RNA isolated from leaves of *Capsicum annuum* challenged with UV and detection of DNA of several genes. *Journal of Fujian Agriculture and Forestry University Natural Science Edition* 37 (3): 275-279.
- Guerra S J M, Cabell T, Gunasingham M & Manjunatha M 2008 Finding variability on leaf green volatiles among varieties of sweet pepper damaged by *Spodoptera exigua* larvae. Impact of habitat manipulation on mycopathogen, *Fusarium semitectum* to control *Scirtothrips dorsalis* and *Polyphagotarsonemus latus* of chilli. *BioControl* 53 (2): 403-412.
- Guo Z Y, Xue Q H, Zhang X L, Yang B, Xu Y J & Zhou Y Q 2008 Effect of the inoculation with the antagonistic fungi and actinomycetes in seedbed on micro ecological systems of capsicum rooting zone and yield of capsicum. *Journal of Northwest A and F University Natural Science Edition* 36 (4): 159-165, 170.
- Haggag W M 2008 Integrated management of powdery mildew and grey mould of greenhouse pepper in Egypt. *Bulletin OILB/SROP* 32: 275.
- Hamada H, Matsumura H, Tomita R, Terauchi R, Suzuki K & Kobayashi K 2008 Super SAGE revealed different classes of early resistance response genes in *Capsicum chinense* plants harboring L3-resistance gene infected with *Pepper mild mottle virus*. *Journal of General Plant Pathology* 74 (4): 313-321.
- Harp T L, Pernezny K, Ivey M L L, Miller S A, Kuhn P J & Datnoff L 2008 The etiology of recent pepper anthracnose outbreaks in Florida. *Crop Protection* 27 (10): 1380-1384.
- Hierro J M H, Garcia Villanova R J, Torrero P R & Toruno Fonseca I M 2008 Aflatoxins and ochratoxin A in red paprika for retail sale in Spain occurrence and evaluation of a simultaneous analytical method. *Journal of Agricultural and Food Chemistry* 56 (3): 751-756.
- Hong J K, Choi D S, Kim S H, Yi S Y, Kim Y J & Hwang B K 2008 Distinct roles of the pepper pathogen induced membrane protein gene CaPIMP1 in bacterial disease resistance and oomycete disease susceptibility. *Planta* 228 (3): 485-497.
- Hou W J, Zhang W G & Xue W J 2008 Studies on extraction of piperine from pepper by orthogonal design. *China Condiment* 5: 55-58.

- Houimli S I M, Denden M & Belhaj S 2008 Effects of salt stress on growth and some physiological traits of three pepper cultivars (*Capsicum annuum* L.). *Advances in Horticultural Science* 22 (3): 205-211.
- Hu W H, Cao Y L, Zeng J J, Shi K & Yu J Q 2008 Effects of heat and drought stresses on growth and respiration in different cultivar of pepper (*Capsicum annuum* L.). *Bulletin of Botanical Research* 28 (2): 199-204.
- Hu W H, Chen ChunXia, Hu XueHua & Li GuiYing 2008 Effects of drought stress on morphological plasticity and water retention in two pepper cultivars. *Acta Agriculturae Universitatis Jiangxiensis* 30 (4): 643-647.
- Huang Z C, Lu X Y, Zeng F H, Ye Y H, Liu Y & He W H 2008 Activation of pathogen-inducible plant promoters (PPPs) in transgenic pepper. *Journal of Hunan Agricultural University* 34 (3): 270-273.
- Jang M H, Kim J M, Kalme S, Han J W, Yoo H S, Kim J H, Koo B S, Kim S K & Yoon M Y 2008 Cloning, purification, and polymerization of *Capsicum annuum* recombinant alpha and beta tubulin. *Bioscience Biotechnology and Biochemistry* 72 (4): 1048-1055.
- Jang Y N, Cho Y Y, Rhee H C & Um Y C 2008 Effects of rootstock and night temperature on the growth and yield of grafted pepper (*Capsicum annuum* L.). *Horticulture Environment and Biotechnology* 49 (2): 63-71.
- Janzac B, Fabre M F, Palloix A & Moury B 2008 Characterization of a new *potyvirus* infecting pepper crops in Ecuador. *Archives of Virology* 153 (8): 1543-1548.
- Jelev Z J, Bobev S G, Minz D, Maymon M & Freeman S 2008 First report of anthracnose fruit rot caused by *Colletotrichum acutatum* on pepper and tomato in Bulgaria. *Plant Disease* 92 (1): 172.
- Jiang X H, She C W, Zeng H B, Liu C & Hao B F 2008 The identification of *Capsicum frutescens* L. mutant with traits of dwarf and pericarp crimple and their RAPD primary analysis. *Journal of Wuhan Botanical Research* 26 (5): 524-527.
- Jidavu M G, Jidavu I, Harsan E, Dejeu M & Sestras A 2008 Study on the influence of water treated by means of physical growth and development of pepper plants (*Capsicum annuum*). *Bulletin of University of Agricultural Sciences and Veterinary Medicine, Cluj-Napoca Horticulture* 65 (1): 157-161.
- Jidavu M G, Sestras A, Barbos A, Marian M, Salanta G & Chis L 2008 The variability of some characteristics of the bell pepper cultivar ciprian (*Capsicum annuum* L.). *Bulletin of University of Agricultural Sciences and Veterinary Medicine, Cluj-Napoca Horticulture* 65 (1): 479.
- Jin L E, Cao Q & Xie K C 2008 Antioxidant activities and composition of extracts from chilli. *International Journal of Food Science and Technology* 43 (4): 666-672.
- Jovicich E, Cantliffe D J, Stoffella P J & Osborne L S 2008 Predatory mites released on transplants can protect greenhouse-grown peppers from early broad mite infestations. *Acta Horticulturae* (782): 229-233.
- Jyothi P, Jagdish S, Ajay V, Singh A K, Mathura R & Sanjeet K 2008 Evaluation of chilli (*Capsicum annuum* L.) genotypes for some quality traits. *Journal of Food Science and Technology Mysore* 45 (5): 463-465.
- Kacha R P, Sadhu A C, Tank D A & Gediya K M 2008 Green fruit yield, quality and nutrient uptake by chillies (*Capsicum annuum* L.) as influenced by spacings, castor cake and nitrogen levels. *Research on Crops* 9 (2): 356-359.
- Kakareka N N, Kozlovskaya Z N, Volkov Y G & Pleshakova T I 2008 Identification and characterization of a virus infecting pepper in Southern Primorskii Krai. *Russian Agricultural Sciences* 34 (4): 227-229.

- Kapongo J P, Shipp L, Kevan P & Broadbent B 2008 Optimal concentration of *Beauveria bassiana* vectored by bumble bees in relation to pest and bee mortality in greenhouse tomato and sweet pepper. *Biocontrol* 53 (5): 797-812.
- Kappel V D, Costa G M, Scola G, Silva F A, Landell M F, Valente P, Souza D G, Vanz D C, Reginatto F H & Moreira J C F 2008 Phenolic content and antioxidant and antimicrobial properties of fruits of *Capsicum baccatum* L. var. Pendulum at different maturity stages. *Journal of Medicinal Food* 11 (2): 267-274.
- Kasyap A, Tiwari Khare C P & Thrimurthy V S 2008 Evaluation of varieties and fungicides against anthracnose and fruit rot of chilli. *Annals of Plant Protection Sciences* 16 (1): 159-161.
- Khanobdee J, Lertsilpmongkol P & Sirithunya P 2008 The status of environment and production for yield and quality of commercial pepper cultivars in the southern most part of Northern Thailand. *Acta Horticulturae* 786: 261-265.
- Kim H J, Baek K H, Lee S W, Kim J E, Lee B W, Cho H S, Kim W T, Choi D & Hur C G 2008 Pepper EST database: comprehensive *in silico* tool for analyzing the chili pepper (*Capsicum annuum*) transcriptome. *BMC Plant Biology* 8 (101): 09 October 2008.
- Kim H J, Lee H R, Han J H, Yeom S I, Harn C H, Kim & Byung D 2008 Marker production by PCR amplification with primer pairs from conserved sequences of WRKY genes in chili pepper. *Molecules and Cells* 25 (2): 196-204.
- Kim K J, Lim J H, Kim M J, Kim T S, Chung H M & Paek K H 2008 GDSL-lipase1 (CaGL1) contributes to wound stress resistance by modulation of CaPR-4 expression in hot pepper. *Biochemical and Biophysical Research Communications* 374 (4): 693-698.
- Kim M Z, Jang I C, Kim J A, Park E J, Yoon M C & Lee Y W 2008 Embryogenesis and plant regeneration of hot pepper (*Capsicum annuum* L.) through isolated microspore culture. *Plant Cell Reports* 27 (3): 425-434.
- Kim S H, Yoon J B, Do J W & Park H G 2008 Major recessive gene associated with anthracnose resistance to *Colletotrichum capsici* in chili pepper (*Capsicum annuum* L.). *Breeding Science* 58 (2): 137-141.
- Kim S H, Yoon J B & Park H G 2008 Inheritance of anthracnose resistance in a new genetic resource, *Capsicum baccatum* PI594137. *Journal of Crop Science and Biotechnology* 11 (1): 13-16.
- Kim S, Ha TaeYoul & Park JaeBok 2008 Characteristics of pigment composition and colour value by the difference of harvesting times in Korean red pepper varieties (*Capsicum annuum* L.). *International Journal of Food Science and Technology* 43 (5): 915-920.
- Kim U D, Hwang J M & Park K C 2008 Effect of furrow-mulching on *Phytophthora* blight incidence and soil microbial ecology in the red pepper (*Capsicum annuum* L.) field. *Korean Journal of Horticultural Science and Technology* 26 (1): 7-13.
- Kotur S C 2008 Fertilizer management of capsicum (*Capsicum annuum*) as influenced by method of raising seedlings, depth of placement and doses of P using ³²P-labelled superphosphate. *Indian Journal of Agricultural Sciences* 78 (9): 757-760.
- Kraikruan W, Sukprakarn S, Mongkolporn O & Wasee S 2008 Capsaicin and dihydrocapsaicin contents of Thai chili cultivars. *Kasetsart Journal Natural Sciences* 42 (4): 611-616.
- Krishnareddy M, Rani R U, Kumar K S A, Reddy K M & Pappu H R 2008 *Capsicum chlorosis virus* (genus Tospovirus) infecting chili pepper (*Capsicum annuum*) in India. *Plant Disease* 92 (10): 1469.
- Ku Y G, Woolley D J & Ahn S J 2008 Effect of N-(2-chloro-4-pyridyl)-N-phenylurea (CPPU) treatment of *Capsicum annuum* L. cv. 'Ancho St Luis' roots on plant growth characteristics. *Horticulture Environment and Biotechnology* 49 (4): 221-225.
- Ku Y G, Woolley D J & Ahn S J 2008 Plant growth, chlorophyll content, leaf water potential, photosynthetic rates and gibberellin bioassay of *Capsicum* roots treated with CPPU. *Horticulture Environment and Biotechnology* 49 (5): 281-286.

- Kumar G & Priyanka G 2008 Comparative genotoxic potential of inorganic fertilizers and biofertilizers on meristematic cells of *Capsicum annuum* L. National Academy Science Letters 31 (5/6): 181-185.
- Kumar G A, Balakrishnamoorthy G, Sundar S T B & Priya M V 2008 Effect of biostimulants on physiological and biochemical characters of paprika (*Capsicum annuum* var. Longum) var. Kt PI-19. Research on Crops 9 (2): 353-355.
- Lai Y, Xu B, Lin M, Wang Y N, Cao L, He Li, Liu P & He S L 2008 Isolation of ubiquitin-conjugating enzyme cDNA from *Capsicum annuum* and analysis of its expression under UV-B stress. Journal of Fujian Agriculture and Forestry University Natural Science Edition 37 (2): 162-165.
- Lee J D, Yoon J B & Park H G 2008 A CAPS marker associated with the partial restoration of cytoplasmic male sterility in chili pepper (*Capsicum annuum* L.). Molecular Breeding 21 (1): 95-104.
- Lee J N, Lee E H, Im J S, Kim W B & Yeoung Y R 2008 Fruit characteristics of high temperature period and economic analysis of summer paprika (*Capsicum annuum* L.) grown at different altitudes. Korean Journal of Horticultural Science and Technology 26 (3): 230-233.
- Lee K J, Kamala K S, Sub H S, Seong C K & Lee G W 2008 Biological control of *Phytophthora* blight in red pepper (*Capsicum annuum* L.) using *Bacillus subtilis*. World Journal of Microbiology and Biotechnology 24 (7): 1139-1145.
- Lee S C, Hwang I S, Choi H W & Hwang B K 2008 Involvement of the pepper antimicrobial protein CaAMP1 gene in broad spectrum disease resistance. Plant Physiology 148 (2): 1004-1020.
- Lee S M, Kim S Y, Lee J S, Yu K W, Chang I S & Suh H J 2008 Non-pungent *Capsicum* fermentation by *Bacillus subtilis* and the addition of Rapidase. Applied Microbiology and Biotechnology 81 (2): 257-262.
- Lemos O L, Reboucas T N H, Sao Jose A R, Vila M T R, Silva K S, Silva D S, Barreto A P P & Bomfim M P 2008 Conservation of sweet pepper 'Magali R' in two storage conditions of modified atmosphere. Magistra 20 (1): 6-15.
- Leng L F 2008 A new hot pepper F1 hybrid 'Tiejiao No.6'. China Vegetables 2: 37-38.
- Li B, Li S H, Wang M G, Liu X J & Zheng B S 2008 Fluoride in chilies from southwestern China. Annals of the New York Academy of Sciences 1140: 315-320.
- Li C D, Song X D & Zhang Z J 2008 A new pepper F1 hybrid 'Saila No. 1'. China Vegetables 7: 40-41.
- Li G X, Zhou S K & He Z C 2008 A new hot pepper F1 hybrid 'Pingjiao No. 5'. China Vegetables 10: 35-36.
- Li S M, Cao S J & Li T 2008 A new sweet pepper F1 hybrid 'Yanjiao No.3'. China Vegetables 3: 37-38.
- Li X F, Shang Q M, Zhang Z G, Wang L H & Zhang B X 2008 Evaluation of salt tolerance of pepper cultivars by multiple statistics analysis. Acta Horticulturae Sinica 35 (3): 351-356.
- Li Z J, Long W P, Zheng J R, Lei J J, Zhang Y R & Li C Y 2008 Genetic analysis of the resistance to *Phytophthora capsici* in two *phytophthora* blight resistant varieties of pepper. Journal of South China Agricultural University 29 (2): 30-33.
- Liao Q S, Du Z Y, Zhang H R, Wu P, Zhu L P & Chen J S 2008 Construction of infectious clone for Cucumber mosaic virus pepper isolate. Scientia Agricultura Sinica 41 (7): 1975-1982.
- Liefting L 2008 New *Candidatus liberabacter* species infecting solanaceous crops. Biosecurity 85: 21.
- Lightbourn G J, Griesbach R J, Novotny J A, Clevidence B A, Rao D D & Stommel J R 2008 Effects of anthocyanin and carotenoid combinations on foliage and immature fruit color of *Capsicum annuum* L. Journal of Heredity 99 (2): 105-111.
- Lima L C de & Campos A R 2008 Factors affecting oviposition of *Bemisia tabaci* (Genn.) biotype B in sweet pepper. Neotropical Entomology 37 (2): 180-184.

- Lima M L da P & Cafe Filho A C 2008 Phenotypic and molecular characterization of *Phytophthora capsici* from vegetable crops and search and expression of genetic resistance in Cucurbitaceae and Solanaceae. Summa Phytopathologica 34 (3): 292.
- Lin W C & Hill B D 2008 Neural network modelling to predict weekly yields of sweet peppers in a commercial greenhouse. Canadian Journal of Plant Science 88 (3): 531-536.
- Liu B, Gumpertz M L, Hu S J & Ristaino J B 2008 Effect of prior tillage and soil fertility amendments on dispersal of *Phytophthora capsici* and infection of pepper. European Journal of Plant Pathology 120 (3): 273-287.
- Liu L T, Cao Y Y & Xiao S Q 2008 Studies on screening and biocontrol effect of antagonistic microbial agents on pepper *Phytophthora* blight. Journal of Shenyang Agricultural University 39 (3): 313-317.
- Liu Y G, Zhang H Y, Guo J G, Lu H P, He Chun G & Song S Y 2008 Mating type distribution and pathogenicity difference of *Phytophthora capsici* in Gansu. Acta Phytophylacica Sinica 35 (5): 448-452.
- Llaven M A O, Guzman Jimenez J L, Cabrera Coro B I, Rincon Rosales R, Montes Molina J, Dendooven L & Gutierrez Miceli F A 2008 Fruit characteristics of bell pepper cultivated in sheep manure vermicompost substituted soil. Journal of Plant Nutrition 31 (9): 1585-1598.
- Loizzo M R, Tundis R, Menichini F, Statti G A & Menichini F 2008 Influence of ripening stage on health benefits properties of *Capsicum annuum* var. *acuminatum* L.: *in vitro* studies. Journal of Medicinal Food 11 (1): 184-189.
- Luo H, Duan C J, Chen B S, Tang J L & Feng J X 2008 Construction of pepper CaNPR1-RNAi expression vector and its transformation to pepper. Guangxi Zhiwu Guihaia 28 (1): 107-112, 99.
- Ma C J 2008 Cellulase elicitor induced accumulation of capsidiol in *Capsicum annuum* L. suspension cultures. Biotechnology Letters 30 (5): 961-965.
- Ma J P, Gong Z H & Huang W 2008 Cloning and sequence analysis of the specific mitochondrial DNA fragment related to cytoplasmic male sterility in pepper. Journal of Northwest A and F University Natural Science Edition 36 (2): 124-128.
- Ma W, Gong Z H, Li D W & Jia Q L 2008 Analysis and cloning of LRR class disease resistant gene analogs in *Capsicum annuum*. Journal of Northwest A and F University Natural Science Edition 36 (1): 143-148.
- Ma Y, Chang Z Z, Zhao J T & Zhou M G 2008 Antifungal activity of *Penicillium striatisporum* Pst10 and its biocontrol effect on *Phytophthora* root rot of chilli pepper. Biological Control 44 (1): 24-31.
- Madosa E, Ciulca S, Velicevic G, Avadanei C, Sasu L, Cioroga A & Friskan I 2008 Study of correlations between component characters of production capacity of sweet pepper (*Capsicum annuum* L. var. *Grossum*). Bulletin of University of Agricultural Sciences and Veterinary Medicine, Cluj-Napoca Horticulture 65 (1): 90-94.
- Mahdavian K, Ghorbanli M & Kalantari K M 2008 The effects of ultraviolet radiation on the contents of chlorophyll, flavonoid, anthocyanin and proline in *Capsicum annuum* L. Turkish Journal of Botany 32 (1): 25-33.
- Mahdavian K, Ghorbanli M & Kalantari K M 2008 Role of salicylic acid in regulating ultraviolet radiation induced oxidative stress in pepper leaves. Russian Journal of Plant Physiology 55 (4): 560-563.
- Mahdavian K, Ghorbanli M & Kalantari K M 2008 The effects of ultraviolet radiation on some antioxidant compounds and enzymes in *Capsicum annuum* L. Turkish Journal of Botany 32 (2): 129-134.
- Mahdavian K, Kalantari K M, Ghorbanli M & Torkzade M 2008 The effects of salicylic acid on pigment contents in ultraviolet radiation stressed pepper plants. Biologia Plantarum 52 (1): 170-172.

- Maheswari T U & Haripriya K 2008 Response of hot pepper (*Capsicum annuum* L.) cv. K2 to various sources of organic manures and foliar nutrients. *Asian Journal of Horticulture* 3 (1): 51-53.
- Manjunatha S N, Ravi Hunje, Vyakaranahal B S & Kalappanavar I K 2008 Effect of seed coating with polymer, fungicide and containers on seed quality of chilli during storage. *Karnataka Journal of Agricultural Sciences* 21 (2): 270-273.
- Manjunatha S N, Ravi Hunje, Vyakaranahal B S & Kalappanavar I K 2008 Effect of seed coating with polymers and fungicide on seed quality of chilli during storage. *Seed Research* 36 (1): 42-46.
- Marin V M, Luna Olvera H A, Sandoval Coronado C F, Pereyra Alferez B, Morales Ramos L H, Hernandez Luna C E & Alvarado Gomez O G 2008 Antagonistic activity of selected strains of *Bacillus thuringiensis* against *Rhizoctonia solani* of chili pepper. *African Journal of Biotechnology* 7 (9): 1271-1276.
- Martinez B M C, Cabanero F, Olmos E, Periago P M, Maurel C & Carvajal M 2008 Two different effects of calcium on aquaporins in salinity stressed pepper plants. *Planta* 228 (1): 15-25.
- Matsumoto K, Sawada H, Matsumoto K, Hamada H, Yoshimoto E, Itô T, Takeuchi S, Tsuda S, Suzuki K, Kobayashi K, Kiba A, Okuno T & Hikichi Y 2008 The coat protein gene of tobamovirus P0 pathotype is a determinant for activation of temperature-insensitive L1a-gene-mediated resistance in *Capsicum* plants. *Archives of Virology* 153 (4): 645-650.
- Mawgoud A M R A, El Abd S O, Bohme M, Sassine Y N & Abou Hadid A F 2008 Weekly fruit production of sweet pepper in relation to plant fruit load manipulation. *Acta Horticulturae* 779: 439-446.
- Min W K, Han J H, Kang W H, Lee H R & Kim B D 2008 Reverse random amplified microsatellite polymorphism reveals enhanced polymorphisms in the 3' end of simple sequence repeats in the pepper genome. *Molecules and Cells* 26 (3): 250-257.
- Min Woong Ki, Lim Hee Rae, Lee Young Pyo, Sung Soon Kee, Kim Byung Dong & Kim Sung Gil 2008 Identification of a third haplotype of the sequence linked to the Restorer-of-fertility (Rf) gene and its implications for male-sterility phenotypes in peppers (*Capsicum annuum* L.). *Molecules and Cells* 25 (1): 20-29.
- Mirik M, Aysan Y & Cnar O 2008 Biological control of bacterial spot disease of pepper with *Bacillus* strains. *Turkish Journal of Agriculture and Forestry* 32(5): 381-390.
- Monroy A & Bosland P W 2008 Genetic analysis of *Phytophthora* root rot race-specific resistance in Chili pepper. Modern variety breeding for present and future needs. Proceedings of the 18th EUCARPIA General Congress, Valencia, Spain 9-12 September 2008. (p. 438).
- Nagaraja T, Sreenivas A G, Patil B V & Naganagoud A 2008 Influence of different dates of sowing on thrips and mites in chilli under irrigated ecosystem. *Karnataka Journal of Agricultural Sciences* 21 (3): 450-451.
- Nakajima S & Fukui M 2008 Influence of drifts with a pesticide spray application in the greenhouse. *Annual Report of the Kansai Plant Protection Society* 50: 81-86.
- Oh Sang Keun, Baek Kwang Hyun, Park Jeong Mee, Yi So Young, Yu Seung Hun, Kamoun S & Choi Doil 2008 *Capsicum annuum* WRKY protein CaWRKY1 is a negative regulator of pathogen defense. *New Phytologist* 177 (4): 977-989.
- Orosz S, Juhasz M, Tokes G & Toth F 2008 Occurrence of *Thrips tabaci* larvae on TSWV host weeds in the surroundings of sweet pepper greenhouses. *Acta Phytopathologica et Entomologica Hungarica* 43 (2): 329-336.
- Pagamas P & Nawata E 2008 Effect of heat stress application to flower and fruit on seed quality of chili pepper. *Tropical Agriculture and Development* 52 (3): 82-87.
- Palada M C & Wu D L 2008 Evaluation of chili rootstocks for grafted sweet pepper production during the hot-wet and hot-dry seasons in Taiwan. *Acta Horticulturae* 767: 151-157.

- Palop M L, Bernad L & Palomares G 2008 Differentiating a collection of *Capsicum annuum* L. cultivars by microsatellite molecular markers. Modern variety breeding for present and future needs. Proceedings of the 18th EUCARPIA General Congress, Valencia, Spain, 9-12 September 2008 (p. 220).
- Patel H B, Bhatt M M, Patel J S & Patel J A 2008 Heterosis for green fruit yield and its quality attributes in chilli (*Capsicum annuum* L.). *Research on Crops* 9 (2): 350-352.
- Pineda A & Marcos G M A 2008 Introducing barley as aphid reservoir in sweet-pepper greenhouses-effects on native and released hoverflies (Diptera: Syrphidae). *European Journal of Entomology* 105 (3): 531-535.
- Pineda A & Marcos Garcia M-A 2008 Evaluation of several strategies to increase the residence time of *Episyrphus balteatus* (Diptera, Syrphidae) releases in sweet pepper greenhouses. *Annals of Applied Biology* 152 (3): 271-276.
- Pintilie I & Dinu M 2008 The study and evaluation of some local populations of green pepper. *Bulletin of University of Agricultural Sciences and Veterinary Medicine, Cluj-Napoca Horticulture* 65 (1): 95-98.
- Prabaningrum L, Moekasan T K, Udiarto B K, Belder E den & Elings A 2008 Integrated pest management on sweet pepper in Indonesia biological control and control thresholds for thrips. *Acta Horticulturae* 767: 201-210.
- Prabhavathi K, Bidari B I, Shashidhara G B & Mathad J C 2008 Influence of sources and levels of potassium on quality attributes and nutrient composition of red chillies. *Karnataka Journal of Agricultural Sciences* 21 (3): 379-381.
- Prasath D & Ponnuswami V 2008 Screening of chilli (*Capsicum annuum* L.) genotypes against *Colletotrichum capsici* and analysis of biochemical and enzymatic activities in inducing resistance. *Indian Journal of Genetics and Plant Breeding* 68 (3): 344-346.
- Rajur B C, Patil B L & Basavaraj H 2008 Growth performance of chilli in Karnataka. *Karnataka Journal of Agricultural Sciences* 21 (2): 312-313.
- Rajur B C, Patil B L & Basavaraj H 2008 Economics of chilli production in Karnataka. *Karnataka Journal of Agricultural Sciences* 21 (2): 237-240.
- Ramos G M, Torre Almaraz R de la, Bujanos Muniz R, Guevara Gonzalez R G, Tierranegra Garcia N, Guevara Olvera L, Gonzalez Chavira M M & Torres Pacheco I 2008 Co-transmission of *Pepper huasteco yellow vein virus* and *Pepper golden mosaic virus* in chili pepper by *Bemisia tabaci* (Genn.). *Journal of Entomology* 5 (3): 176-184.
- Ravishankar M & Singh R V 2008 Penetration and development of root-knot nematode (*Meloidogyne incognita* race 1) in three genotypes of chilli. *Annals of Plant Protection Sciences* 16 (2): 471-474.
- Reddy M G, Kumar H D M & Salimath P M 2008 Correlation and path coefficient analysis in chilli (*Capsicum annuum* L.). *Karnataka Journal of Agricultural Sciences* 21 (2): 259-261.
- Rembiakowska E & Hallmann E 2008 The changes of the bioactive compounds in pickled red pepper fruits from organic and conventional production. *Journal of Research and Applications in Agricultural Engineering* 53 (4): 51-57.
- Ren Y, Zhang Y D, Yin J M & Wang D Y 2008 Parent grouping of 31 elite inbred lines in hot pepper (*Capsicum annuum* L.). *Hereditas Beijing* 30 (2): 237-245.
- Roman M S, Botello Alvarez E, Rico Martinez R, Jimenez Islas H, Cardenas Manriquez M & Navarrete Bolanos J L 2008 Enzymatic treatment to improve extraction of capsaicinoids and carotenoids from chili (*Capsicum annuum*) fruits. *Journal of Agricultural and Food Chemistry* 56 (21): 10012-10018.
- Rubio M, Caranta C & Palloix A 2008 Functional markers for selection of potyvirus resistance alleles at the pvr2-eIF4E locus in pepper using tetra-primer ARMS-PCR. *Genome* 51 (9): 767-771.

- Ryzhova N N, Dooijeweert W van & Kochieva E Z 2008 Genetic diversity of *Capsicum baccatum* revealed by AFLP. Modern variety breeding for present and future needs. Proceedings of the 18th EUCARPIA General Congress, Valencia, Spain, 9-12- September 2008 (p. 232).
- Sakamoto M, Munemura I, Tomita R & Kobayashi K 2008 Involvement of hydrogen peroxide in leaf abscission signaling, revealed by analysis with an *in vitro* abscission system in *Capsicum* plants. *Plant Journal* 56 (1): 13-27.
- Sanatombi K & Sharma G J 2008 *In vitro* propagation of *Capsicum chinense* Jacq. *Biologia Plantarum* 52 (3): 517-520.
- Sanyal D 2008 Determination of acetamiprid in cotton, rice and chili using accelerated solvent extractor. *Pesticide Research Journal* 20 (1): 151-154.
- Sbirciog G 2008 Intensity of heterosis phenomenon for some quantitative characteristics in some F1 pepper hybrids (*Capsicum annuum* L. var. *Grossum sendt*). *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca Horticulture* 65 (1): 483.
- Seo Y S, Kim E Y, Mang H G & Kim W T 2008 Heterologous expression, and biochemical and cellular characterization of CaPLA1 encoding a hot pepper phospholipase A1 homolog. *Plant Journal* 53 (6): 895-908.
- Seong E S, Guo J & Wang M H 2008 The chilli pepper (*Capsicum annuum*) MYB transcription factor (CaMYB) is induced by abiotic stresses. *Journal of Plant Biochemistry and Biotechnology* 17 (2): 193-196.
- Shao G C, Zhang J, Chen L, Liu N & Xing W G 2008 Effect of space-time deficit irrigation on physiological and agronomic features of hot pepper in greenhouse. *Nongye Jixie Xuebao Transactions of the Chinese Society for Agricultural Machinery* 39 (3): 96-100.
- Shao G C, Liu N, & Chen L 2008 Character of water demand and yield of space-time deficit irrigation for hot pepper in greenhouse. *Nongye Jixie Xuebao Transactions of the Chinese Society for Agricultural Machinery* 39 (4): 117-121.
- Sharma A, Anjana Srivastava, Bali Ram & Srivastava P C 2008 Dissipation behaviour of spinosad insecticide in Chilli and soil. *Asian Journal of Water Environment and Pollution* 5 (2): 49-52.
- Shashidhara G B & Shivamurthy D 2008 Studies on the effect of integrated nutrient management on growth, yield and yield parameters of chilli genotypes under vertisol of north transition zone of Karnataka. *Karnataka Journal of Agricultural Sciences* 21 (3): 433-435.
- She D Q, Zhang X F & Li J 2008 A new hot pepper F1 hybrid - 'Tongyan No. 3'. *China Vegetables* 10: 33-34.
- Shen H, Qiao Z X & An Y 2008 Comparison of endogenous hormones in cytoplasmic male-sterile lines and maintainer lines of pepper (*Capsicum annuum* L.). *Acta Botanica Boreali Occidentalia Sinica* 28 (9): 1751-1756.
- Shen P, Yan S Z, Chen S L, Cui X C, Li L 2008 Growth promotion and control for blight of endophytic bacterium with ACC deaminase in capsicum. *Acta Phytophylacica Sinica* 35 1: 28-32.
- Shimomoto Y, Adachi R, Morita Y, Yano K, Kiba A, Hikichi Y & Takeuchi S 2008 *Corynespora* blight of sweet pepper (*Capsicum annuum*) caused by *Corynespora cassicola* (Berk. & Curt.) Wei. *Journal of General Plant Pathology* 74 (4): 335-337.
- Shivakumar K M, Nagaraj M S, Ravi M V & Yeledhalli N A 2008 Identification of nutrient management practices and soil fertility in chilli growing areas of Upper Krishna Project. *Karnataka Journal of Agricultural Sciences* 21 (3): 444-445.
- Silvar C, Merino F & Diaz J 2008 Differential activation of defense-related genes in susceptible and resistant pepper cultivars infected with *Phytophthora capsici*. *Journal of Plant Physiology* 165 (10): 1120-1124.

- Singh T, Singh A K, Anju Pal & Singh S S . 2008 Biological control of wilt disease of chilli. *Progressive Research* 3 (1): 105-106.
- Somashekhar S, Patil S A & Salimath P M 2008 Estimation of gene effects for fruit yield and its components in chilli (*Capsicum annuum* L.). *Karnataka Journal of Agricultural Sciences* 21 (2): 181-183.
- Srinivasan S & Suhanya R 2008 A comparative study of antioxidants in green and dried chilli varieties. *Indian Journal of Nutrition and Dietetics* 45 (4): 125-130.
- Sultana V, Ara J & Ehteshamul Haque S 2008 Suppression of root rotting fungi and root knot nematode of chili by seaweed and *Pseudomonas aeruginosa*. *Journal of Phytopathology* 156 (7/8): 390-395.
- Sun H Y, Kang S Z, Hu X T & Li, Z J 2008 Response of greenhouse sweet pepper under alternate partial root-zone irrigation to different irrigation low limits. *Transactions of the Chinese Society of Agricultural Engineering* 24 (6): 78-84.
- Tanaka Y, Otsu K, Nakamura T, Hosokawa M, Yamaguchi K, Kanazawa K & Yazawa S 2008 Inhibitors of nitric oxide radical (NO) generation in young pepper plants as a newly developed leafy vegetable. *Horticultural Research Japan* 7 (4): 491-497.
- Tang R S, Huang Y H, Tang X H, Zhong, Y, Yu Y Z & Tong H Y 2008 Effect of microorganism-sourced ABA on chilling resistance of pepper seedling. *Jiangsu Journal of Agricultural Sciences* 24 (4): 467-470.
- Tapia D H, Troncoso A J, Vargas R R, Olivares Donoso R & Niemeyer H M 2008 Experimental evidence for competitive exclusion of *Myzus persicae nicotianae* by *Myzus persicae* s.s. (Hemiptera: Aphididae) on sweet pepper, *Capsicum annuum* (Solanaceae). *European Journal of Entomology* 105 (4): 643-648.
- Than P P, Prihastuti H, Phoulivong S, Taylor P W J & Hyde K D 2008 Chilli anthracnose disease caused by *Colletotrichum* species. *Journal of Zhejiang University Science B* 9 (10): 764-778.
- Thiele R C, Mueller Seitz E & Petz M 2008 Pepper fruits: presumed precursors of fatty acids characteristic for capsaicinoids. *Journal of Agricultural and Food Chemistry* 56 (11): 4219-4224.
- Thies J A, Dickson D W & Fery R L 2008 Stability of resistance to root-knot nematodes in 'Charleston Belle' and 'Carolina Wonder' bell peppers in a sub-tropical environment. *HortScience* 43 (1): 188-190.
- Tiendrebeogo F, Traore V S E, Barro N, Traore A S, Konate G & Traore O 2008 Characterization of *Pepper yellow vein mali virus* in *Capsicum* sp. in Burkina Faso. *Plant Pathology Journal Faisalabad* 7 (2): 155-161.
- Tomita R, Murai J, Miura Y, Ishihara H, Liu S, Kubotera Y, Honda A, Hatta R, Kuroda T, Hamada H, Sakamoto M, Munemura I, Nunomura O, Ishikawa K, Genda Y, Kawasaki S, Suzuki K, Meksem K & Kobayashi K 2008 Fine mapping and DNA fiber FISH analysis locates the *tobamovirus* resistance gene L3 of *Capsicum chinense* in a 400-kb region of R-like genes cluster embedded in highly repetitive sequences. *TAG-Theoretical and Applied Genetics* 117 (7): 1107-1118.
- Turkmen O, Sensoy S, Demir S & Erdinc C 2008 Effects of two different AMF species on growth and nutrient content of pepper seedlings grown under moderate salt stress. *African Journal of Biotechnology* 7 (4): 392-396.
- Varindra P & Sharma S 2008 Accumulation of capsaicin in seed, pericarp and placenta of *Capsicum annuum* L fruit. *Journal of Plant Biochemistry and Biotechnology* 17 (1): 23-27.
- Velasquez V R, Medina A M M & Creamer R 2008 First report of *Beet mild curly top virus* infection of Chile pepper in North-Central Mexico. *Plant Disease* 92 (4): 650.
- Verma S K, Negi K S, Muneem K C & Arya R R 2008 Preliminary evaluation of chilli germplasm. *Pantnagar Journal of Research* 6 (1): 81-85.

- Vidal D G, Rocha Sosa M, Sepulveda Garcia E B, Lara Reyna J, Rojas Martinez R & Zavaleta Mejia E 2008 Phenylalanine ammonia lyase activity in chilli CM-334 infected by *Phytophthora capsici* and *Nacobbus aberrans*. *European Journal of Plant Pathology* 120 (3): 299-303.
- Wang G Y, Zhou X M, Xie Y H & Sun X N 2008 Autotoxicity of aqueous extract of hot pepper plant on seed germination of hot pepper. *Journal of Shanghai Jiaotong University Agricultural Science* 26 (5): 407-410.
- Wang L H, Zhang B X, Caranta C, Mao S L & Palloix A 2008 Molecular markers assisted selection for three QTLs resistant to PVY in pepper (*Capsicum annuum* L.). *Acta Horticulturae Sinica* 35 (1): 53-58.
- Wang S B, Liu J B & Pan B G 2008 RAPD analysis of genomic DNAs between CMS line of hot pepper and its maintainer line. *Acta Agriculturae Shanghai* 24 (1): 8-10.
- Wang X J, Li B S, Liu Yi, Qiu S Y & Wang M L 2008 Study on control of fluorine content in Guizhou *Capsicum frutescens*. *China Condiment* 5: 53-54, 58.
- Wu D L, Lin C H, Sheu Z M & Palada M 2008 Selection of *Phytophthora* blight and bacterial wilt tolerance in sweet pepper lines as rootstocks. *Journal of the Taiwan Society for Horticultural Science* 54 (1): 47-58.
- Wu X X, Xue L B, Zha D S & Chen J L 2008 Changes of major pigments of color sweet pepper during growth periods. *Southwest China Journal of Agricultural Sciences* 21 (4): 1040-1044.
- Xin H, Liu H Z, Wang H X & Zhao Y J 2008 Studies on developmental anatomy of floral nectaries of male-sterile-homomaintainer line in "Hot pepper 95-1". *Journal of Wuhan Botanical Research* 26 (2): 119-123.
- Xu C Y, Yang L Z, Tang J L, Yang H W & Bai P 2008 Comprehensive evaluation of eco-economic benefits of different cropping systems in slope-land purple soils. *Wu PengFei Zhongguo Shengtai Nongye Xuebao Chinese Journal of Eco Agriculture* 16 (1): 196-199.
- Yadwad A, Sridevi O & Salimath P M 2008 Genetic variability in segregating progenies of chilli (*Capsicum annuum* L.). *International Journal of Plant Sciences, Muzaffarnagar* 3 (1): 106-110.
- Yamamoto S, Misumi M & Nawata E 2008 Effects of photoperiod on vegetative growth, flowering and fruiting of *Capsicum frutescens* L. and *C. annuum* L. in Japan. *Environment Control in Biology* 46 (1): 39-47.
- Yang C J, Chen B J & Tang Z Q 2008 A new pepper F1 hybrid - 'Cuicuihuang No. 1'. *China Vegetables* (6): 33-34.
- Yang G J, Zhao Z L, Gong Z H, Zhao H Y & Liang L P 2008 Allelopathy functions of the root exudates of line pepper to pepper and other crops. *Journal of Northwest A and F University Natural Science Edition* 36(10): 146-152.
- Youm J W, Jeon J H, Choi D, Yi S Y, Joung H & Kim H S 2008 Ectopic expression of pepper CaPF1 in potato enhances multiple stresses tolerance and delays initiation of *in vitro* tuberization. *Planta* 228 (4): 701-708.
- Yu E J, Si L S, Fan Y Y, Wang F & Sui X L 2008 Comparison experiment of different colored pepper varieties in helio-greenhouse. *Journal of Shanghai Jiaotong University Agricultural Science* 26 (5): 471-473.
- Zhang B G, Bai Z H, Hoefel D, Tang L, Yang Z G, Zhuang G Q, Yang J Z & Zhang H X 2008 Assessing the impact of the biological control agent *Bacillus thuringiensis* on the indigenous microbial community within the pepper plant phyllosphere. *FEMS Microbiology Letters* 284 (1): 102-108.
- Zhang H L, Huo H & Li 2008 Market analysis and development countermeasures for dry capsicum industry in Henan Province. *China Vegetables* (7): 8-9.
- Zhang J J, Wang H X, Ma Y C & Zheng Y 2008 Experimental research on hot-air drying properties of *Capsicum*. *Transactions of the Chinese Society of Agricultural Engineering* 24 (3): 298-301.

- Zhang S G, Xing Y P & Wang Z Q () 2008 A new slightly hot sweet pepper F1 hybrid 'Haifeng No. 25'. *China Vegetables* 5: 31-32.
- Zhang X L, Xue Q H, Guo Z Y, Yang B, Zhou Y Q & Xu Y J 2008 Effect of the inoculation with the fungi and actinomycetes against *Phytophthora capsici* and the colonization capability and the growth and PPO activity of capsicum's leaf and root. *Journal of Northwest A and F University Natural Science Edition* 36 (4): 151-158.
- Zhong L, Liu F W, Yang M J, Zhang L Q, Qin R & Li W F 2008 Strategic studies on sustainable development of capsicum industry in Yunnan. *Southwest China Journal of Agricultural Sciences* 21 (2): 528-532.
- Zu Y Q, Hu W Y, Wu B Z, Zhan F D & Li Y 2008 Effect of chilli pepper intercropping system on nutrient utilization, main diseases and pests and yield of chilli pepper. *Journal of Wuhan Botanical Research* 26 (4): 412-416.
- Cumin (*Cuminum cyminum* L.)**
- Bardia P K & Rai P K 2008 Variability in *Fusarium oxysporum* f. sp. *cumini* causing cumin wilt. *Annals of Plant Protection Sciences* 16 (2): 444-448.
- Derakhshan S, Sattari M & Bigdeli M 2008 Effect of subinhibitory concentrations of cumin (*Cuminum cyminum* L.) seed essential oil and alcoholic extract on the morphology, capsule expression and urease activity of *Klebsiella pneumoniae*. *International Journal of Antimicrobial Agents* 32 (5): 432-436.
- Fakoor M H, Rasooli I, Chomchalow N & Chantrasm V 2008 Pathogen control by antioxidative characteristics of *Cuminum cyminum* and *Rosmarinus officinalis* essential oils. *Acta Horticulturae* 786: 125-136.
- Fennel (*Foeniculum vulgare* Mill.)**
- Anamika P & Payal L 2008 Quantification of total carbohydrates and related enzymes in *Ramularia* blight infected fennel plants. *Annals of Plant Protection Sciences* 16 (2): 438-440.
- Cosge B, Kiralan M & Gurbuz B 2008 Characteristics of fatty acid and essential oil from sweet fennel (*Foeniculum vulgare* Mill. var. *dulce*) and bitter fennel fruits (*F. vulgare* Mill. var. *valgare*) growing in Turkey. *Natural Product Research* 22(12): 1011-1016.
- He J M, Xiao Y H & Wang Y M 2008 Comparison of plant morphology and nutritional components in different fennel varieties. *China Vegetables* (8): 18-20.
- Ren A X, He J M, Xiao Y H & Wang Y M 2008 Effects of CO₂ concentration on plant growth, contents and components of essential oil in fennel (*Foeniculum vulgare*). *Journal of Plant Ecology (Chinese Version)* 32 (3): 698-703.
- Fenugreek (*Trigonella foenum-graecum* L.)**
- Ahmed S, Khan R R, Ghulam Hussain, Riaz M A & Abid-Hussain 2008 Effect of intercropping and organic matter on the subterranean termites population in sugarcane field. *International Journal of Agriculture and Biology* 10 (5): 581-584.
- Al Twaty N H A 2008 Protection by the fenugreek seeds alkaloid against mitotic crossing over, gene conversion and reverse mutation included by tegretol in *Saccharomyces cerevisiae* D7. *Biosciences Biotechnology Research Asia* 5 (1): 73-80.
- Aparicio M F, Emeran A A & Rubiales D 2008 Control of *Orobanche crenata* in legumes intercropped with fenugreek (*Trigonella foenum-graecum*). *Crop Protection* 27 (3/5): 653-659.
- Bisht S 2008 Inhibitory effect of phylloplane fungi on *Erysiphe polygoni* DC inciting powdery mildew disease of *Trigonella foenum-graecum*. *Annals of Plant Protection Sciences* 16 (1): 150-152.
- Jabee F, Ansari M Y K & Danish Shahab 2008 Studies on the effect of maleic hydrazide on root tip cells and pollen fertility in *Trigonella foenum-graecum* L. *Turkish Journal of Botany* 32 (5): 337-344.

- Kaviarasan S, Sundarapandiyar R & Anuradha C V 2008 Protective action of fenugreek (*Trigonella foenum-graecum*) seed polyphenols against alcohol-induced protein and lipid damage in rat liver. *Cell Biology and Toxicology* 24 (5): 391-400.
- Mantri V A & Chaugule B B 2008 *In-situ* and *ex-situ* evaluation of seaweed liquid fertilizers on seed germination, early growth and chlorophyll content of *Trigonella foenum-graecum* Linn. Proceedings of the National Academy of Sciences India Section B Biological Sciences 78 (2): 158-163.
- Shim S H, Lee E J, Kim J S, Kang S S, Ha H K, Lee H Y, Kim C S, Lee J H & Son K H 2008 Rat growth hormone release stimulators from fenugreek seeds. *Chemistry and Biodiversity* 5 (9): 1753-1761.
- Singh, Ravneet Kaur B & Kashmir Singh 2008 Characterization of *Rhizobium* strain isolated from the roots of *Trigonella foenum-graecum* (fenugreek). *African Journal of Biotechnology* 7 (20): 3671-3676.
- Souri E, Amin G, Farsam H & Tehrani M B 2008 Screening of antioxidant activity and phenolic content of 24 medicinal plant extracts. *DARU Journal of Faculty of Pharmacy Tehran University of Medical Sciences* 16 (2): 83-87.
- Vasudevan S N, Sudarshan J S, Kurdikeri M B & Dharmatti P R 2008 Influence of pinching of apical bud and chemical sprays on seed yield and quality of fenugreek. *Karnataka Journal of Agricultural Sciences* 21 (1): 26-29.
- Yadav M, Radha Tomar, Prasad G B K S, Shalini Jain & Hariom Yadav 2008 Complementary hypoglycemic and anti-hyperglycemic activity of various extracts of fenugreek seeds in rats. *Asian Journal of Biochemistry* 3 (3): 182-187.

Garcinia (*Garcinia* spp.)

- Bhadra B, Zareenan B & Sisinthy S 2008 *Pichia garciniae* sp. nov, isolated from a rotten mangosteen fruit (*Garcinia mangostana* L., Clusiaceae). *International Journal of Systematic and Evolutionary Microbiology* 58 (11): 2665-2669.
- Chaverri J P, Cardenas Rodriguez N, Orozco Ibarra M & Perez Rojas J M 2008 Medicinal properties of mangosteen (*Garcinia mangostana*). *Food and Chemical Toxicology* 46(10): 3227-3239.
- Dangcham S, Bowen J, Ferguson I B & Ketsa S 2008 Effect of temperature and low oxygen on pericarp hardening of mangosteen fruit stored at low temperature. *Postharvest Biology and Technology* 50 (1): 37-44.
- Ee G C L, Shaari D, Sheikh A I & Mawardi R 2008 *Garcinia mangostana* a source of potential anti cancer lead compounds against CEM-SS cell line. *Journal of Asian Natural Products Research* 10 (5): 475-479.
- Han Q B, Yang N Y, Tian H L, Qiao C F, Song J Z, Chang D C, Chen S L, Luo K Q & Xu H X 2008 Xanthones with growth inhibition against HeLa cells from *Garcinia xipshuanbannaensis*. *Phytochemistry* 69 (11): 2187-2192.
- Hossein T S M, Kadir M A, Aziz M A, Rashid A A, Arash Rafat & Javadi M B 2008 Amelioration of mangosteen micro propagation through leaf and seed segments (*Garcinia mangostana* L.). *African Journal of Biotechnology* 7 (12): 2025-2029.
- Hossein T S M, Kadir M A, Aziz M A, Rashid A A, Arash Rafat & Javadi M B 2008 Plant regeneration as affected by plant growth regulators (PGR) in mangosteen (*Garcinia mangostana* L.). *African Journal of Biotechnology* 7 (15): 2693-2701.
- Issarakraisila M, Settapakdee R, Chomchalow N, Chantrasmee V & Sukhvibul N 2008 Effects of light intensity on leaf structure and growth of mangosteen seedlings. *Acta Horticulturae* 787: 289-291.
- Kanmegne G & Omokolo N D 2008 Germination of *Garcinia kola* (Heckel) seeds in response to different hormone treatments. *Fruits Paris* 63 (3): 155-161.

- Kijjoa A, Gonzalez M J, Pinto M M, Nascimento M S J, Campos N, Mondranondra I O, Silva A M S, Eaton G & Herz W 2008 Cytotoxicity of prenylated xanthones and other constituents from the wood of *Garcinia merguensis*. *Planta Medica* 74 (8): 864-866.
- Masullo M, Bassarello C, Suzuki H, Pizza C & Piacente S 2008 Polyisoprenylated benzophenones and an unusual polyisoprenylated tetracyclic xanthone from the fruits of *Garcinia cambogia*. *Journal of Agricultural and Food Chemistry* 56 (13): 5205-5210.
- Niemenak N, Onomo P E, Fotso Lieberei R & Ndoumou D O . 2008 Purine alkaloids and phenolic compounds in three Cola species and *Garcinia kola* grown in Cameroon. *South African Journal of Botany* 74 (4): 629-638.
- Sampath P D & Kannan Vijayaragavan 2008 Ameliorative prospective of alpha-mangostin, a xanthone derivative from *Garcinia mangostana* against beta-adrenergic catecholamine-induced myocardial toxicity and anomalous cardiac TNF-alpha and COX-2 expressions in rats. *Experimental and Toxicologic Pathology* 60 (4/5): 357-364.
- Sdoodee S, Phunkied P, Chomchalow N, Chantrasmee V & Sukhvibul N 2008 Root restriction effects on canopy size, fruit yield and fruit size of mangosteen. *Acta Horticulturae* 787: 259-264.
- Vasques C A R, Rossetto S, Halmenschlager G, Linden R, Heckler E, Poblador Fernandez M S & Lancho Alonso J L 2008 Evaluation of the pharmacotherapeutic efficacy of *Garcinia cambogia* plus *Amorphophallus konjac* for the treatment of obesity. *Phytotherapy Research* 22 (9): 1135-1140.
- Yenjit P, Issarakraisila M, Intana W, Sattasalachai S, Suwannon T, Chantrapromma K Chomchalow N, Chantrasmee V & Sukhvibul N 2008 Efficacy of extracted substances from the pericarp of *Garcinia mangostana* to control major diseases of tropical fruits in the laboratory. *Acta Horticulturae* 787 : 339-343.
- Zhong F F, Chen Y & Yang G Z 2008 Chemical constituents from the bark of *Garcinia xanthochymus* and their 1,1-diphenyl-2-picrylhydrazyl (DPPH) radical scavenging activities. *Helvetica Chimica Acta* 91 (9): 1695-1703.
- Zhou Y, Han Q B, Song J Z, Qiao C F & Xu H X 2008 Characterization of polyisoprenylated xanthones in *Garcinia xipshuanbannaensis* using liquid chromatography coupled with electrospray ionization quadrupole time-of-flight tandem mass spectrometry. *Journal of Chromatography A* 1206 (2): 131-139.

Ginger (*Zingiber officinale* Roscoe)

- Chen C Y, Chen C H, Kung C H, Kuo S H & Kuo S Y 2008 6-Gingerol induces Ca₂ mobilization in Madin-Darby canine kidney cells. *Journal of Natural Products* 71 (1): 137-140.
- Chohan M, Forster Wilkins G & Opara E I 2008 Determination of the antioxidant capacity of culinary herbs subjected to various cooking and storage processes using the ABTS*+ radical cation assay. *Plant Foods for Human Nutrition* 63 (2): 47-52.
- Girma H & Kindie T 2008 The effects of seed rhizome size on the growth, yield and economic return of ginger (*Zingiber officinale* Rosc.). *Asian Journal of Plant Sciences* 7 (2): 213-217.
- Gupta M & Thakur H L 2008 Potential and prospects of ginger cultivation in Himachal Pradesh. *Indian Journal of Arecanut Spices and Medicinal Plants* 10 (1): 13-22.
- Gurdip S, Kapoor I P S, Pratibha S, Heluani C S de, Lampasona M P de & Catalan C A N 2008 Chemistry, antioxidant and antimicrobial investigations on essential oil and oleoresins of *Zingiber officinale*. *Food and Chemical Toxicology* 46 (10): 3295-3302.
- Halim A S A 2008 Efficacy of *Zingiber officinale* on third stage larvae and adult fecundity of *Musca domestica* and *Anopheles pharoensis*. *Journal of the Egyptian Society of Parasitology* 38 (2): 385-392.

- Han C M, Pan K W, Wu N, Wang J C & Li W 2008 Allelopathic effect of ginger on seed germination and seedling growth of soybean and chive. *Scientia Horticulturae* 116 (3): 330-336.
- Huang J L, Wang S H & Zhang Z X 2008 Effect of external AsA on the photoinhibition of ginger leaves *in vitro*. *Acta Botanica Boreali Occidentalia Sinica* 28 (10): 2041-2046.
- Islam M S & Choi H M 2008 Comparative effects of dietary ginger (*Zingiber officinale*) and garlic (*Allium sativum*) investigated in a type-2 diabetes model of rats. *Journal of Medicinal Food* 11 (1): 152-159.
- Jatoi S A, Kikuchi A, Mimura M, San San Yi & Watanabe K N 2008 Relationships of *Zingiber* species, and genetic variability assessment in ginger (*Zingiber officinale*) accessions from *ex-situ* genebank, on-farm and rural markets. *Breeding Science* 58 (3): 261-270.
- Li X, Zhu ZY, Wu YT, Chai YF, Zhang GQ & Lou-ZY 2008 Rapid and accurate analytical method for the determination of gingerols in three medicinal gingers (*Zingiber officinale* Roscoe) by high performance liquid chromatography. *Analytical Letters* 41 (10/12): 1732-1741.
- Moharana R L, Chatterjee R & Basu A K 2008 Characterization of mango-ginger (*Curcuma amada* Roxb.) collections through morphological and rhizome characters. *Environment and Ecology* 26 (2): 650-653.
- Navaei R A, Roozbeh F, Saravi M, Pouramir M, Jalali F & Moghadamnia A A 2008 Investigation of the effect of ginger on the lipid levels: a double blind controlled clinical trial. *Saudi Medical Journal* 29 (9): 1280-1284.
- Orlovskaya T V 2008 Polysaccharides from *Zingiber officinale*. *Chemistry of Natural Compounds* 44 (2): 229-230.
- Pawar N V, Patil V B, Kamble S S & Dixit G B 2008 First report of *Aspergillus niger* as a plant pathogen on *Zingiber officinale* from India. *Plant Disease* 92 (9): 1368.
- Preeti C, Dnyaneshwar W, Kalpana J & Bhushan P 2008 Development of SCAR (sequence-characterized amplified region) markers as a complementary tool for identification of ginger (*Zingiber officinale* Roscoe) from crude drugs and multicomponent formulations. *Biotechnology and Applied Biochemistry* 50 (1): 61-69.
- Samuel R, Das A B & Das P 2008 Studies on genetic advance, heritability and path coefficient analysis for yield in Indian ginger (*Zingiber officinale* Rose.) cultivars. *Journal of Hill Research* 21 (1): 20-25.
- Shaw Y A B, Williams L A D, Junor G A O, Green C E, Hibbert S L, Salmon C N A & Smith A M 2008 Changes in the contents of oleoresin and pungent bioactive principles of Jamaican ginger (*Zingiber officinale* Roscoe.) during maturation. *Journal of Agricultural and Food Chemistry* 56 (14): 5564-5571.
- Soto A H, Gatica Arias A & Alvarenga Venutolo S 2008 Low cost glass fermentor design for mass micropropagation of ginger. *Agronomia Mesoamericana* 19 (1): 87-92.
- Sujata M, Panda M K, Enketeswara S, Acharya L & Sanghamitra N 2008 Genetic stability of micropropagated ginger derived from axillary bud through cytophotometric and RAPD analysis. *Zeitschrift fur Naturforschung Section C Biosciences* 63 (9-10): 747-754.
- Verzignassi J R, Poltronieri L S & Benchimol R L 2008 Presence of *Rhizoctonia solani* AG1 in torch ginger in the State of Para. *Summa Phytopathologica* 34 (3): 290.
- Zaman M M, Sultana N A & Rahman M M 2008 Yield of ginger as influenced by plant spacing and planting depth. *International Journal of Sustainable Agricultural Technology* 4(2): 54-58.
- Zhu Y & Zhang X S 2008 Study on extracting gingerol from ginger by ethyl alcohol. *China Condiment* (4): 83-85.
- Zick S M, Djuric Z, Ruffin M T, Litzinger A J, Normolle D P, Alrawi S, Feng M H R & Brenner D E 2008 Pharmacokinetics of 6-gingerol, 8-gingerol, 10-gingerol, and 6-shogaol and conjugate metabolites in healthy human subjects. *Cancer Epidemiology Biomarkers and Prevention* 17 (8): 1930-1936.

Large cardamom (*Amomum subulatum* Roxb.)

Dubey R K, Rajesh Kumar, Jaya Chansouria J P N & Dubey N K 2008 Evaluation of *Amomum subulatum* Roxb oil as a source of botanical fungitoxicant for the protection of mango fruits from fungal rotting. *Journal of Food Safety* 28 (3): 400-412.

Singh K K 2008 Large cardamom agroforestry-a sustainable practice in the Sikkim Himalaya. *Indian Journal of Arecanut, Spices and Medicinal Plants* 10 (2): 67-77.

Mustard (*Brassica* spp.)

Abdullah & Masood Akhtar 2008 Phytotoxic effect of organophosphate insecticides; phosphomidon and monocrotophos on wheat, maize and mustard. *Biosciences Biotechnology Research Asia* 5 (1): 325-330.

Aggarwal P K, Hebbar K B, Venugopalan M V, Rani S, Bala A, Biswal A & Wani S P 2008 Quantification of yield gaps in rain-fed rice, wheat, cotton and mustard in India. *Global Theme on Agroecosystems Report* (43): 30.

Ahuja B, Kalyan R K, Ahuja U R, Singh S K, Sundria M M & Dhandapani A 2008 Integrated management strategy for painted bug, *Bagrada hilaris* (Burm.) inflicting injury at seedling stage of mustard (*Brassica juncea*) in arid western Rajasthan. *Pesticide Research Journal* 20 (1): 48-51.

Ali H & Ansari M S 2008 Efficacy of insecticides against *Lipaphis erysimi* on mustard crop. *Journal of Entomological Research* 32 (1): 45-47.

Aslam M, Hussain G & Hussain M 2008 Evaluation of best planting time of mustard (*Brassica juncea*) strains in southern Punjab. *Science International Lahore* 20 (2): 147-149.

Ceglinska K 2008 *Trichoderma atroviride* F6 improves phytoextraction efficiency of mustard (*Brassica juncea* (L.) Coss. var. *foliosa* Bailey) in Cd, Ni contaminated soils. *Acta Agrobotanica* 61 (1): 59-64.

Chaity K & Rabinarayan P 2008 Contribution of different production factors on growth and yield of mustard [*Brassica juncea* (L.) Czern and Coss]. *Journal of Interacademia* 12 (1): 12-15.

Chand S & Ram D 2008 PSM and *Azotobacter* population in rhizosphere soil of mustard as influenced by organic and inorganic sources. *Environment and Ecology* 26 (1): 43-46.

Choudhary A & Sharma D C 2008 Dynamics of pesticide residues in nectar and pollen of mustard (*Brassica juncea* (L.) Czern.) grown in Himachal Pradesh (India). *Environmental Monitoring and Assessment* 144 (1/3): 143-150.

Cong L, Chai T Y & Zhang Y X 2008 Characterization of the novel gene encoding a DRE-binding transcription factor from *Brassica juncea* L. *Biochemical and Biophysical Research Communications* 371 (4): 702-706.

Das B, Nakul Mandal & De D K 2008 Study on seed characters in mustard (*Brassica juncea* L.) influenced by nitrogen nutrition and developmental stages. *Journal of Interacademia* 12 (2): 150-158.

Dey D & Akhtar M S 2008 Spatial distribution and population dynamics of mustard aphid (*Lipaphis erysimi*) on Indian mustard (*Brassica juncea*). *Indian Journal of Agricultural Sciences* 78 (8): 719-722.

Du X M & Zhang Y Q 2008 Effects of zinc on photosynthesis and the activities of protective enzymes of Chinese cabbage in calcareous cinnamon soil. *Acta Botanica Boreali Occidentalia Sinica* 28 (6): 1203-1207.

Duan C F, Yang G H, Ni Z G, Liu G H & Wu H Y 2008 Occurrence of foliar rot of Chinese cabbage, mint and lettuce caused by *Rhizoctonia solani* AG-1 IB in China. *Journal of Yunnan Agricultural University* 23 (3): 422-425.

Duclos D V & Bjorkman T 2008 Meristem identity gene expression during curd proliferation and flower initiation in *Brassica oleracea*. *Journal of Experimental Botany* 59 (2): 421-433.

- Dusabenyagasani M & Fernando W G D 2008 Development of a SCAR marker to track canola resistance against blackleg caused by *Leptosphaeria maculans* pathogenicity group 3. *Plant Disease* 92 (6): 903-908.
- Fang Z X, Hu Y X, Liu D H, Chen J C & Ye X Q 2008 Changes of phenolic acids and antioxidant activities during potherb mustard (*Brassica juncea* Coss.) pickling. *Food Chemistry* 108 (3): 811-817.
- Faujdar R S, Mathur A K & Verma A K 2008 Yield and quality of mustard as influenced by different levels of phosphorus and sulphur. *Asian Journal of Soil Science* 3 (1): 207-208.
- Gaafar R M 2008 Genetic diversity of *Brassica juncea* L. accessions using isozyme and RAPD markers. *American Eurasian Journal of Agricultural and Environmental Science* 4 (2): 194-202.
- Guan Y F, Sathish K R, Dinesh N, Taylor P W J & Chye ML 2008 *Brassica juncea* chitinase inhibits growth of fungal phytopathogens and agglutinates Gram-negative bacteria. *Journal of Experimental Botany* 59 (12): 3475-3484.
- Jiang M, Cao L & Zhang R 2008 Effects of *Acacia* (*Acacia auriculaeformis* A. Cunn)-associated fungi on mustard (*Brassica juncea* (L.) Coss. var. *foliosa* Bailey) growth in Cd- and Ni-contaminated soils. *Letters in Applied Microbiology* 47 (6): 561-565.
- Kaur P, Sivasithamparam K & Barbetti M J 2008 Pathogenic behaviour of strains of *Albugo candida* from *Brassica juncea* (Indian mustard) and *Raphanus raphanistrum* (wild radish) in Western Australia. *Australasian Plant Pathology* 37 (4): 353.
- Khan A & Qaseem S M 2008 Economic importance and health value of oil seeds with special reference to mustard oil. *Journal of Living World* 15 (1): 30-34.
- Khan N A, Anjum N A, Rahat Nazar & Lone P M 2008 Activity of 1-aminocyclopropane carboxylic acid synthase and growth of mustard (*Brassica juncea*) following defoliation. *Plant Growth Regulation* 56 (2): 151-157.
- Khan N A, Mir M R, Nazar R & Singh S 2008 The application of ethephon (an ethylene releaser) increases growth, photosynthesis and nitrogen accumulation in mustard (*Brassica juncea* L.) under high nitrogen levels. *Plant Biology* 10 (5): 534-538.
- Kumar A & Sandeep Kumar 2008 Crop growth rate and developmental characteristics of Indian mustard var. Vardan to varying levels of nitrogen and sulphur. *Indian Journal of Agricultural Research* 42 (2): 112-115.
- Kumar B 2008 Assessment of slow blighting (*Alternaria brassicae*) resistance and yield in Indian mustard (*Brassica juncea* (L.) Czern. & Coss.). *Indian Phytopathology* 61 (2): 179-183.
- Lai H Y, Chen S W & Chen Z S 2008 Pot experiment to study the uptake of Cd and Pb by three Indian mustards (*Brassica juncea*) grown in artificially contaminated soils. *International Journal of Phytoremediation* 10 (2): 89-103.
- Lim T S, Chitra T R, Tay B H, Pua E C & Yu H 2008 Molecular characterization of *Arabidopsis* and *Brassica juncea* Cu/Zn-superoxide dismutases reveals their regulation of shoot regeneration. *Journal of Plant Growth Regulation* 27 (2): 99-109.
- Lin B Y, Lin Hui & Chen Ying Y 2008 Genetic diversity of Fujian *Brassica juncea* var. *crassicaulis* germplasms by RAPD analysis. *Journal of Fujian Agriculture and Forestry University Natural Science Edition* 37 (4): 385-388.
- Mahak S, Geeta S, Vijendra Kumar & Anshu Dhaka 2008 Combining ability analysis for some metric traits related to seed yield in Indian mustard (*Brassica juncea* (L.) Czern and Coss.). *Progressive Agriculture* 8 (1): 57-60.
- Makeen K, Archana Kumari, Chaurasia A K & Shafeeq Hakeem 2008 Effect of different levels of sulphur application on physiological and the yield behaviour of mustard (*Brassica juncea* L.). *Progressive Research* 3 (1): 53-56.

- Mustorp S, Engdahl Axelsson C, Svensson U & Holck A 2008 Detection of celery (*Apium graveolens*), mustard (*Sinapis alba*, *Brassica juncea*, *Brassica nigra*) and sesame (*Sesamum indicum*) in food by real-time PCR. *European Food Research and Technology* 226 (4): 771-778.
- Narendra S, Srivastava A K & Udit Narain 2008 Efficacy of fungicides against *Alternaria* blight of mustard. *International Journal of Plant Sciences Muzaffarnagar* 3 (1): 311-312.
- Nema A K, Sankar G R M & Chauhan S P S 2008 Optimization of fertilizer nitrogen at varying levels of life-saving irrigation water for mustard (*Brassica juncea*) under semi-arid *inceptisols*. *Indian Journal of Agricultural Sciences* 78 (11): 943-948.
- Panjabi P, Arun Jagannath, Bisht N C, Padmaja K L, Sarita Sharma, Vibha Gupta, Pradhan A K & Deepak Pental 2008 Comparative mapping of *Brassica juncea* and *Arabidopsis thaliana* using Intron Polymorphism (IP) markers: homoeologous relationships, diversification and evolution of the A, B and C *Brassica* genomes. *BMC Genomics* 9 (113): (03 March 2008).
- Parab S, Saharan R P & Singh D 2008 Detection of epistasis and estimation of additive and dominance components of genetic variation for different quantitative characters using triple test cross analysis in Indian mustard [*Brassica juncea* (L.) Czern & Coss]. *Annals of Agri Bio Research* 13 (1): 39-48.
- Prem D, Kadambari Gupta, Gautam Sarkar & Abha Agnihotri 2008 Activated charcoal induced high frequency microspore embryogenesis and efficient doubled haploid production in *Brassica juncea*. *Plant Cell Tissue and Organ Culture* 93 (3): 269-282.
- Qi X H, Yang J H & Zhang M F 2008 AFLP-based genetic diversity assessment among Chinese vegetable mustards (*Brassica juncea* (L.) Czern.). *Genetic Resources and Crop Evolution* 55 (5): 705-711.
- Qureshi F M, Rawat U S & Rathore M S 2008 Influence of saline water irrigation on contents of proline and nutrients in mustard grown in a sodic soil. *Advances in Plant Sciences* 21 (1): 231-234.
- Rajkumar M & Freitas H 2008 Effects of inoculation of plant-growth promoting bacteria on Ni uptake by Indian mustard. *Bioresource Technology* 99 (9): 3491-3498.
- Ram P, Kedar P, Sarvind K, Tiwari R K & Sonkar T C 2008 Production potential and economics of lentil (*Lens esculenta*) and mustard (*Brassica juncea*) in mixed and intercropping system. *Plant Archives* 8 (1): 233-236.
- Sangwan N, Amarjeet S, Rajesh Kumar, Rana B P & Phogat S B 2008 Study of adoption gap and productivity gain through frontline demonstrations in raya (*Brassica juncea* L.) at farmers' field. *Research on Crops* 9 (2): 439-442.
- Sharma A, Raju Gupta & Anil Kumar 2008 Effect of sowing methods, nitrogen and sulphur level on growth, yield and oil contents of mustard (*Brassica juncea*). *Plant Archives* 8 (1): 421-424.
- Sharma K R & Sanjay Arora 2008 Effectiveness of gypsum and pyrite for sulfur fertilization on yield and quality of Indian mustard under rainfed conditions of North India. *Communications in Soil Science and Plant Analysis* 39 (15/16): 2431-2439.
- Sharma N & Swati Sharma 2008 Control of foliar diseases of mustard by *Bacillus* from reclaimed soil. *Microbiological Research* 163 (4): 408-413.
- Sharma S N, Prasad R, Shivay Y S, Dwivedi M K & Sandeep Kumar 2008 Relative efficiency of diammonium phosphate and Mussoorie rock phosphate in combination with crop residue incorporation on growth, yield and economics of Indian mustard (*Brassica juncea*). *Indian Journal of Agricultural Sciences* 78 (11): 949-953.
- Sheng X F, Jiang C Y & He L Y 2008 Characterization of plant growth-promoting *Bacillus edaphicus* NBT and its effect on lead uptake by Indian mustard in a lead-amended soil. *Canadian Journal of Microbiology* 54 (5): 417-422.
- Singh M V, Neeraj Kumar & Misra B N 2008 Effect of row spacing and nitrogen levels on mustard (*Brassica juncea*) under late sown condition in eastern U P. *Research on Crops* 9 (2): 266-269.

- Singh R K & Verma R A 2008 Relative efficacy of certain insecticides against mustard aphid (*Lipaphis erysimi*) on Indian mustard (*Brassica juncea*). Indian Journal of Agricultural Sciences 78 (9): 821-823.
- Singh R K, Verma R A & Rajak D C 2008 Bio-efficacy of insecticides against mustard sawfly on mustard. Annals of Plant Protection Sciences 16 (1): 208-209.
- Singh V K & Dhirendra Singh 2008 Diversity for fatty acid composition of advanced breeding lines of Indian mustard [*Brassica juncea* (L.) Czern & Coss]. Indian Journal of Genetics and Plant Breeding 68 (3): 330-333.
- Srivastava A K, Nathawat N S, Ramaswamy N K, Sahu M P, Govind Singh, Nair J S, Paladi R K & D'Souza S F 2008 Evidence for thiol-induced enhanced *in situ* translocation of sucrose from source to sink in *Brassica juncea*. Environmental and Experimental Botany 64 (3): 250-255.
- Sun G X, Chen J C, Zhang G R & Zheng W C 2008 The research on cultural technique of stem mustard (*Brassica juncea* var. tsatsai). Acta Agriculturae Shanghai 24 (1): 133-135.
- Varun S, Matadin L & Verma N K 2008 Effect of phosphorus and sulphur levels on growth and yield of mustard (*Brassica juncea* Coss) variety 'Varuna'. Agricultural Science Digest 28 (1): 59-60.
- Verma K, Shekhawat G S, Sharma A, Mehta S K & Sharma V 2008 Cadmium induced oxidative stress and changes in soluble and ionically bound cell wall peroxidase activities in roots of seedling and 3-4 leaf stage plants of *Brassica juncea* (L.) Czern. Plant Cell Reports 27 (7): 1261-1269.
- Verma O P, Ram B, Kumar K, Singh H K & Singh N K 2008 Varietal adaptability of Indian mustard under saline-sodic soils. Crop Research Hisar 35 (1/2): 88-90.
- Verma R, Raghav Sharma & Sharma S K 2008 Association studies among yield and its component characters in Indian mustard [*Brassica juncea* (L.) Czern & Coss]. Indian Journal of Genetics and Plant Breeding 68 (1): 87-89.
- Vikas K, Parida S K, Yadava D K, Arif Ali, Koundal K R & Trilochan M 2008 Evaluation of microsatellite markers for genome mapping in Indian mustard (*Brassica juncea* L.). Journal of Plant Biochemistry and Biotechnology 17 (1): 69-72.
- Wajid H & Singh C P 2008 Biology of diamond back moth, *Plutella xylostella* (L.) (Lepidoptera: Yponomeutidae) on cabbage and Indian mustard. International Journal of Agricultural Sciences 4 (2): 684-686.
- Wang A Y, Li X & Hu D Y 2008 Production and identification of intergeneric hybrids between *Brassica juncea* and *Orychophragmus violaceus*. Chinese Journal of Oil Crops-Sciences 30 (1): 35-39.
- Wang A Y, Li X & Hu Da Y 2008 Production and characterization of intergeneric hybrids between *Brassica* species (*B. juncea*, *B. nigra*) and *Orychophragmus violaceus* by ovary culture. Acta Agronomica Sinica 34 (9): 1557-1562.
- Wang J L, Chang T J, Cheng H H & Fang H L 2008 Study on character evolution and cladistic taxonomy of wild rapes (*Brassica campestris* and *B. juncea*) in Tibet. Journal of Plant Resources and Environment 17 (3): 10-17.
- Xu A X, Ma C Z, Xiao E S, Quan J C, Ma C Z, Tian G W, Tu J X, Fu T D & Zhang G S 2008 Genetic diversity of *Brassica juncea* from Western China. Acta Agronomica Sinica 34 (5): 754-763.
- Xu J, Zhang Y X, Guan Z Q, Wei W, Han L & Chai Tuan Y 2008 Expression and function of two dehydrins under environmental stresses in *Brassica juncea* L. Molecular Breeding 21 (4): 431-438.
- Yan Ming L, Liu Xian J, Liu Zhong S, Guan Chun Y, Yuan Mou Z & Xiong Xing H 2008 Cloning and expression analysis of the dihydroflavonol 4-reductase gene in *Brassica juncea*. Acta Agronomica Sinica 34 (1): 1-7.

- Yusuf M, Hasan S A, Barkat Ali, Shamsul Hayat, Qazi Fariduddin & Ahmad A 2008 Effect of salicylic acid on salinity-induced changes in *Brassica juncea*. Journal of Integrative Plant Biology 50 (9): 1096-1102.
- Zhang Yu X, Wang Z, Chai Tuan Y, Wen Zhen S & Zhang Hong M 2008 Indian mustard aquaporin improves drought and heavy-metal resistance in tobacco. Molecular Biotechnology 40 (3): 280-292.
- Zhao Da Y & Ding Xiao L 2008 Studies on the low-salt Chinese potherb mustard (*Brassica juncea*, Coss.) pickle. I. The effect of a homofermentative L lactic acid producer *Bacillus coagulans* on starter culture in the low-salt Chinese potherb mustard pickle fermentation. LWT Food Science and Technology 41 (3): 474-482.
- Zhao Shuang, Lei Jian J, Chen Guo J & Cao Bi H 2008 Application of kanamycin in transgenic mustard (*Brassica juncea* Coss.). Hereditas Beijing 30 (4): 501-507.
- Nutmeg (*Myristica fragrans* Houtt.)**
- Bustaman S 2008 Prospect of Banda's nutmeg oil development as Moluccas export commodity. Jurnal Penelitian dan Pengembangan Pertanian 27 (3): 93-98.
- Krishnamurthy K S, Rema J, Mathew P A & Krishnamoorthy B 2008 Identification of suitable *Myristica* species related taxa as rootstock to combat drought in nutmeg. Indian Journal of Horticulture 65 (2): 204-208.
- Newmaster S G, Fazekas A J, Steeves R A D & Janovec J 2008 Testing candidate plant barcode regions in the *Myristicaceae*. Molecular Ecology Resources 8 (3): 480-490.
- Suchandra C, Arul A K, Variyar P S & Arun Sharma 2008 Identification and estimation of a novel fluorescent compound in nutmeg. Journal of Food Composition and Analysis 21 (7): 577-581.
- Origano (*Origanum vulgare* L.)**
- Bouhdid S, Skali S N, Idaomar M, Zhiri A, Baudoux D, Amensour M & Abrini J 2008 Antibacterial and antioxidant activities of *Origanum compactum* essential oil. African Journal of Biotechnology 7 (10): 1563-1570.
- Fortunato I M & Avato P 2008 Plant development and synthesis of essential oils in micropropagated and mycorrhiza inoculated plants of *Origanum vulgare* L. ssp. *hirtum* (Link) Ietswaart. Plant Cell Tissue and Organ Culture 93 (2): 139-149.
- Galego L, Almeida V, Goncalves V, Costa M, Monteiro I, Matos F, Miguel G, Gardner G & Craker L E 2008 Antioxidant activity of the essential oils of *Thymbra capitata*, *Origanum vulgare*, *Thymus mastichina*, and *Calamintha baetica*. Acta Horticulturae 765: 325-333.
- Larkov O, Zaks A, Bar E, Lewinsohn E, Dudai N, Mayer A M & Ravid U 2008 Enantioselective monoterpene alcohol acetylation in *Origanum*, *Mentha* and *Salvia* species. Phytochemistry 69 (14): 2565-2571.
- Lukas B, Schmiderer C, Mitteregger U, Franz C & Novak J 2008 Essential oil compounds of *Origanum vulgare* L. (Lamiaceae) from Corsica. Natural Product Communications 3 (7): 1127-1131.
- Schmidt E, Bail S, Buchbauer G, Stoilova I, Krastanov A, Stoyanova A & Jirovetz L 2008 Chemical composition, olfactory evaluation and antioxidant effects of the essential oil of *Origanum majorana* L. from Albania. Natural Product Communications 3 (7): 1051-1056.
- Sozen E & Poyraz I 2008 Rapid and high quality DNA isolation from *Origanum onites* for RAPD and ISSR analysis. Zeitschrift fur Naturforschung Section C Biosciences 63 (7/8): 595-598.
- Stoilova I, Bail S, Buchbauer G, Krastanov A, Stoyanova A, Schmidt E & Jirovetz L 2008 Chemical composition, olfactory evaluation and antioxidant effects of an essential oil of *Origanum vulgare* L. from Bosnia. Natural Product Communications 3 (7): 1043-1046.

Parsley (*Petroselinum crispum*)

- Dreux N, Albagnac C, Sleator R D, Hill C, Carlin F, Morris C E & Nguyen the C 2008 Glycine betaine improves *Listeria monocytogenes* tolerance to desiccation on parsley leaves independent of the osmolyte transporters BetL, Gbu and OpuC. *Journal of Applied Microbiology* 104 (4): 1221-1227.
- Finger F L, Alvares V de S, Silva J R da, Caestine C & Casali V W D 2008 Influence of postharvest water replacement on shelf life of parsley leaves. *Journal of Food Agriculture and Environment* 6 (2): 116-118.
- Garajova S, Flodrova D, Ait Mohand F, Farkas V & Stratilova E 2008 Characterization of two partially purified xyloglucan endotransglycosylases from parsley (*Petroselinum crispum*) roots. *Biologia Bratislava* 63 (3): 313-319.
- Kaniszewski S & Dysko J 2008 Effect of drip irrigation and cultivation methods on the yield and quality of parsley roots. *Journal of Elementology* 13 (2): 235-244.
- Lohwasser U, Budahn H, Ulrich D, Kruger H, Hoberg E, Struckmeyer T, Schrader O, Borner A, Marthe F, Prohens J & Badenes M L 2008 Characterisation and evaluation of the German parsley assortment as a basis for breeding purposes. Modern variety breeding for present and future needs. Proceedings of the 18th EUCARPIA General Congress, Valencia, Spain, 9-12 September 2008. (p. 173).
- Luthria D L 2008 Influence of experimental conditions on the extraction of phenolic compounds from parsley (*Petroselinum crispum*) flakes using a pressurized liquid extractor. *Food Chemistry* 107 (2): 745-752.
- Petropoulos S A, Daferera D, Polissiou M G & Passam H C 2008 The effect of water deficit stress on the growth, yield and composition of essential oils of parsley. *Scientia Horticulturae* 115 (4): 393-399.
- Petropoulos S A, Olympios C M & Passam H C 2008 The effect of nitrogen fertilization on plant growth and the nitrate content of leaves and roots of parsley in the Mediterranean region. *Scientia Horticulturae* 118 (3): 255-259.
- Peyvast G, Olfati J A, Madeni S, Forghani A & Samizadeh H 2008 Vermicompost as a soil supplement to improve growth and yield of parsley. *International Journal of Vegetable Science* 14 (1): 82-92.
- Rosa D D, Ohto C T, Basseto M A, Souza N L de & Furtado E L 2008 Brazil, a new location for powdery mildew on parsley and fennel plants. *Plant Pathology* 57 (2): 373.
- Tian T, Liu H Y & Koike S T 2008 First report of *Apium virus* Y on cilantro, celery, and parsley in California. *Plant Disease* 92 (8): 1254.
- Tok F M 2008 Chemical control of *Septoria* blight of parsley caused by *Septoria petroselini*. *Turkish Journal of Agriculture and Forestry* 32 (6): 487-494.
- Tolba K H, Youssef S M & Abd Elwahab E S 2008 Physicochemical properties and its application of dill (*Anethum graveolens*) and parsley (*Petroselinum sativum*) and their essential oils. *Arab Universities Journal of Agricultural Sciences* 16 (2): 379-387.
- Turrini A, Avio L, Bavila C & Giovannetti M 2008 Characterisation of arbuscular mycorrhizal fungi in roots by means of epifluorescence microscopy and molecular methods. *Annals of Microbiology* 58 (1): 157-162.
- Zarate N A H, Vieira M do C, Rech J, Quast A, Pontim B C A & Gassi R P 2008 Yield and gross income of arracacha in monocrop and intercropping with the Japanese bunching onion and parsley. *Horticultura Brasileira* 26 (2): 287-291.

Rosemary (*Rosmarinus officinalis* L.)

- Al Kassie G A M 2008 The effect of anise and rosemary on broiler performance. *International Journal of Poultry Science* 7 (3): 243-245.

- Bolukbas S C, Erhan M K & Kaynar O 2008 The effect of feeding thyme, sage and rosemary oil on laying hen performance, cholesterol and some proteins ratio of egg yolk and *Escherichia coli* count in feces. *Archiv fur Geflugelkunde* 72 (5): 231-237.
- Buller S 2008 Heavy infestation of rosemary beetle *Chrysolina americana* (L.) (Coleoptera: Chrysomelidae) in west Kent, 2006-2007. *British Journal of Entomology and Natural History* 21 (3): 142.
- El Naggar H & El Mokadem H 2008 Rosmarinic acid production in rosemary (*Rosmarinus officinalis*) tissue culture in response to exogenous application of L proline and L tyrosine. *Alexandria Journal of Agricultural Research* 53 (1): 81-86.
- El Rjoob A W O, Massadeh A M & Omari M N 2008 Evaluation of Pb, Cu, Zn, Cd, Ni and Fe levels in *Rosmarinus officinalis labiatae* (rosemary) medicinal plant and soils in selected zones in Jordan. *Environmental Monitoring and Assessment* 140 (1/3): 61-68.
- Fakoor M H, Rasooli I, Chomchalow N & Chantrasmii V 2008 Pathogen control by antioxidative characteristics of *Cuminum cyminum* and *Rosmarinus officinalis* essential oils. *Acta Horticulturae* 786 : 125-136.
- Ghazalah A A & Ali A M 2008 Rosemary leaves as a dietary supplement for growth in broiler chickens. *International Journal of Poultry Science* 7 (3): 234-239.
- Herrera J G A, Chacon Pardo E & Lusardo Rodriguez S 2008 Effect of two substrates and different irrigation levels in the propagation of rosemary (*Rosmarinus officinalis*). *Revista UDCA Actualidad and Divulgacion Cientifica* 11 (1): 103-111.
- Humphreys-Jones D R, Barnes A V & Lane C R 2008 First report of the downy mildew *Peronospora lamii* on *Salvia officinalis* and *Rosmarinus officinalis* in the UK. *Plant Pathology* 57 (2): 372.
- Li Lei H & Yang Feng J 2008 Dynamic change of carnosic acid content in *Rosmarinus officinalis* at different harvesting stages. *Journal of Northeast Forestry University* 36 (10): 75, 85.
- Ormeno E, Baldy V, Ballini C & Fernandez C 2008 Production and diversity of volatile terpenes from plants on calcareous and siliceous soils effect of soil nutrients. *Journal of Chemical Ecology* 34 (9): 1219-1229.
- Papageorgiou V, Gardeli C, Mallouchos A, Papaioannou M & Komaitis M 2008 Variation of the chemical profile and antioxidant behavior of *Rosmarinus officinalis* L. and *Salvia fruticosa* Miller grown in Greece. *Journal of Agricultural and Food Chemistry* 56 (16): 7254-7264.
- Russomanno O M R, Kruppa P C & Minihoni M T A 2008 Influence of arbuscular mycorrhizal fungi on rosemary (*Rosmarinus officinalis* L.) and basil (*Ocimum basilicum* L.) plants. *Arquivos do Instituto Biologico Sao Paulo* 75 (1): 037-043.
- Socaci S A, Tofana M & Socaciu C 2008 GC-MS analysis of rosemary essential oil. *Bulletin of University of Agricultural Sciences and Veterinary Medicine Cluj-Napoca Agriculture* 65 (2): 405-409.
- Ture H, Eroglu E, Soyer F & Ozen B 2008 Antifungal activity of biopolymers containing natamycin and rosemary extract against *Aspergillus niger* and *Penicillium roquefortii*. *International Journal of Food Science and Technology* 43 (11): 2026-2032.
- Xiao Chao N, Dai Hui, Liu Hong B, Wang Yu L & Tang Hui R 2008 Revealing the metabonomic variation of rosemary extracts using H1 NMR spectroscopy and multivariate data analysis. *Journal of Agricultural and Food Chemistry* 56 (21): 10142-10153.

Saffron (*Crocus sativus* L.)

- Azizi Z A, Kamgar Haghghi A A & Sepaskhah A R 2008 Crop and pan coefficients for saffron in a semi-arid region of Iran. *Journal of Arid Environments* 72 (3): 270-278.
- Du Hong Y, Wang J, H Yao & X J Talanta 2008 Quantitative Structure-Retention Relationship study of the constituents of saffron aroma in SPME-GC-MS based on the Projection Pursuit Regression method. *Journal of biological Chemistry* 77 (1): 360-365.

- Eldin M S, Elkholy S, Fernandez J A, Junge H, Cheetham R, Guardiola J & Weathers P 2008 *Bacillus subtilis* FZB24Reg. affects flower quantity and quality of saffron (*Crocus sativus*). *Planta Medica* 74 (10): 1316-1320.
- Meridas O S, Rodriguez Conde M F, Sanchez Vioque R, De los Mozos Pascual M, Prohens J & Badenes M L 2008 Conservation and documentation of genetic resources of saffron and *Crocus* spp. Modern variety breeding for present and future needs. Proceedings of the 18th EUCARPIA General Congress, Valencia, Spain, 9-12-September 2008. (pp. 239-240).
- Rafiq S K, Ganai B A & Bhat G A 2008 Impact of automobile emissions on the productivity of *Crocus sativus* L. *International Journal of Environmental Research* 2 (4): 371-376.
- Rubio A, Rambla J L, Santaella M, Gomez M D, Orzaez D, Granell A & Gomez Gomez L 2008 Cytosolic and plastoglobule-targeted carotenoid dioxygenases from *Crocus sativus* are both involved in beta-ionone release. *Journal of Biological Chemistry* 283 (36): 24816-24825.
- Sanchez A M, Carmona M, Prodanov M & Alonso G L 2008 Effect of centrifugal ultrafiltration on the composition of aqueous extracts of saffron spice (*Crocus sativus* L.). *Journal of Agricultural and Food Chemistry* 56 (16): 7293-7301.
- Tamarind (*Tamarindus indica* L.)**
- Daniyan S Y & Muhammad H B 2008 Evaluation of the antimicrobial activities and phytochemical properties of extracts of *Tamarindus indica* against some diseases causing bacteria. *African Journal of Biotechnology* 7 (14): 2451-2453.
- Diallo B O, Mckey D, Chevallier M H, Joly H I & Hossaert Mckey M 2008 Breeding system and pollination biology of the semi domesticated fruit tree, *Tamarindus indica* L. (Leguminosae: Caesalpinioideae): implications for fruit production, selective breeding, and conservation of genetic resources. *African Journal of Biotechnology* 7 (22): 4069-4075.
- Mendonca V, Abreu N A A de, Souza H A de, Teixeira G A, Hafle O M & Ramos J D 2008 Different ambient and Osmocote Reg. for growth of tamarind (*Tamarindus indica*) fruit seedlings. *Ciencia e Agrotecnologia* 32 (2): 391-397.
- Pazhanivelan S, Amanullah M M, Vaiyapuri K, Sathyamoorthi K & Radhamani S 2008 Influence of planting techniques and amendments on the performance of tamarind (*Tamarindus indicus*) and changes in soil properties in rainfed alkali soil. *Research Journal of Agriculture and Biological Sciences* 4 (4): 285-288.
- Sunil N, Reddy G S, Sivaraj N & Sridhar S 2008 Collection and conservation of tamarind (*Tamarindus indica* L.) - a multipurpose tree for livelihood of rural poor. *Journal of Economic and Taxonomic Botany* 32 (Supplement): 24-29.
- Xiao Y, Huang Jian C, Liang Guan S & Feng Ying Z 2008 Preliminary report on the performance of *Tamarindus indica* grown in Guangzhou area. *South China Fruits* 4: 31-32.
- Thyme (*Thymus vulgaris* L.)**
- Bounatirou S, Smiiti S, Miguel M G, Rejeb M N, Neffati M, Costa M M, Faleiro L, Figueiredo A C, Barroso J G, Pedro L G, Gardner G & Craker L E 2008 *Thymus capitatus* grown in Tunisia: antioxidant ability of the essential oils on linoleic acid evaluated by different methods. *Acta Horticulturae* 765 : 315-323.
- Chizzola R, Michitsch H & Franz C 2008 Antioxidative properties of *Thymus vulgaris* leaves comparison of different extracts and essential oil chemotypes. *Journal of Agricultural and Food Chemistry* 56 (16): 6897-6904.
- Fenoll J, Hellin P, Flores P, Sotomayor J & Nicolis M 2008 Determination of oxadiazon and oxyfluorfen in thyme by gas chromatography with electron-capture detection and gas chromatography/mass spectrometry. *International Journal of Environmental Analytical Chemistry* 88 (9): 663-670.
- Golcz A & Bosiacski M 2008 Effect of nitrogen fertilization doses and mycorrhization on the yield and essential oil content in thyme (*Thymus vulgaris* L.). *Journal of Research and Applications in Agricultural Engineering* 53 (3): 72-74.

- Gyongyosi R, Pluhar Z, Sarosi S & Rajhart P 2008 Development of cutting technology of garden thyme (*Thymus vulgaris* L.). *Kertgazdasag Horticulture* 40 (3): 66-75.
- Kumar A, Ravindra Shukla, Priyanka Singh, Prasad C S & Dubey N K 2008 Assessment of *Thymus vulgaris* L. essential oil as a safe botanical preservative against post harvest fungal infestation of food commodities. *Innovative Food Science and Emerging Technologies* 9 (4): 575-580.
- Lafi S A, Odeh I, Dewik H, Qabajah M, Hanus L O & Dembitsky V M 2008 Thymol and carvacrol production from leaves of wild Palestinian *Majorana syriaca*. *Bioresource Technology* 99 (9): 3914-3918.
- Pereira R B, Alves E, Ribeiro Junior P M, Resende M L V de, Lucas G C & Ferreira J B 2008 Coffee berry husk extract, thyme essential oil and acibenzolar-S-methyl in the control of brown eye spot of coffee tree. *Pesquisa Agropecuaria Brasileira* 43 (10): 1287-1296.
- Quan Jun P, He Shu L, Peng F, Zheng Yu H & Xia B 2008 Molecular phylogenetic study of genetic relationships of some *Thymus* species. *Acta Botanica Boreali Occidentalia Sinica* 28 (8): 1566-1572.
- Schmidt M 2008 Fixed combination of thyme herb and primula root fluid extracts against cough: a non-interventional study with BronchicumReg. Elixir in infants. *Zeitschrift fur Phytotherapie* 29 (1): 7-14.
- Stoilova I, Bail S, Buchbauer G, Krastanov A, Stoyanova A, Schmidt E & Jirovetz L 2008 Chemical composition, olfactory evaluation and antioxidant effects of an essential oil of *Thymus vulgaris* L. from Germany. *Natural Product Communications* 3 (7): 1047-1050.
- Turmeric (*Curcuma* spp.)**
- Ak T & Gulcin I 2008 Antioxidant and radical scavenging properties of curcumin. *Hemico Biological Interactions* 174 (1): 27-37.
- Aminah A, Chomchalow N & Chantrasmee V 2008 Yield and growth performance of selected *Curcuma* species grown on bris sandy soil. *Acta Horticulturae* 786: 247-252.
- Anuradha A, Mahalakshmi C & Tyagi R K 2008 Use of commercial sugar, isabgol and ordinary water in culture medium for conservation of *Curcuma longa* L. *Journal of Plant Biochemistry and Biotechnology* 17 (1): 85-89.
- Arijit P, Mita G & Pal A K 2008 Role of turmeric in ultraviolet induced genotoxicity in a bacterial system. *Natural Product Communications* 3 (2): 227-228.
- Biswas S, Rahman I & Alarcon de la Lastra C 2008 Modulation of steroid activity in chronic inflammation: a novel anti-inflammatory role for curcumin. *Molecular Nutrition and Food Research* 52 (9): 987-994.
- Calabrese V, Bates T E, Mancuso C, Cornelius C, Ventimiglia B, Cambria M T, Renzo L di, Lorenzo A de, Dinkova Kostova A T & Alarcon de la Lastra C 2008 Curcumin and the cellular stress response in free radical-related diseases. *Molecular Nutrition and Food Research* 52 (9): 1062-1073.
- Chen Y H, Qin B & Zhang Y Y 2008 Comparative study on the process for extraction of curcumin from *Curcuma longa* L. with different methods. *Chinese Journal of Information on Traditional Chinese Medicine* 15 (7): 55-56.
- Das J, Pal P K & Sarker S C 2008 Farmers' cultivation status and technology gap of some selected spice crops: a study in Cooch Behar district of West Bengal. *Journal of Interacademia* 12 (2): 241-246.
- Dempe J S, Pfeiffer E, Grimm A S, Metzler M & Alarcon de la Lastra C 2008 Metabolism of curcumin and induction of mitotic catastrophe in human cancer cells. *Molecular Nutrition and Food Research* 52 (9): 1074-1081.

- Goel A, Jhurani S, Aggarwal B B & Alarcon de la Lastra C 2008 Multi-targeted therapy by curcumin-how spicy is it? *Molecular Nutrition and Food Research* 52 (9): 1010-1030.
- Hegge A B, Schuller R B, Kristensen S & Tonnesen H H 2008 *In vitro* release of curcumin from vehicles containing alginate and cyclodextrin. *Studies of curcumin and curcuminoides*. XXXIII. *Pharmazie* 63 (8): 585-592.
- Jayakumar R, Naganagoud A & Rajashekarappa K 2008 Influence of indigenous components on natural enemies in okra ecosystem. *Annals of Plant Protection Sciences* 16 (1): 102-106.
- Kita T, Imai S, Sawada H, Kumagai H & Seto H 2008 The biosynthetic pathway of curcuminoid in turmeric (*Curcuma longa*) as revealed by ¹³C-labeled precursors. *Bioscience Biotechnology and Biochemistry* 72 (7): 1789-1798.
- Kulkarni S K, Bhutani M K & Mahendra B 2008 Antidepressant activity of curcumin: involvement of serotonin and dopamine system. *Psychopharmacology* 201 (3): 435-442.
- Kurup V P, Barrios C S & Alarcon de la Lastra C 2008 Immunomodulatory effects of curcumin in allergy. *Molecular Nutrition and Food Research* 52 (9): 1031-1039.
- Leong S J, Sida O, Wijesundara S & Marhold K 2008 On the identity of turmeric: the typification of *Curcuma longa* L. (Zingiberaceae). *Botanical Journal of the Linnean Society* 157 (1): 37-46.
- Mehala C & Moorthy M 2008 Effect of *Aloe vera* and *Curcuma longa* (turmeric) on carcass characteristics and biochemical parameters of broilers. *International Journal of Poultry Science* 7 (9): 857-861.
- Mehala C & Moorthy M 2008 Production performance of broilers fed with *Aloe vera* and *Curcuma longa* (turmeric). *International Journal of Poultry Science* 7 (9): 852-856.
- Niranjan A & Dhan Prakash 2008 Chemical constituents and biological activities of turmeric (*Curcuma longa* L.) - a review. *Journal of Food Science and Technology Mysore* 45 (2): 109-116.
- Pae Hyun O, Jeong Sun O, Kim Hak S, Kim Seong H, Song Yung S, Kim Sung K, Chai Kyu Y, Chung Hun T & con de la Lastra C 2008 Dimethoxycurcumin, a synthetic curcumin analogue with higher metabolic stability, inhibits NO production, inducible NO synthase expression and NF-kappa B activation in RAW264.7 macrophages activated with LPS. *Molecular Nutrition and Food Research* 52 (9): 1082-1091.
- Poompimol W, Jomduang J, Prawat U & Mankhetkorn, S 2008 Anti-*Phytophthora capsici* activities and potential use as antifungal in agriculture of *Alpinia galanga* Swartz, *Curcuma longa* Linn, *Boesenbergia pandurata* Schut and *Chromolaena odorata*: bioactivities guided isolation of active ingredients. *American Journal of Agricultural and Biological Sciences* 3 (4): 688-696.
- Pothitirat W, Gritsanapan W, Chomchalow N & Chantrasmi V 2008 Variability of curcuminoids antioxidative components in ethanolic turmeric extract determined by UV and HPLC methods. *Acta Horticulturae* 786 : 175-183.
- Seo K, Choi M S, Jung U J, Kim H J, Yeo J Y Jeon S M, Lee M K & Alarcon d I L C 2008 Effect of curcumin supplementation on blood glucose, plasma insulin, and glucose homeostasis related enzyme activities in diabetic db/db mice. *Molecular Nutrition and Food Research* 52 (9): 995-1004.
- Sunita K & Kochhar V K 2008 Identification and characterization of a super-stable Cu-Zn SOD from leaves of turmeric (*Curcuma longa* L.). *Planta* 228 (2): 307-318.
- Tanaka K, Kuba Y, Sasaki T, Hiwatashi F & Komatsu K 2008 Quantitation of curcuminoids in curcuma rhizome by near-infrared spectroscopic analysis. *Journal of Agricultural and Food Chemistry* 56 (19): 8787-8792.
- Tian B Q, Wang Z P, Zhao Y M, Wang D G, Li Y G, Ma L, Li X M, Li J, Xiao N, Tian J Q & Rodriguez R 2008 Effects of curcumin on bladder cancer cells and development of urothelial tumors in a rat bladder carcinogenesis model. *Cancer Letters* 264 (2): 299-308.

- Villegas I, Sanchez F S & Alarcon de la Lastra C 2008 New mechanisms and therapeutic potential of curcumin for colorectal cancer. *Molecular Nutrition and Food Research* 52 (9): 1040-1061.
- Wang L Y, Zhang M, Zhang C F & Wang Z T 2008 Alkaloid and sesquiterpenes from the root tuber of *Curcuma longa*. *Acta Pharmaceutica Sinica* 43 (7): 724-727.
- Wang L Y, Zhang Mian, Zhang C F & Wang Z T 2008 Diaryl derivatives from the root tuber of *Curcuma longa*. *Biochemical Systematics and Ecology* 36 (5/6): 476-480.
- Wang Rui, Xu Ying, Wu H L, Li Y B, Li Y H, Guo J B & Li X J 2008 The antidepressant effects of curcumin in the forced swimming test involve 5-HT1 and 5-HT2 receptors. *European Journal of Pharmacology* 578 (1): 43-50.